S
625.7
H3 mph
1979

PLEASE RETURN

1979 MONTANA PRIMARY HIGHWAYS SUFFICIENCY RATINGS

Montana State Library
3 0864 1006 6201 7

PREPARED BY THE

STATE OF MONTANA
DEPARTMENT OF HIGHWAYS
PLANNING AND RESEARCH BUREAU

IN COOPERATION WITH THE

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

Cover Photo: U.S. 12
F.A.P. Route 8
McDonald Pass, west of Helena

December 31, 1979

TABLE OF CONTENTS

	PAGE
Introduction	1
Sufficiency Compared to Age of Rural Primary System	6
Miles of Rural Federal Aid Primary Highways Year Constructed	7
Location of Deficient Sections -- Statewide - System Map	8
Miles of Rural Primary Highway by Sufficiency Rating and Financial District	10
Tabulation of Deficient Mileage by Financial Districts	11
Tabulation of Deficient Mileage by Federal Aid Routes	12
Route Maps Showing Sufficiency Ratings by Section	17
Rural Sufficiency Ratings by Section and Financial District in ascending order.	
Financial District Number 1	101
Financial District Number 2	105
Financial District Number 3	108
Financial District Number 4	111
Financial District Number 5	114
Financial District Number 6	117
Financial District Number 7	120
Financial District Number 8	123
Financial District Number 9	127
Financial District Number 10	130
Financial District Number 11	133
Financial District Number 12	136
Urban Deficiency Ratings by Federal Aid Route and City	141
Rural Sufficiency Ratings by Section -- Statewide in ascending order	169

INTRODUCTION

* * *

In order to comply with the provisions of the State Financial District Law, the Montana Department of Highways has the responsibility to evaluate the condition of the Federal-aid Primary System throughout the State for the purpose of allocating construction funds to the various financial districts. In 1948, a formula was developed to determine the relative deficiency of each section of highway, which was based largely on a comparison of the existing condition of the highway with the latest design standards. The deficiency ratings thus contained were also converted to priority ratings by the application of a traffic volume factor.

During recent years, other states have developed newer formulas for appraising the sufficiency of highways in those states, and since it was apparent that these formulas provided a better basis for evaluating highway conditions, the various formulas were studied with the objective of developing a new formula for Montana that would improve our rating procedure. This study resulted in a new sufficiency rating procedure, which is used in determining the allocation of construction funds to the financial districts and as a priority-rating guide for programming of new construction projects.

This 1979 report is the seventh to be compiled by fully utilizing the Highway Information System data bank. All items used in the sufficiency formula with the exception of the condition of pavement, foundation and drainage, were extracted from the data bank.

The sufficiency rating procedure applies only to rural sections of the Federal-aid Primary System highways. It is not adaptable to urban sections of highway because of the special traffic capacity

conditions encountered in the cities, and for this reason, the urban sections of highway continue to be rated on the basis of the older formula until such time as a new urban sufficiency rating procedure can be devised.

A total of 5451.3 miles of Primary highways are rated in this report, covering the realigned Federal-aid Primary System, composed of 5266.5 miles of rural and 184.8 miles located within municipal and urban areas.

A completely adequate section of rural highway is assigned 100 points in the sufficiency rating formula. As defined for this study, a section of highway meriting a rating of 100 points must have a thoroughly sound structure, must be free from those hazards that can be eliminated by proper road design and must have adequate capacity to satisfactorily handle existing traffic demands.

The following factors are considered in the sufficiency formula.

A. Structural Adequacy - Total 50 Points

   1. Foundation - 10 Points

   2. Surface - 30 Points

   3. Drainage - 10 Points

B. Safety - Total 20 Points

   1. Number of stopping sight distances, shorter than permitted by design speed.

   2. Number of horizontal curves, sharper than permitted by design speed.

   3. Number of bridges narrower than the width of the traveled-way of approaches.

4. Number of accidents as related to the average traffic volume for the analysis period.

C. Hourly Service Volume (Traffic Capacity) - Total 30 Points

1. Design hour traffic volume for the current year
2. Pavement and shoulder widths
3. Percent of commercial vehicles
4. Length of no passing zones
5. Design speed
6. Average highway speed

Structural adequacy was determined by a field inspection of the entire system. To insure uniformity, this inspection was made by one man who has been schooled in rating techniques. Field measurements of pavement and roadway widths were also made during this inspection, as a check on existing records. The foundation of a section of highway was assigned points in the field between a maximum of 10 if it was considered adequate, and 0 if it was totally inadequate. Surfacing was rated and assigned points between 30 if excellent, and 0 if extremely poor. Drainage was also assigned points between 10 and 0 in the same manner as foundation and surfacing.

Factors affecting the safety rating, such as inadequate stopping sight distances, narrow bridges, and excessive horizontal curves, were obtained from the road plans and straight line diagrams. The number of traffic accidents for the analysis period were obtained from the accident subsystem of Highway Information System data bank.

A maximum of 20 points for safety was assigned to a section of highway if stopping sight distance is adequate, there are no excessive curves or narrow bridges and the number of accidents was below average. Conversely, the safety rating was reduced proportionately from 20 to 0 points by existence of any of these items.

The hourly service volume (traffic capacity) of each section of rural highway has been computed by the approved method for rural highways outlined in the new Highway Capacity Manual. This method takes into consideration such items as width of pavement and shoulders, percent of trucks, length of no passing zones, and design and average highway speeds.

The capacity rating expresses the relationship between the traffic volumes presently using the section of road and the ability of the section to accommodate such traffic. The rating is best described as the relationship between the computed Service Volume (SV) and the Design Hourly Volume (DHV). A capacity rating between 15 and 30 would indicate at least a level of Service B. Ratings less than 15 would indicate that the volumes are exceeding the volume/capacity ratio that permits free flow at the desired speed.

A total basic sufficiency rating of a section is the sum of the following ratings.

Item	Range of Points
Foundation	0 to 10
Surface	0 to 30
Drainage	0 to 10
Safety	0 to 20
Capacity	0 to 30
Total Rating	0 to 100

The adjusted sufficiency rating has been computed to establish priorities for sections of highway falling into the same general sufficiency rating category. The total basic sufficiency rating is adjusted by comparing the average daily traffic carried by a rating section, with the average for the system. This adjustment gives some additional priority to a section of highway carrying above-average traffic volumes.

The curves shown on page 6 were plotted by accumulating the miles of rural primary highway in each adjusted sufficiency category and the miles of highway in each age group. The two curves are quite similar. The sharp break in the sufficiency blue curve at about 40 percent, indicates that approximately 464 miles, or 9 percent, of rural primary highways located in all sections of the State are in a critical category and should probably be constructed immediately, if funds are available. These sections are shown in red on the State map on page 8. There are approximately 2,527 miles of rural primary highway that are 60 percent or less sufficient and 2,063 miles that are rated between 40 and 60 percent. It may be assumed that 2,063 miles, or 39 percent, of our rural primary highways rated between 40 and 60 percent sufficient are approaching obsolescense and probably should be improved within the next five to ten years. The approximate location of this mileage is also shown in blue on the State map on page 8. Mileage rated between 61 and 100 percent sufficient is considered to be in tolerable to excellent condition. This category includes 2,740 miles of rural primary highways or 52 percent of the total Primary System exclusive of Interstate mileage.


ADJUSTED SUFFICIENCY RATINGS
AND
AGE OF RURAL PRIMARY SYSTEM
Adjusted Sufficiency Rating
Age of Rural Primary System
1330.9
2002.9
2614.0
3443.2
4244.9
4768.3
464.1
2526.9
3581.2
4465.1
PERCENT SUFFICIENT
0
10
20
30
40
50
60
70
80
90
100
ACCUMULATED MILES
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
AGE OF RURAL PRIMARY SYSTEM (YEARS)
50 & Over
45 & Over
40 & Over
35 & Over
30 & Over
25 & Over
20 & Over
15 & Over
10 & Over
5 & Over
0
MILES BUILT

MONTANA

MILES OF RURAL PRIMARY FEDERAL AID HIGHWAYS CONSTRUCTED BY YEARS

1934 - 1979




DOMINION OF CANADA
ALBERTA
SASKATCHEWAN
LINCOLN
FLATHEAD
SANDERS
LAKE
MINERAL
MISSOULA
LEWIS AND CLARK
GLACIER
TOOLE
PONDERA
TETON
CHOUTEAU
LIBERTY
HILL
BLAINE
PHILLIPS
VALLEY
DANIELS
SHERIDAN
ROOSEVELT
McCONE
RICHLAND
DAWSON
WIBAUX
FERGUS
JUDITH BASIN
CASCADE
PETROLEUM
GARFIELD
PRAIRIE
MEAGHER
WHEATLAND
GOLDEN VALLEY
MUSSELSHELL
TREASURE
ROSEBUD
CUSTER
FALLON
GRANITE
POWELL
RAVALLI
DEER LODGE
SILVER BOW
JEFFERSON
BROADWATER
GALLATIN
SWEET GRASS
STILLWATER
YELLOWSTONE
POWDER RIVER
CARTER
BIG HORN
BEAVERHEAD
MADISON
PARK
CARBON
WYOMING
SOUTH DAKOTA
NORTH DAKOTA
Great Falls
Helena
Butte
Bozeman
Billings
PERCENT SUFFICIENT
0-40
41-60
61-100
Under Construction as of December 31, 1979
LEGEND
SUFFICIENCY RATINGS
STATE WIDE
RURAL PRIMARY SYSTEM
DECEMBER 31, 1979

The red curve on page 6 which illustrates the age of the rural primary system, indicates that approximately 1,331 miles of highway, that were in use as of December 31, 1979, are at least 40 years old. The same curve shows that 2,614 miles of highway, or about 50 percent of the total rural primary system, are now at least 25 years old.

The chart on page 7 is of historical interest in that it shows the miles of rural Federal-aid Primary highway constructed by years.

The tabulation on the following page shows the miles of rural highway in each financial district by adjusted sufficiency ratings. The tabulation on page 11 summarizes the equivalent deficient mileage by financial districts and also indicates the percentage of deficient mileage that were used to allocate State construction funds to the 12 financial districts for the fiscal year beginning July 1, 1980.

The tabulation of total miles, percent deficient and equivalent deficient miles by rural Federal-aid Primary Routes appears on page 12.

Strip maps of each Federal-aid Route showing the location of each rating section and the rating assigned in all categories of the formula are included in the first section of this report. The beginning of each section has also been tied to our milepost numbering system to aid in locating any particular section. The "year built" and "year improved" have been added to each rating section. The "year built" is the date that the existing section was constructed or fully reconstructed while the "year improved" indicates the date of the last major improvement on a section by maintenance betterment or construction.

MILES OF RURAL HIGHWAY
DISTRIBUTED BY ADJUSTED SUFFICIENCY RATING
IF TEN PERCENT INCREMENTS

PERCENT SUFFICIENT		FINANCIAL DISTRICTS 1	2	3	4	5	6	7	8	9	10	11	12	TOTALS	ACCUM. TOTALS
0-10	MILES								.2					.2	.2
PERCENT	%														
11-20	MILES	27.6							20.0					47.6	47.8
PERCENT	%	5.0							3.8					.9	.9
21-30	MILES	42.4	2.8	2.5	6.7		2.3		17.9			1.5		76.5	124.3
PERCENT	%	7.6	.8	.4	1.8		.6		3.4			.4		1.5	2.4
31-40	MILES	125.4	17.9	1.9	23.4	6.2	23.0	10.5	72.3	3.7	9.7	33.5	11.7	339.7	464.1
PERCENT	%	22.5	4.8	.3	6.3	1.6	5.3	4.0	13.6	1.3	2.0	7.7	2.2	6.5	8.8
41-50	MILES	108.5	42.8	29.1	56.6	28.2	156.5	35.7	134.3	32.8	39.8	98.8	41.4	804.8	1268.9
PERCENT	%	19.5	11.4	5.0	15.2	7.1	36.1	13.6	25.2	10.9	8.1	22.7	7.9	15.3	24.1
51-60	MILES	82.6	106.9	118.3	42.9	132.8	79.3	101.2	101.8	93.6	148.8	118.7	130.4	1257.9	2526.9
PERCENT	%	14.8	28.5	20.3	11.5	33.3	18.3	38.6	19.1	31.1	30.3	27.3	24.8	23.9	48.0
61-70	MILES	103.6	60.2	189.9	41.9	83.9	58.9	56.2	87.2	53.7	103.5	91.4	123.3	1054.3	3581.2
PERCENT	%	18.6	16.1	32.6	11.3	21.0	13.6	21.5	16.4	17.9	21.1	21.0	23.5	20.0	68.0
71-80	MILES	23.5	99.6	163.6	99.1	66.8	63.5	28.1	65.6	39.0	112.4	56.0	66.2	883.8	4465.1
PERCENT	%	4.2	26.6	28.0	26.6	16.8	14.7	10.8	12.3	13.0	22.9	12.9	12.6	16.8	84.8
81-90	MILES	42.8	33.5	62.0	72.7	59.8	48.2	29.8	23.2	57.1	48.6	22.1	95.1	595.6	5060.7
PERCENT	%	7.7	9.0	10.6	19.5	15.0	11.1	11.4	4.4	19.0	9.9	5.1	18.1	11.3	96.1
91-100	MILES		10.6	15.7	28.5	21.0	1.6	.3	9.3	20.7	28.1	12.1	57.2	205.7	5266.4
PERCENT	%		2.8	2.7	7.7	5.3	.4	.1	1.8	6.9	5.7	2.8	10.9	3.9	100.0
TOTAL	MILES	556.7	374.5	583.4	372.3	399.0	433.6	262.1	532.2	300.9	491.3	434.4	525.7	5266.4	
PERCENT	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

FEOERAL AIO PRIMARY SYSTEM

OEFICIENT MILEAGE BY FINANCIAL OISTRICTS ANO PERCENTAGES USEO IN APPORTIONING STATE CONSTRUCTION FUNDS TO FINANCIAL OISTRICTS FOR FISCAL YEAR BEGINNING JULY 1, 1980 BASEO ON SUFFICIENCY RATING OECEMBER 31, 1979

Financial Oistrict	Counties	Total Mileage	Oeficient Mileage			Percent Oeficient	Percentage For Fund Allocation
			Rural	Urban	Total		
1.	Flathead, Lincoln, Lake	575.3	267.4	2.7	270.1	46.9	I2.7870
2.	Blaine, Glacier, Hill, Liberty, Toole	383.2	137.3	0.6	137.9	36.0	6.5284
3.	Oaniels, Phillips, Roosevelt, Sheridan Valley	598.8	205.0	1.8	206.8	34.5	9.7903
4.	Oawson, McCone, Prairie, Richland, Wibaux	385.7	I33.3	1.3	134.6	34.9	6.3722
5.	Fergus, Garfield, Petroleum	404.8	152.2	0.4	I52.6	37.7	7.2244
6.	Cascade, Judith Basin, Pondera, Teton, Chouteau	456.9	I82.8	4.5	187.3	41.0	8.8671
7.	Broadwater, Jefferson, Lewis and Clark	275.5	106.5	I.0	I07.5	39.0	5.0892
8.	Granite, Mineral, Missoula, Powell, Ravalli, Sanders	547.9	241.4	3.3	244.7	44.7	1I.5846
9.	Beaverhead, Oeer Lodge, Madison, Silver Bow	318.5	1I0.9	3.I	114.0	35.8	5.3970
10.	Gallatin, Meagher, Park, Sweet Grass, Wheatland	505.6	176.6	2.3	I78.9	35.4	8.4694
11.	Big Horn, Carbon, Golden Valley, Musselshell, Stillwater, Treasure, Yellowstone	459.9	182.9	5.0	187.9	40.9	8.8955
I2.	Carter, Custer, Fallon, Powder River, Rosebud	539.3	I86.2	3.8	190.0	35.2	8.9949
	TOTAL	5451.4	2082.5	29.8	2II2.3	38.7	100.0000

SUFFICIENCY RATING RURAL PRIMARY SYSTEM
TOTAL 8Y RURAL PRIMARY ROUTES

ROUTE	TOTAL MILES	PERCENT OEFICIENT	EQUIVALENT OEFICIENT MILES
1	645.7	38.5	248.9
2	89.3	27.0	24.1
3	107.2	46.9	50.3
4	56.3	35.9	20.2
5	175.3	50.3	88.1
6	114.3	47.1	53.8
7	88.1	47.7	42.0
8	100.0	31.4	31.4
9	64.1	43.4	27.8
10	106.9	36.7	39.2
11	53.8	26.4	14.2
12	8.6	40.7	3.5
13	96.4	35.4	34.1
14	263.8	40.7	107.4
16	43.1	39.9	17.2
17	12.1	44.6	5.4
18	81.8	37.9	31.0
19	60.5	38.8	23.5
20	60.0	39.8	23.9
21	3.8	44.7	1.7
22	86.5	35.1	30.4
23	136.9	36.7	50.3
24	140.7	52.3	73.6
25	52.2	52.7	27.5
26	7.5	65.3	4.9
27	77.6	37.9	29.4
28	62.5	41.1	25.6
29	79.0	47.7	37.7
30	23.4	50.0	11.7
31	60.4	28.6	17.3
32	64.8	42.9	27.8
33	66.3	29.6	19.6
34	15.6	38.5	6.0
35	21.5	22.3	4.8
36	46.7	46.0	21.5
37	103.6	38.5	39.9
38	7.9	57.0	4.5
39	51.2	33.0	16.9
40	0.1	0.0	0.0
41	32.5	38.5	12.5
42	75.4	37.8	28.5
43	42.2	27.7	11.7
44	27.3	54.2	14.8
45	43.3	41.1	17.8
46	76.5	32.9	25.2
47	6.9	44.9	3.1
48	30.7	27.4	8.4
49	26.4	38.3	10.1
50	86.8	34.6	30.0
51	70.7	19.0	13.4
52	45.5	63.5	28.8
53	41.0	49.0	20.1
54	29.3	27.0	7.9
55	12.2	41.8	5.1
56	34.6	41.0	14.2
57	320.1	39.3	125.7
58	50.3	47.3	23.8
59	56.4	32.4	18.3
60	87.8	37.6	33.0
61	155.8	40.2	62.6
62	35.3	45.3	16.0
63	38.6	47.2	18.2
64	9.1	7.0	0.6
65	0.3	46.0	0.1
66	50.0	32.6	16.3
67	1.0	50.0	0.5
68	0.4	32.0	0.1
69	36.7	37.3	13.7
70	1.3	61.5	0.8
72	21.5	43.7	9.4
75	1.7	46.0	0.8
77	1.7	41.1	0.7
78	46.4	48.9	22.7
79	2.0	31.0	0.6
80	64.4	29.0	18.7
81	41.6	37.7	15.7
82	6.9	46.4	3.2
83	91.1	46.8	42.6
84	29.0	42.4	12.3
85	6.7	37.3	2.5
86	37.3	48.8	18.2
87	22.4	29.5	6.6
88	1.4	28.6	0.4
93	32.5	29.5	9.6
GRANO TOTAL	5266.5	39.5	2082.4

Sufficiency ratings have been tabulated on a statewide basis by rating sections in ascending order by adjusted sufficiency ratings. These same tabulations are also included for each of the twelve financial districts along with a map of each district which shows the location of sections rated from 0 to 60 percent.

Route Maps
Sufficiency Ratings
By Section



BEGINNING MILE POST	0.0	2.6	6.9	13.9	15.2	16.9	21.5	25.4	29.8	31.8	32.7	33.3	36.6	37.3	37.8	44.2	49.2	56.1	64.8	71.5	78.2	BEGINNING MILE POST
LENGTH	2.6	4.3	6.9	1.3	1.6	4.5	3.9	4.4	2.0	0.8	0.5	3.3	0.7	0.5	6.3	5.0	6.8	8.6	6.7	6.6	2.1	LENGTH
YEAR BUILT	54	49	49	U	37	34	37	38	71	U	71	76	76	76	36	36	35	38	41	37	37	YEAR BUILT
YEAR IMPROVED	55	51	51	R	38	38	70	52	76	R	76	76	76	76	51	65	39	50	43	53	53	YEAR IMPROVED
SURFACE WIDTH	24	22	22	B	20	20	24	24	68	B	68	68	62	44	24	20	20	20	20	22	22	SURFACE WIDTH
ROADWAY WIDTH	30	28	28	A	24	24	26	24	68	A	68	68	62	44	24	24	24	26	24	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	N	RMS	RMS	RMS	RMS	PMS	N	PMS	RMS	RMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	956	1015	1036		2041	1955	2057	2159	4789		6120	4774	2875	2731	1832	1145	1014	865	876	943	989	ADT
DHV	124	131	134		265	254	267	280	622		734	620	373	355	238	148	131	112	113	122	128	DHV
SERVICE VOLUME	323	333	508		132	211	528	249	1800		1800	2160	272	240	582	364	228	278	236	243	187	SERVICE VOLUME
FOUNDATION - 10	4	0	0		0	0	0	0	9		8	7	8	9	0	0	3	0	0	0	0	FOUNDATION - 10
SURFACE - 30	16	14	12		13	11	10	12	26		24	26	27	28	10	9	13	13	13	14	16	SURFACE - 30
DRAINAGE - 10	9	8	8		5	3	4	3	10		10	10	10	10	7	7	4	6	7	5	6	DRAINAGE - 10
SAFETY - 20	6	2	5		1	3	7	1	2		23	8	14	10	4	5	2	7	2	2	1	SAFETY - 20
CAPACITY - 30	24	24	26		0	12	22	13	25		24	26	9	8	24	24	21	24	23	22	20	CAPACITY - 30
SUFFICIENCY RATING	59	48	51		19	29	43	29	72		86	77	68	63	45	45	40	50	45	43	41	SUFFICIENCY RATING
ADJUSTED RATING	59	48	51		16	25	38	24	63		80	65	61	56	41	44	40	51	46	43	41	ADJUSTED RATING
DEFICIENT MILEAGE	1.07	2.26	3.40		1.34	3.24	2.23	3.15	.57		.07	.76	.22	.18	3.51	2.75	4.12	4.34	3.71	3.78	1.26	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 1 OF 7



BEGINNING MILE POST	80.3	89.5	99.4	103.1	106.4	113.3	115.0	123.2	124.6	128.3	138.3	140.0	142.5	153.2	156.6	157.1	159.5	164.7	166.2	169.0	171.1	177.6	180.5	184.2	197.1	BEGINNING MILE POST
LENGTH	9.1	9.8	3.7	3.2	6.8	6.2	3.6	1.4	3.6	10.0	1.7	2.4	10.7	3.3	0.5	2.3	5.2	1.5	2.8	2.1	6.4	2.8	3.6	12.2	0.6	LENGTH
YEAR BUILT	52	36	47	40	49	49	U	67	40	34	34	25	31	48	65	48	57	57	57	75	66	69	33	67	52	YEAR BUILT
YEAR IMPROVED	52	57	61	63	63	79	R	67	64	51	60	65	34	49	65	49	59	59	59	75	66	69	35	77	77	YEAR IMPROVED
SURFACE WIDTH	28	24	24	24	24	24	B	44	30	22	24	24	20	24	24	24	26	26	26	32	32	34	18	32	26	SURFACE WIDTH
ROADWAY WIDTH	28	25	30	24	27	32	A	44	30	24	30	24	24	28	28	28	26	26	26	32	32	34	20	32	26	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	PMS	N	PMS	RMS	RMS	RMS	RMS	RMS	PMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	PMS	PMS	SURFACE TYPE
ADT	1045	1174	1489	1557	1605	2818		5412	4328	2469	4553	4039	2658	1174	1182	1188	1205	1219	1229	1239	1254	1257	1257	1257	1257	ADT
OHV	135	152	193	202	208	357		649	519	415	728	626	425	164	165	166	168	170	172	173	175	175	175	175	175	OHV
SERVICE VOLUME	187	220	259	220	176	429		731	348	716	365	485	415	162	378	194	403	403	489	539	492	514	259	725	336	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	3		0	0	0	0	0	0	6	6	6	6	6	5	7	6	9	0	6	6	FOUNDATION - 10
SURFACE - 30	12	12	14	13	11	13		23	11	9	13	13	11	18	19	17	19	20	20	24	20	24	11	16	17	SURFACE - 30
DRAINAGE - 10	7	6	7	8	8	8		10	8	8	8	10	5	7	10	7	8	10	10	10	10	10	3	10	10	DRAINAGE - 10
SAFETY - 20	5	1	6	4	3	3		4	2	4	4	1	1	2	1	20	7	1	1	20	20	3	0	6	0	SAFETY - 20
CAPACITY - 30	19	20	19	16	12	18		17	8	21	0	10	15	15	23	17	24	24	25	25	25	25	20	26	22	CAPACITY - 30
SUFFICIENCY RATING	43	39	46	41	34	45		62	29	42	25	34	32	48	59	67	64	61	61	86	81	71	34	64	55	SUFFICIENCY RATING
ADJUSTED RATING	43	38	43	38	31	38		51	20	34	17	25	26	47	58	66	63	60	60	85	80	70	33	63	53	ADJUSTED RATING
DEFICIENT MILEAGE	5.22	6.00	2.04	1.92	4.54	3.45		.53	2.58	5.83	1.27	1.61	7.29	1.74	.21	.77	1.87	.59	1.10	.29	1.22	.83	2.39	4.41	.28	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 2 OF 7



191.8	204.3	209.2	210.1	211.3	213.1	218.8	220.4	221.8	222.6	223.7	224.0	228.1	229.8	231.9	233.1	240.2	247.0	251.9	254.1	254.5	254.5	BEGINNING MILE POST
6.3	4.8	0.8	1.2	1.8	5.1	1.5	1.3	0.7	2.8	0.1	4.9	1.0	2.1	1.2	7.0	6.7	4.9	2.1	0.4	0.0	0.2	LENGTH
52	63	63	43	35	71	39	45	U	32	60	35	57	25	50	25	27	27	72	55	U	55	YEAR BUILT
70	63	63	62	63	17	63	45	R	70	60	61	57	63	63	61	60	76	72	55	R	55	YEAR IMPROVED
26	32	32	26	26	48	26	24	B	22	32	22	24	24	24	24	24	24	50	42	B	42	SURFACE WIDTH
26	32	32	30	30	48	30	24	A	24	32	24	32	24	30	24	24	24	50	42	A	42	ROADWAY WIDTH
PMS	PMS	PMS	RMS	RMS	PMS	RMS	RMS	N	RMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	N	PMS	SURFACE TYPE
1121	1116	1294	1297	1291	1291	1291	1383		3017	1969	1276	1230	1205	1180	1129	1093	1208	1712	2489		3032	AOT
156	156	181	181	181	181	181	193		588	316	204	196	192	188	180	163	181	256	298		363	OHV
223	546	482	400	703	258	289	218		423	336	642	680	172	530	805	838	514	212	817		811	SERVICE VOLUME
4	5	5	0	0	8	0	0		3	1	0	4	0	4	0	0	8	7	4		5	FOUNDATION - 10
15	17	11	12	10	30	11	11		13	20	8	13	10	16	9	10	28	24	19		19	SURFACE - 30
10	10	10	9	8	10	7	7		9	10	8	10	5	10	7	4	7	10	10		10	DRAINAGE - 10
3	3	1	1	9	6	1	2		1	20	3	7	1	20	2	3	3	3	1		5	SAFETY - 20
20	26	24	23	26	19	21	20		9	13	25	26	26	25	21	21	25	16	25		23	CAPACITY - 30
52	61	57	45	53	73	40	40		35	70	44	60	42	75	45	44	71	60	59		62	SUFFICIENCY RATING
51	60	55	43	51	71	39	38		28	66	42	59	41	74	44	43	70	56	53		55	ADJUSTED RATING
3.06	1.90	.37	.66	.87	1.54	.94	.83		1.82	.05	2.75	.42	1.22	.30	3.89	3.79	1.43	.85	.16		.08	DEFICIENT MILEAGE

254.8	256.0	262.8	263.1	271.0	218.0	218.4	278.8	279.2	280.1	291.1	299.7	BEGINNING MILE POST
1.1	6.8	0.2	7.4	7.0	0.3	0.3	0.4	0.8	11.6	8.0	1.2	LENGTH
U	61	67	65	53	60	60	56	U	54	56	57	YEAR BUILT
R	61	67	65	66	60	60	56	R	59	59	62	YEAR IMPROVED
B	40	40	32	32	68	68	60	B	32	32	32	SURFACE WIDTH
A	40	40	32	32	68	68	60	A	32	32	32	ROADWAY WIDTH
N	PMS	PMS	PMS	RMS	PMS	PMS	PMS	N	PMS	PMS	PMS	SURFACE TYPE
	1410	1074	1171	1315	1384	3104	3104		943	798	789	AOT
	211	161	115	197	201	434	434		122	103	102	OHV
	580	680	120	544	3440	3360	1680		569	569	569	SERVICE VOLUME
	5	5	7	0	0	0	0		0	0	0	FOUNDATION - 10
	20	20	21	11	13	13	12		15	17	12	SURFACE - 30
	10	10	10	10	10	10	9		10	10	10	DRAINAGE - 10
	14	20	12	11	1	1	20		19	20	6	SAFETY - 20
	25	26	26	25	29	28	26		21	21	27	CAPACITY - 30
	74	81	16	63	59	58	67		71	74	55	SUFFICIENCY RATING
	72	81	75	61	57	50	60		11	15	57	ADJUSTED RATING
	1.71	.05	1.79	2.61	.15	.14	.14		3.37	2.08	3.26	DEFICIENT MILEAGE

FAP ROUTE NO 1

SHEET 3 OF 7



BEGINNING MILE POST	307.0	308.0	315.3	321.0	321.7	322.6	326.3	332.6	341.9	347.7	348.2	354.5	363.5	372.1	379.1	380.6	383.8	BEGINNING MILE POST
LENGTH	0.9	7.2	5.7	0.7	0.8	3.7	6.1	9.2	5.8	0.5	6.3	8.9	8.5	7.0	1.5	3.1	7.2	LENGTH
YEAR BUILT	57	47	47	77	U	77	76	71	60	U	60	36	36	60	52	U	46	YEAR BUILT
YEAR IMPROVED	62	60	60	77	P	77	76	71	60	R	60	59	70	60	52	R	54	YEAR IMPROVED
SURFACE WIDTH	32	26	26	40	B	40	40	40	32	B	32	26	28	32	40	B	24	SURFACE WIDTH
ROADWAY WIDTH	32	26	26	40	A	40	40	40	32	A	32	31	32	32	40	A	30	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	N	PMS	RMS	RMS	PMS	RMS	N	PMS	SURFACE TYPE
ADT	762	763	776	810		1054	1057	1080	1123		1006	1008	1022	1911	5668		2374	ADT
DHV	99	99	100	105		137	137	140	145		130	131	132	248	606		308	DHV
SERVICE VOLUME	629	442	500	244		281	281	244	666		621	489	599	599	654		522	SERVICE VOLUME
FOUNDATION - 10	4	3	6	10		10	10	9	7		8	5	7	3	0		6	FOUNDATION - 10
SURFACE - 30	16	15	17	30		30	30	27	21		21	16	17	17	12		18	SURFACE - 30
DRAINAGE - 10	10	10	10	10		10	10	10	10		10	10	10	10	10		10	DRAINAGE - 10
SAFETY - 20	20	2	4	20		14	20	4	20		6	1	4	4	8		4	SAFETY - 20
CAPACITY - 30	28	27	27	24		23	23	21	27		27	26	27	24	16		21	CAPACITY - 30
SUFFICIENCY RATING	78	57	64	94		92	93	71	85		72	58	65	58	46		59	SUFFICIENCY RATING
ADJUSTED RATING	79	59	65	94		92	93	71	84		72	58	65	54	34		53	ADJUSTED RATING
DEFICIENT MILEAGE	.21	3.13	2.38	.24		.30	.43	2.69	.87		1.78	3.76	3.00	2.94	.81		2.95	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 4 OF 7

BEGINNING MILE POST	391.0	393.8	403.5	404.0	408.3	413.4	414.0	421.3	423.9	424.0	424.7	428.5	429.0	435.1	440.0	446.3	453.6	454.4	457.6	466.7	471.6	472.4	481.3	489.0	499.1	500.0	BEGINNING MILE POST
LENGTH	2.8	9.7	0.5	4.2	5.0	0.5	7.3	2.5	0.7	0.0	3.8	0.5	5.2	4.6	6.4	7.3	0.6	3.2	9.0	4.9	0.8	8.9	7.6	9.9	0.9	1.5	LENGTH
YEAR BUILT	46	38	U	44	40	49	56	39	68	U	68	68	36	35	35	73	U	49	63	53	U	67	67	67	U	55	YEAR BUILT
YEAR IMPROVED	54	59	R	56	56	56	73	62	68	R	68	68	62	71	71	73	R	78	78	53	R	67	67	67	R	55	YEAR IMPROVED
SURFACE WIDTH	24	24	B	28	28	32	32	26	40	B	40	40	28	24	24	40	B	26	30	24	B	40	40	40	B	24	SURFACE WIDTH
ROADWAY WIDTH	31	30	A	30	30	32	32	31	40	A	40	40	30	31	24	40	A	26	30	30	A	40	40	40	A	28	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	N	PMS	PMS	PMS	PMS	RMS	PMS	N	PMS	PMS	RMS	PMS	BST	PMS	N	RMS	PMS	RMS	N	PMS	PMS	PMS	N	RMS	SURFACE TYPE
ADT	2314	2720		1941	1748	1715	1671	1615	1750		2067	1248	1071	951	816	948		1182	1190	1363		1787	1242	1221		1263	ADT
DHV	300	353		252	227	222	217	209	227		268	162	139	123	106	123		153	154	177		232	161	164		770	DHV
SERVICE VOLUME	522	612		612	612	624	666	612	261		281	246	453	417	409	599		526	604	556		288	304	616		629	SERVICE VOLUME
FOUNDATION - 10	5	5		5	6	5	8	6	8		7	9	0	0	0	5		3	8	2		7	7	5		0	FOUNDATION - 10
SURFACE - 30	18	18		17	16	16	27	16	23		24	26	12	14	11	15		17	28	17		21	21	17		11	SURFACE - 30
DRAINAGE - 10	10	10		10	10	10	10	10	10		10	10	10	4	6	10		8	10	10		10	10	10		10	DRAINAGE - 10
SAFETY - 20	7	11		9	9	1	20	17	8		3	20	2	1	7	20		9	6	20		15	19	20		20	SAFETY - 20
CAPACITY - 30	21	21		24	24	25	25	25	18		16	20	25	26	27	27		26	26	25		18	22	26		26	CAPACITY - 30
SUFFICIENCY RATING	61	65		64	60	57	90	74	67		60	85	49	45	51	81		63	78	74		71	79	78		67	SUFFICIENCY RATING
ADJUSTED RATING	55	59		60	56	53	88	71	63		55	84	49	45	53	81		62	77	72		68	78	77		66	ADJUSTED RATING
DEFICIENT MILEAGE	1.11	3.40		1.52	2.03	.25	.73	.66	.26		1.52	.08	2.67	2.57	3.15	1.40		1.19	1.98	1.29		2.60	1.61	2.19		.49	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 5 OF 7

BEGINNING MILE POST	501.4	508.0	515.0	521.4	526.5	537.6	540.9	541.0	541.4	542.4	543.8	546.2	554.6	555.1	555.8	555.9	556.1	564.8	571.7	BEGINNING MILE POST
LENGTH	6.5	7.5	5.7	5.1	11.1	3.3	0.0	0.3	1.0	1.3	2.4	8.4	0.5	0.7	0.0	0.1	8.6	6.9	5.3	LENGTH
YEAR BUILT	55	66	50	50	50	U	U	U	U	62	62	53	56	U	56	U	56	61	58	YEAR BUILT
YEAR IMPROVED	55	66	55	55	55	N	R	N	R	62	62	53	70	R	70	R	70	61	76	YEAR IMPROVED
SURFACE WIDTH	24	40	24	24	24	D C	B	D C	B	68	36	24	32	B	32	B	32	32	24	SURFACE WIDTH
ROADWAY WIDTH	28	40	27	27	27	E D	A	E D	A	68	36	33	32	A	32	A	32	32	32	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	P N	N	P N	N	PMS	PMS	RMS	PMS	N	PMS	N	PMS	PMS	PMS	SURFACE TYPE
ADT	1119	1095	1045	1049	1073	S		S		3435	1825	1498	1378		1372		1146	1146	1339	ADT
OHV	151	147	141	141	144	I		I		463	246	202	186		185		154	154	180	OHV
SERVICE VOLUME	536	680	567	507	346	R		R		3440	616	631	544		528		696	720	720	SERVICE VOLUME
FOUNDATION - 10	0	5	4	3	5	U		U		6	5	0	7		8		6	7	6	FOUNDATION - 10
SURFACE - 30	12	19	17	18	20	C		C		18	17	14	24		23		21	26	24	SURFACE - 30
DRAINAGE - 10	9	10	10	10	10	I		I		10	10	10	10		10		10	10	10	DRAINAGE - 10
SAFETY - 20	20	5	14	4	2	I		I		7	4	20	11		20		6	9	20	SAFETY - 20
CAPACITY - 30	26	27	26	26	24	U		U		28	24	25	25		25		27	27	26	CAPACITY - 30
SUFFICIENCY RATING	67	67	71	61	61	N		N		69	60	69	77		86		70	79	86	SUFFICIENCY RATING
ADJUSTED RATING	66	66	71	61	61					61	56	67	75		85		69	78	85	ADJUSTED RATING
DEFICIENT MILEAGE	2.17	2.50	1.68	1.94	4.33					.42	.97	2.60	.12		.01		2.60	1.45	1.30	DEFICIENT MILEAGE



BEGINNING MILE POST	581.0	590.3	591.4	597.2	601.7	611.5	611.9	625.6	626.1	629.4	634.7	639.1	642.5	644.2	645.0	648.0	656.3	661.5	BEGINNING MILE POST
LENGTH	9.3	1.0	5.7	4.5	5.7	0.3	13.6	0.5	3.2	5.3	4.4	3.3	1.7	0.7	3.0	8.2	5.2	5.6	LENGTH
YEAR BUILT	57	U	58	58	60	U	70	U	43	46	52	52	56	U	56	61	55	55	YEAR BUILT
YEAR IMPROVED	61	R	58	58	60	R	79	R	57	50	52	52	61	R	61	61	62	62	YEAR IMPROVED
SURFACE WIDTH	32	B	32	32	32	B	40	B	24	24	24	24	32	B	32	32	32	32	SURFACE WIDTH
ROADWAY WIDTH	32	A	32	32	32	A	40	A	30	32	30	30	32	A	32	32	32	32	ROADWAY WIDTH
SURFACE TYPE	PMS	N	PMS	PMS	PMS	N	PMS	N	RMS	RMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	1705		2186	1664	1779		1566		1063	1063	1063	1024	1090		1213	1000	956	904	ADT
DHV	230		262	199	213		203		138	138	138	133	141		163	135	129	122	DHV
SERVICE VOLUME	616		648	648	680		320		414	302	442	414	428		680	680	580	396	SERVICE VOLUME
FOUNDATION - 10	3		6	6	5		10		0	0	0	0	0		6	3	7	6	FOUNDATION - 10
SURFACE - 30	17		17	17	17		30		16	16	15	13	13		16	13	17	16	SURFACE - 30
DRAINAGE - 10	10		10	10	10		10		10	9	10	10	10		10	10	10	10	DRAINAGE - 10
SAFETY - 20	8		4	7	11		15		3	2	11	20	20		5	20	5	12	SAFETY - 20
CAPACITY - 30	24		24	25	25		20		25	23	25	25	25		26	27	27	25	CAPACITY - 30
SUFFICIENCY RATING	62		61	65	66		85		54	50	61	68	68		63	73	66	69	SUFFICIENCY RATING
ADJUSTED RATING	58		56	62	64		83		54	50	61	68	67		62	73	66	70	ADJUSTED RATING
DEFICIENT MILEAGE	3.53		2.26	1.59	3.12		2.05		1.49	2.68	1.71	1.06	.54		1.11	2.23	1.78	1.73	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 7 OF 7



BEGINNING MILE POST	0.0	0.9	4.8	6.1	6.8	13.1	20.9	27.4	34.0	45.8	51.7	57.7	70.1	70.8	82.6	84.0	89.0	BEGINNING MILE POST
LENGTH	0.9	3.9	1.3	0.6	6.3	7.7	6.5	6.2	11.7	5.8	6.0	12.3	0.7	11.7	1.3	5.0	6.4	LENGTH
YEAR BUILT	62	U	50	62	50	70	75	73	65	67	67	58	U	39	U	68	68	YEAR BUILT
YEAR IMPROVED	62	R	50	62	50	70	75	73	65	67	67	72	R	39	R	68	68	YEAR IMPROVED
SURFACE WIDTH	32	B	20	32	20	34	34	34	40	40	40	32	B	24	B	40	40	SURFACE WIDTH
ROADWAY WIDTH	32	A	24	32	24	34	34	34	40	40	40	32	A	30	A	40	40	ROADWAY WIDTH
SURFACE TYPE	PMS	N	PMS	PMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	RMS	N	PMS	PMS	SURFACE TYPE
ADT	904		1558	747	683	550	495	492	468	461	396	392		728		1050	571	ADT
DHV	102		202	97	88	71	64	63	60	59	51	50		101		136	74	DHV
SERVICE VOLUME	488		551	235	228	448	380	400	500	362	385	520		470		526	552	SERVICE VOLUME
FOUNDATION - 10	6		3	6	0	7	5	9	5	6	6	6		0		3	7	FOUNDATION - 10
SURFACE - 30	16		13	18	13	21	28	30	17	18	16	21		10		15	15	SURFACE - 30
DRAINAGE - 10	10		10	10	9	10	10	10	10	10	10	10		10		10	10	DRAINAGE - 10
SAFETY - 20	2		10	14	2	20	20	20	10	20	20	16		4		4	11	SAFETY - 20
CAPACITY - 30	27		25	24	24	28	27	28	28	28	28	29		27		26	28	CAPACITY - 30
SUFFICIENCY RATING	61		61	72	48	86	94	97	70	92	80	82		51		58	66	SUFFICIENCY RATING
ADJUSTED RATING	62		58	74	51	88	95	97	75	85	84	86		53		58	70	ADJUSTED RATING
DEFICIENT MILEAGE	.35		.59	.19	3.28	1.08	.39	.18	3.52	1.05	1.21	2.22		5.74		2.12	2.19	DEFICIENT MILEAGE

FAP ROUTE NO 2
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.8	8.1	15.3	16.8	18.0	20.1	23.1	24.0	25.5	28.2	40.4	41.9	54.9	59.6	BEGINNING MILE POST
LENGTH	1.4	6.2	7.1	1.4	1.2	2.1	2.9	0.8	1.4	2.6	12.2	1.4	12.9	4.6	8.5	LENGTH
YEAR BUILT	55	36	36	42	62	21	21	U	21	21	40	U	21	32	32	YEAR BUILT
YEAR IMPROVED	71	48	61	42	62	32	32	R	32	32	40	R	61	53	53	YEAR IMPROVED
SURFACE WIDTH	28	24	24	24	35	22	20	B	20	20	24	B	20	20	20	SURFACE WIDTH
ROADWAY WIDTH	32	31	31	30	35	22	22	A	22	22	30	A	22	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	RMS	RMS	BST	BST	BST	N	BST	BST	RMS	N	RMS	RMS	RMS	SURFACE TYPE
AOT	4207	3734	964	847	847	902	1421		1171	894	750		843	603	404	AOT
OHV	546	485	125	110	110	117	184		152	116	97		203	145	97	OHV
SERVICE VOLUME	264	631	469	600	616	420	391		592	673	600		397	364	246	SERVICE VOLUME
FOUNDATION - 10	5	3	0	4	4	0	0		0	0	0		0	0	0	FOUNDATION - 10
SURFACE - 30	18	18	12	16	17	11	11		10	10	13		13	11	8	SURFACE - 30
DRAINAGE - 10	10	8	8	8	10	4	4		3	3	7		5	6	6	DRAINAGE - 10
SAFETY - 20	7	11	6	15	12	11	2		0	4	8		1	2	1	SAFETY - 20
CAPACITY - 30	0	18	26	27	27	26	23		26	27	28		22	24	24	CAPACITY - 30
SUFFICIENCY RATING	40	58	52	70	70	52	40		39	44	56		41	43	39	SUFFICIENCY RATING
ADJUSTED RATING	30	49	52	71	71	53	38		38	45	58		42	47	45	ADJUSTED RATING
DEFICIENT MILEAGE	.84	2.61	3.42	.44	.36	1.01	1.71		.91	1.51	5.41		7.63	2.64	5.23	DEFICIENT MILEAGE

FAP ROUTE NO 3
SHEET 1 OF 2

BEGINNING MILE POST	68.2	75.2	83.6	84.3	89.2	95.0	101.0	103.3	BEGINNING MILE POST
LENGTH	6.9	8.3	0.7	4.8	5.8	5.9	2.1	7.2	LENGTH
YEAR BUILT	32	28	66	66	68	66	51	60	YEAR BUILT
YEAR IMPROVED	32	52	66	66	68	66	51	60	YEAR IMPROVED
SURFACE WIDTH	20	22	34	34	34	34	26	32	SURFACE WIDTH
ROADWAY WIDTH	24	24	34	34	34	34	28	32	ROADWAY WIDTH
SURFACE TYPE	BST	RMS	PMS	PMS	PMS	PMS	RMS	RMS	SURFACE TYPE
ADT	470	448	387	707	769	726	697	664	ADT
DHV	113	107	93	170	185	174	167	160	DHV
SERVICE VOLUME	391	672	544	640	529	504	454	485	SERVICE VOLUME
FOUNDATION - 10	0	0	9	8	9	8	4	4	FOUNDATION - 10
SURFACE - 30	2	8	26	24	26	25	16	17	SURFACE - 30
DRAINAGE - 10	4	4	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	7	7	14	5	13	6	4	14	SAFETY - 20
CAPACITY - 30	26	28	27	26	25	25	24	25	CAPACITY - 30
SUFFICIENCY RATING	33	41	86	73	83	74	58	70	SUFFICIENCY RATING
ADJUSTED RATING	38	47	89	75	84	76	61	72	ADJUSTED RATING
DEFICIENT MILEAGE	4.62	6.94	.09	1.31	.59	1.54	.89	2.16	DEFICIENT MILEAGE

FAP ROUTE NO 3
SHEET 2 OF 2



54.4	55.3	57.4	BEGINNING MILE POST
0.8	2.1	0.7	LENGTH
U	23	36	YEAR BUILT
R	68	64	YEAR IMPROVED
B	55	30	SURFACE WIDTH
A	55	30	ROADWAY WIDTH
N	RMS	RMS	SURFACE TYPE
	3603	3038	AOT
	468	394	DHV
	806	248	SERVICE VOLUME
	4	8	FOUNDATION - 10
	14	24	SURFACE - 30
	8	8	DRAINAGE - 10
	3	1	SAFETY - 20
	21	6	CAPACITY - 30
	50	47	SUFFICIENCY RATING
	41	39	ADJUSTED RATING
	1.08	.37	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	0.5	13.4	19.2	23.2	24.7	25.6	26.2	32.7	33.1	33.7	42.7	42.9	50.8	52.2	53.8	54.3
LENGTH	0.5	12.9	5.7	4.0	1.5	0.9	0.6	6.4	0.4	0.5	8.9	0.1	7.9	1.3	1.5	0.4	0.1
YEAR BUILT	49	56	59	72	72	72	U	23	U	54	68	68	49	49	22	64	64
YEAR IMPROVED	49	63	59	72	72	72	R	51	R	54	68	68	70	65	39	64	64
SURFACE WIDTH	24	32	32	40	40	40	B	22	B	24	40	40	28	28	24	68	68
ROADWAY WIDTH	30	32	32	40	40	40	A	24	A	32	40	40	32	32	30	68	68
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	PMS	N	RMS	N	RMS	PMS	PMS	RMS	RMS	RMS	PMS	PMS
AOT	918	946	996	1281	1530	2701		1968		1950	2103	4685	4211	4087	4822	5324	7750
DHV	119	122	129	166	198	351		255		253	273	609	547	531	626	692	1007
SERVICE VOLUME	648	569	599	448	266	828		711		828	643	399	536	569	577	1360	3400
FOUNDATION - 10	8	0	0	3	7	9		0		3	7	7	4	4	3	6	6
SURFACE - 30	21	17	14	19	25	27		10		15	19	24	17	14	14	19	19
DRAINAGE - 10	10	10	10	10	10	10		6		10	10	10	10	9	7	10	10
SAFETY - 20	5	11	20	20	15	20		6		20	11	20	16	9	1	9	20
CAPACITY - 30	27	27	27	24	19	24		25		25	24	7	15	16	14	22	26
SUFFICIENCY RATING	71	65	71	76	76	90		47		73	71	68	62	52	39	66	81
ADJUSTED RATING	71	65	71	75	74	87		42		69	67	58	52	42	28	55	72
DEFICIENT MILEAGE	.14	4.52	1.67	.96	.36	.09		3.39		.16	2.58	.05	3.02	.66	.97	.14	.02

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
AOT
DHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE NO 4
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.6	4.0	5.5	15.0	18.4	24.3	27.5	30.0	32.6	32.7	33.0	34.9	35.3	41.1	46.0	47.3	53.3	56.9	57.8	59.0	59.3	61.0	61.6	64.4	67.4	71.3	77.5	79.3	86.3	92.7
LENGTH	0.6	3.0	1.5	9.4	3.4	5.8	3.1	2.5	2.5	0.1	0.3	1.8	0.3	5.7	4.9	1.2	6.0	3.6	0.8	1.1	0.3	1.6	0.5	2.8	2.9	3.8	6.2	1.8	6.9	6.4	0.7
YEAR BUILT	76	34	48	64	40	55	55	56	56	U	69	56	72	72	66	U	70	58	73	58	58	U	66	54	54	54	62	62	32	33	64
YEAR IMPROVED	76	55	54	76	40	60	60	00	60	R	69	60	72	72	66	R	70	58	73	58	58	R	66	54	54	70	62	62	32	33	64
SURFACE WIDTH	64	24	24	36	24	32	32	44	32	B	44	32	32	32	40	B	40	32	40	32	40	B	40	24	24	30	32	32	22	24	32
ROADWAY WIDTH	64	24	32	36	30	32	32	44	32	A	44	32	32	22	40	A	40	32	40	32	40	A	40	32	32	30	32	32	24	24	32
SURFACE TYPE	PMS	RMS	RMS	PMS	RMS	PMS	PMS	PMS	PMS	N	RMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	PMS
ADT	4030	4025	4020	4009	4038	3950	3949	3786	3640		4075	4114	4155	4266	5328		5167	5157	5754	6041	8859		4019	3797	3099	2303	1856	1638	1614	1656	1704
DHV	588	587	586	585	589	576	576	552	531		594	600	606	622	777		754	752	840	881	1293		542	512	418	310	250	221	217	223	230
SERVICE VOLUME	308	280	220	239	507	580	302	578	544		336	544	336	504	648		288	640	308	403	289		289	544	365	414	396	616	390	335	220
FOUNDATION - 10	8	0	3	9	0	5	4	3	3		5	4	6	2	5		9	8	6	6	8		7	0	4	4	5	6	0	0	4
SURFACE - 30	21	15	18	26	15	18	17	15	16		17	15	16	17	14		23	22	21	17	22		24	17	16	23	21	23	12	10	14
DRAINAGE - 10	10	7	7	10	8	10	10	10	10		10	10	10	8	10		10	10	10	10	10		10	10	10	9	10	10	4	4	10
SAFETY - 20	4	2	5	6	4	17	4	3	7		20	18	20	4	16		10	17	6	6	7		1	4	20	10	14	12	1	1	15
CAPACITY - 30	-1	0	0	0	13	15	1	16	15		3	13	3	11	12		0	12	0	0	0		2	16	13	19	21	25	22	20	14
SUFFICIENCY RATING	44	24	33	51	40	65	36	47	51		55	60	55	42	57		52	69	43	39	47		44	47	63	65	71	76	39	35	57
ADJUSTED RATING	34	17	24	41	30	56	27	38	42		45	50	45	32	45		40	59	31	27	32		34	38	55	60	67	73	36	32	53
DEFICIENT MILEAGE	.34	2.34	1.02	4.65	2.06	2.05	2.01	1.35	1.25		.15	.73	.17	3.36	2.10		2.85	1.06	.50	.72	.17		.32	1.51	1.08	1.34	1.80	.44	4.22	4.17	.32

FAP ROUTE 5
SHEET 1 OF 2

BEGINNING MILE POST	93.5	98.6	104.2	109.6	114.8	120.6	125.4	126.9	128.4	134.6	145.6	156.9	159.6	168.2	178.0	179.6	180.9	BEGINNING MILE POST
LENGTH	5.1	5.5	5.3	4.9	5.7	4.7	1.4	1.5	6.2	10.9	11.2	2.6	8.6	9.6	1.5	1.3	6.5	LENGTH
YEAR BUILT	64	63	49	U	57	60	60	U	34	55	55	55	31	31	U	43	50	YEAR BUILT
YEAR IMPROVED	64	63	61	R	60	60	60	R	56	59	60	60	63	52	R	57	50	YEAR IMPROVED
SURFACE WIDTH	32	32	38	B	36	36	36	B	22	24	26	26	22	22	B	22	24	SURFACE WIDTH
ROADWAY WIDTH	32	32	39	A	36	36	36	A	23	28	26	26	24	22	A	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	N	PMS	PMS	PMS	N	RMS	PMS	PMS	PMS	RMS	RMS	N	RMS	RMS	SURFACE TYPE
ADT	1801	2767	6103		4684	5108	8182		2580	1205	857	901	1105	1333		2092	507	ADT
DHV	243	373	732		562	612	981		335	156	111	117	143	173		271	65	DHV
SERVICE VOLUME	243	522	340		662	723	937		150	616	356	359	154	180		357	307	SERVICE VOLUME
FOUNDATION - 10	0	3	5		5	4	5		0	3	0	0	0	0		0	0	FOUNDATION - 10
SURFACE - 30	11	13	17		18	16	16		11	14	14	15	16	15		13	13	SURFACE - 30
DRAINAGE - 10	10	10	10		10	10	10		4	10	9	9	4	5		8	9	DRAINAGE - 10
SAFETY - 20	10	4	10		5	9	10		1	5	15	11	1	1		1	11	SAFETY - 20
CAPACITY - 30	15	19	0		17	17	14		0	26	25	25	17	16		19	27	CAPACITY - 30
SUFFICIENCY RATING	46	49	42		55	56	55		16	58	63	60	38	37		41	60	SUFFICIENCY RATING
ADJUSTED RATING	42	42	29		44	45	40		12	57	64	61	37	35		36	65	ADJUSTED RATING
DEFICIENT MILEAGE	2.79	2.82	3.09		2.60	2.10	.66		5.20	4.60	4.16	1.07	5.38	6.38		.80	2.61	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	2.2	4.6	8.2	10.4	11.4	12.3	13.5	14.7	23.3	25.4	37.6	46.2	47.2	49.6	50.4	51.5	BEGINNING MILE POST
LENGTH	2.2	2.3	3.6	2.1	0.9	0.9	1.2	1.1	8.6	6.0	8.2	8.5	0.9	2.4	0.7	1.0	4.5	LENGTH
YEAR BUILT	52	63	52	63	52	63	58	63	59	59	48	48	58	61	48	U	35	YEAR BUILT
YEAR IMPROVED	65	63	64	63	52	63	58	63	64	64	54	54	58	64	54	R	36	YEAR IMPROVED
SURFACE WIDTH	24	28	24	28	24	28	32	28	32	32	24	24	32	32	24	B	20	SURFACE WIDTH
ROADWAY WIDTH	28	28	28	28	28	28	32	28	32	32	28	28	32	32	28	A	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	RMS	BST	RMS	PMS	PMS	PMS	PMS	BST	PMS	PMS	N	RMS	SURFACE TYPE
ADT	675	705	743	781	797	797	797	797	797	872	879	789	968	1406	2609		1556	ADT
DHV	98	102	108	114	116	116	116	116	116	127	128	115	141	205	380		231	DHV
SERVICE VOLUME	327	275	240	327	249	301	235	442	324	569	531	500	453	268	239		387	SERVICE VOLUME
FOUNDATION - 10	6	5	5	8	6	7	6	7	6	2	2	0	5	6	6		0	FOUNDATION - 10
SURFACE - 30	17	17	15	18	17	20	18	19	15	16	12	14	16	18	16		10	SURFACE - 30
DRAINAGE - 10	8	9	9	10	10	10	10	10	10	10	9	9	10	10	9		6	DRAINAGE - 10
SAFETY - 20	4	20	3	4	10	5	2	6	4	4	5	6	10	3	8		15	SAFETY - 20
CAPACITY - 30	26	24	23	25	23	24	23	24	25	27	26	27	25	19	6		21	CAPACITY - 30
SUFFICIENCY RATING	61	75	55	65	66	66	59	68	64	59	58	56	66	56	45		52	SUFFICIENCY RATING
ADJUSTED RATING	64	77	57	67	67	67	61	69	66	60	59	58	66	54	38		49	ADJUSTED RATING
DEFICIENT MILEAGE	.88	.59	1.63	.75	.32	.32	.49	.38	3.09	2.49	3.45	3.75	.33	1.08	.43		2.19	DEFICIENT MILEAGE

FAP ROUTE NO 6

SHEET 1 OF 2



BEGINNING MILE POST	56.0	57.8	64.7	68.7	72.5	75.7	76.2	76.6	78.9	85.0	88.7	90.5	94.0	95.6	99.2	102.1	103.0	104.6	105.1	106.1	108.1	115.1	BEGINNING MILE POST
LENGTH	1.7	6.8	3.9	3.8	3.1	0.5	0.3	2.2	6.0	3.6	1.8	3.5	1.2	3.6	2.9	0.7	1.7	0.3	1.0	1.9	7.0	0.9	LENGTH
YEAR BUILT	35	34	39	38	31	U	31	31	31	31	24	69	24	57	24	69	22	69	22	44	27	34	YEAR BUILT
YEAR IMPROVED	49	49	39	52	34	R	34	34	51	51	38	69	38	76	38	69	57	69	34	44	34	52	YEAR IMPROVED
SURFACE WIDTH	20	20	26	20	18	B	18	18	20	20	20	32	20	30	20	32	20	32	22	24	22	20	SURFACE WIDTH
ROADWAY WIDTH	24	24	26	24	24	A	24	24	24	24	24	32	24	30	25	32	24	32	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	BST	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	PMS	RMS	PMS	RMS	PMS	RMS	PMS	RMS	BST	RMS	RMS	SURFACE TYPE
ADT	1178	1077	1113	1390	1822		2343	1243	1133	684	662	662	662	948	977	979	980	982	982	984	1040	1223	ADT
DHV	175	160	165	207	271		349	185	168	101	98	98	98	141	145	145	146	146	146	146	154	182	DHV
SERVICE VOLUME	159	364	294	201	377		259	170	364	391	307	431	201	432	406	654	281	268	201	538	449	211	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0		0	0	0	0	0	7	0	7	0	6	0	7	0	0	0	0	FOUNDATION - 10
SURFACE - 30	11	10	14	11	12		11	10	10	9	11	18	13	26	9	22	10	22	11	10	10	11	SURFACE - 30
DRAINAGE - 10	5	5	6	4	6		3	3	5	4	4	10	3	8	4	10	3	10	3	8	4	8	DRAINAGE - 10
SAFETY - 20	6	9	2	3	2		8	0	2	1	0	20	1	20	2	15	0	1	1	20	1	1	SAFETY - 20
CAPACITY - 30	13	23	22	15	19		10	14	23	26	25	27	23	25	25	27	22	22	19	26	25	17	CAPACITY - 30
SUFFICIENCY RATING	35	47	44	33	39		32	27	40	40	40	82	40	86	40	80	35	62	34	64	40	37	SUFFICIENCY RATING
ADJUSTED RATING .	34	47	43	31	35		27	26	39	43	43	84	43	86	40	80	35	62	34	64	40	36	ADJUSTED RATING
DEFICIENT MILEAGE	1.11	3.65	2.23	2.60	1.91		.25	1.66	3.65	2.18	1.12	.63	.76	.50	1.77	.15	1.10	.14	.70	.71	4.25	.58	DEFICIENT MILEAGE

FAP ROUTE NO 6

SHEET 2 OF 2

BEGINNING MILE POST	0.0	0.1	7.5	13.5	16.7	20.4	23.5	26.4	30.4	31.2	43.0	44.5	46.5	48.0	49.3	49.7	51.9	59.0	66.7	73.5	74.2	74.8	76.8	82.7	83.3	90.1	BEGINNING MILE POST
LENGTH	0.1	7.4	6.0	3.3	3.5	3.0	2.9	4.0	0.8	11.7	1.5	1.9	1.4	1.3	0.3	2.2	7.0	7.7	6.7	0.6	0.5	2.0	6.0	0.6	6.7	5.0	LENGTH
YEAR BUILT	40	40	40	36	37	37	36	36	U	34	49	34	U	U	40	53	53	56	56	74	74	74	74	68	68	U	YEAR BUILT
YEAR IMPROVED	40	40	40	39	39	39	36	59	R	35	49	59	R	N	40	53	53	61	61	76	76	76	76	68	68	R	YEAR IMPROVED
SURFACE WIDTH	22	22	24	24	24	24	22	22	B	22	28	22	B	D	C	24	24	24	32	32	44	64	38	38	44	68	B	SURFACE WIDTH
ROADWAY WIDTH	22	22	24	24	24	24	25	26	A	24	28	24	A	C	O	30	32	32	32	32	44	64	38	38	44	68	A	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	BST	BST	BST	RMS	RMS	N	RMS	RMS	RMS	N	R	N	RMS	RMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
AOT	869	870	865	906	1034	1038	1122	2125		2288	2669	4229			S	5242	4916	4156	3705	4230	4230	4650	6987	6987	7167	10174		AOT
OHV	112	113	112	117	134	134	145	276		257	346	549			T	681	639	540	481	549	549	604	908	908	931	1322		OHV
SERVICE VOLUME	329	329	289	235	235	220	273	264		252	331	610			R	348	939	599	666	621	296	2040	296	296	199	1920		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	3		0	6	0			U	0	0	2	8	8	9	8	10	10	10	9		FOUNDATION - 10
SURFACE - 30	13	13	13	11	14	15	14	14		12	14	9			C	10	10	11	24	24	25	24	27	28	26	25		SURFACE - 30
DRAINAGE - 10	5	5	6	7	7	7	8	6		6	9	4			T	4	10	10	10	10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	0	1	15	1	2	5	2	2		2	1	2			I	7	9	8	2	15	13	4	20	15	1	5		SAFETY - 20
CAPACITY - 30	25	25	24	23	21	21	22	14		12	14	17			O	1	20	16	19	17	2	26	0	0	0	20		CAPACITY - 30
SUFFICIENCY RATING	43	44	58	42	44	48	44	39		32	44	32			N	22	49	47	63	74	59	72	67	63	47	69		SUFFICIENCY RATING
ADJUSTED RATING	44	45	59	43	44	48	43	34		27	37	23				14	38	37	54	66	49	63	55	50	33	55		ADJUSTED RATING
DEFICIENT MILEAGE	.05	4.16	2.52	1.96	1.58	1.60	1.64	2.44		7.99	.85	1.35				.28	1.14	3.73	2.85	1.76	.27	.15	.67	2.23	.33	2.09		DEFICIENT MILEAGE

FAP ROUTE NO 7
SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.9	11.2	13.0	23.2	25.5	27.3	27.6	30.0	34.3	39.6	46.4	48.5	49.5	52.8	54.4	55.9
LENGTH	3.7	7.3	1.7	10.2	2.3	1.6	0.3	2.2	4.1	5.4	7.8	2.0	1.0	3.2	1.6	1.5	1.1
YEAR BUILT	78	57	33	33	73	73	77	77	78	33	U	78	U	78	69	69	69
YEAR IMPROVED	78	64	66	66	73	73	77	77	78	33	R	78	R	78	69	69	69
SURFACE WIDTH	40	32	22	22	56	56	56	56	56	20	B	88	B	44	40	40	40
ROADWAY WIDTH	40	32	24	24	56	56	56	56	56	24	A	88	A	44	40	40	40
SURFACE TYPE	PMS	PMS	RMS	RMS	PMS	PMS	PMS	PMS	PMS	RMS	N	PMS	N	PMS	PMS	PMS	PMS
AOT	1544	1262	1262	1471	1580	1580	1580	1595	1639	2241		9116		3110	2792	2618	2154
OHV	200	164	164	191	205	205	205	207	213	291		1093		475	427	400	280
SERVICE VOLUME	252	456	620	573	2080	2080	1248	1248	2080	492		2112		320	320	264	320
FOUNDATION - 10	10	7	0	0	8	8	8	8	10	0		10		10	8	8	8
SURFACE - 30	30	16	9	9	26	27	27	27	30	10		30		30	25	25	25
DRAINAGE - 10	10	10	8	6	10	10	10	10	10	8		10		10	10	10	10
SAFETY - 20	13	7	7	4	20	11	20	3	6	3		20		9	20	20	20
CAPACITY - 30	18	25	26	25	29	29	28	28	28	21		22		8	10	7	17
SUFFICIENCY RATING	81	65	50	44	93	85	93	76	84	42		92		67	73	70	80
ADJUSTED RATING	79	64	48	41	92	83	92	73	82	36		87		60	67	64	76
DEFICIENT MILEAGE	.71	2.57	.87	5.71	.16	.25	.02	.54	.66	3.15		.16		1.07	.45	.45	.22

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
AOT
OHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

57.1	65.4	76.9	78.1	87.7	98.9	107.8	108.8
8.3	11.5	1.1	9.6	11.2	8.9	0.9	0.3
72	56	U	39	50	52	52	68
72	65	R	78	51	52	52	68
34	32	B	30	24	24	24	44
34	32	A	32	26	28	28	44
PMS	PMS	N	PMS	RMS	RMS	RMS	RMS
2154	2292		1993	1502	1477	618	618
280	297		259	195	192	80	80
504	648		720	507	401	503	128
7	5		8	4	2	7	10
23	17		27	14	13	18	27
10	10		10	10	10	10	10
13	6		14	20	20	19	1
22	23		25	24	23	28	21
75	61		84	72	68	82	69
71	55		81	70	66	84	72
2.07	4.50		1.54	3.15	2.86	.17	.09

FAP ROUTE 8
SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.5	12.4	20.1	20.8	29.3	38.5	43.1	46.0	53.8	60.0	64.0	BEGINNING MILE POST
LENGTH	2.2	10.4	7.7	0.7	8.4	9.0	4.5	2.8	7.8	6.7	4.0	0.7	LENGTH
YEAR BUILT	67	59	63	63	32	32	35	35	35	36	36	U	YEAR BUILT
YEAR IMPROVED	67	59	63	63	65	65	35	35	35	36	36	R	YEAR IMPROVED
SURFACE WIDTH	30	32	32	32	20	20	20	20	20	22	22	B	SURFACE WIDTH
ROADWAY WIDTH	30	32	32	32	24	24	24	24	24	25	25	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	207	211	243	327	317	377	469	413	348	343	464		ADT
DHV	33	33	38	57	50	50	75	66	55	54	74		DHV
SERVICE VOLUME	604	324	352	324	406	387	338	205	247	226	453		SERVICE VOLUME
FOUNDATION - 10	8	6	2	7	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	24	20	15	18	8	10	13	11	13	12	14		SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	7	7	8	8	8	8		DRAINAGE - 10
SAFETY - 20	4	20	5	5	2	2	2	1	1	1	8		SAFETY - 20
CAPACITY - 30	29	23	28	28	28	28	27	25	27	26	28		CAPACITY - 30
SUFFICIENCY RATING	75	84	60	68	45	47	49	45	49	47	58		SUFFICIENCY RATING
ADJUSTED RATING	83	90	70	75	53	55	54	51	57	55	63		ADJUSTED RATING
DEFICIENT MILEAGE	.55	1.67	3.09	.23	4.65	4.81	2.33	1.56	4.00	3.25	7.68		DEFICIENT MILEAGE

FAP ROUTE NO 9
SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.5	9.6	16.2	20.0	29.7	39.5	40.6	51.5	52.3	55.1
LENGTH	4.7	6.1	6.4	3.8	9.7	9.8	1.1	10.9	0.8	2.7	8.7
YEAR BUILT	U	40	51	51	63	64	74	74	36	34	34
YEAR IMPROVED	R	71	57	57	63	64	74	74	36	55	55
SURFACE WIDTH	B	28	30	30	32	32	32	32	24	22	22
ROADWAY WIDTH	A	28	30	30	32	32	32	32	24	24	24
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS
ADT		2429	1977	1744	1795	1952	1019	1322	1330	1312	1305
DHV		315	257	226	233	253	132	171	172	170	169
SERVICE VOLUME		480	333	456	471	585	468	546	264	307	573
FOUNDATION - 10		5	4	3	5	7	10	8	0	0	0
SURFACE - 30		23	17	16	18	21	28	26	12	8	10
DRAINAGE - 10		9	10	10	10	10	10	10	8	8	8
SAFETY - 20		3	14	20	12	20	20	17	1	2	4
CAPACITY - 30		20	18	23	23	24	26	25	20	22	26
SUFFICIENCY RATING		60	63	72	68	82	94	86	41	40	48
ADJUSTED RATING		54	58	69	64	79	94	85	39	38	46
DEFICIENT MILEAGE		2.44	2.40	1.07	3.11	1.77	.06	1.52	.39	1.65	4.55

BEGINNING MILE POST	63.9	72.4	79.3	80.0	84.8	86.0	89.4	89.6	90.9	97.0	104.3	109.5
LENGTH	8.4	6.8	0.6	4.7	1.2	3.3	0.1	1.3	6.0	7.3	5.1	1.7
YEAR BUILT	34	34	U	33	70	33	30	70	30	28	67	52
YEAR IMPROVED	55	55	R	63	70	41	70	70	73	41	67	52
SURFACE WIDTH	22	22	B	24	32	20	30	32	22	22	40	32
ROADWAY WIDTH	24	24	A	26	32	24	30	32	26	24	40	32
SURFACE TYPE	RMS	RMS	N	RMS	PMS	PST	RMS	PMS	PMS	RMS	PMS	RMS
ADT	1303	1279		1380	1246	1144	1070	1076	1113	1342	2022	2037
DHV	169	166		179	161	148	139	139	144	174	262	264
SERVICE VOLUME	333	573		723	585	607	567	585	686	416	526	471
FOUNDATION - 10	0	0		0	6	0	7	7	0	0	7	9
SURFACE - 30	15	10		8	21	9	22	23	10	12	19	12
DRAINAGE - 10	8	8		7	10	7	10	10	7	7	10	10
SAFETY - 20	2	6		15	20	8	20	9	12	11	17	5
CAPACITY - 30	22	26		26	26	26	26	26	27	24	23	22
SUFFICIENCY RATING	47	50		60	83	59	85	75	56	54	76	49
ADJUSTED RATING	45	48		58	82	49	85	75	55	52	72	44
DEFICIENT MILEAGE	4.48	3.43		1.91	.20	1.68	.02	.32	2.68	3.38	1.23	.91

FAP ROUTE NO 10
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.0	1.3	5.5	10.8	16.6	19.3	30.9	40.7	49.6	51.8	55.8	BEGINNING MILE POST
LENGTH	1.0	0.3	4.3	5.1	5.7	2.7	11.6	9.7	9.1	1.8	4.0	2.0	LENGTH
YEAR BUILT	75	75	71	69	69	61	61	61	65	61	U	34	YEAR BUILT
YEAR IMPROVED	75	75	71	69	69	61	61	61	65	61	R	34	YEAR IMPROVED
SURFACE WIDTH	48	34	34	34	32	32	32	32	32	32	B	20	SURFACE WIDTH
ROADWAY WIDTH	48	34	34	34	32	32	32	32	32	32	A	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	PMS	PMS	PMS	PMS	PMS	N	PMS	SURFACE TYPE
ADT	1351	860	824	790	838	865	1175	1358	1471	2778		2359	ADT
DHV	290	184	177	169	180	185	252	291	316	597		311	DHV
SERVICE VOLUME	568	688	531	596	546	748	748	748	748	748		654	SERVICE VOLUME
FOUNDATION - 10	9	8	7	8	8	8	8	8	8	8		0	FOUNDATION - 10
SURFACE - 30	8	27	25	24	24	24	25	24	21	24		12	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	10	10	10	10		7	DRAINAGE - 10
SAFETY - 20	1	20	12	13	2	14	8	12	6	8		3	SAFETY - 20
CAPACITY - 30	22	26	25	26	25	26	25	24	24	18		23	CAPACITY - 30
SUFFICIENCY RATING	50	91	79	81	69	82	76	78	69	68		45	SUFFICIENCY RATING
ADJUSTED RATING	48	91	80	82	70	82	75	76	67	62		30	ADJUSTED RATING
DEFICIENT MILEAGE	.50	.03	.90	.97	1.78	.48	2.78	2.13	2.84	.60		1.14	DEFICIENT MILEAGE



BEGINNING MILE POST	0.0	2.2	8.0	8.6
LENGTH	2.2	5.7	0.5	0.6
YEAR BUILT	61	61	30	U
YEAR IMPROVED	61	61	78	R
SURFACE WIDTH	34	34	30	B
ROADWAY WIDTH	34	34	30	A
SURFACE TYPE	PMS	PMS	PMS	N
ADT	1470	1532	1726	
DHV	339	353	398	
SERVICE VOLUME	252	552	705	
FOUNDATION - 10	8	4	8	
SURFACE - 30	24	14	27	
DRAINAGE - 10	10	10	3	
SAFETY - 20	8	10	11	
CAPACITY - 30	10	20	22	
SUFFICIENCY RATING	60	58	71	
ADJUSTED RATING	57	55	68	
DEFICIENT MILEAGE	.90	2.42	.16	

FAP ROUTE NO 11 & 12

SHEET 1 OF 1



BEGINNING MILE POST	0.0	8.6	16.3	21.3	24.3	27.1	37.8	47.T	48.6	49.2	56.5	61.5	65.3	74.8	80.7	82.2	83.0	83.9	88.7	93.0	93.3	93.6	94.6	95.7	96.5	97.1	BEGINNING MILE POST
LENGTH	8.5	7.8	4.9	2.9	2.6	10.8	9.2	1.4	0.6	7.2	5.1	3.7	9.5	5.9	1.4	0.8	0.9	5.2	4.2	0.2	0.3	1.1	1.T	0.8	0.5	0.2	LENGTH
YEAR BUILT	62	66	69	71	34	34	34	36	U	34	36	34	34	76	76	50	34	32	32	68	68	49	38	U	50	64	YEAR BUILT
YEAR IMPROVED	76	66	69	71	34	34	34	58	R	34	57	34	34	76	76	50	52	48	61	68	68	49	38	R	55	65	YEAR IMPROVED
SURFACE WIDTH	34	40	40	40	20	20	20	22	B	20	22	20	20	32	32	22	22	24	20	40	40	28	24	B	32	32	SURFACE WIDTH
ROADWAY WIDTH	34	40	40	40	24	24	24	25	A	24	24	24	24	32	32	24	24	30	24	40	40	28	28	A	32	32	ROADWAY WIDTH
SURFACE TYPE	BST	PMS	PMS	PMS	RMS	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	RMS	PMS	SURFACE TYPE
ADT	174	340	340	340	340	575	910	1482		547	832	788	454	440	350	358	402	492	532	575	764	827	827		2025	2011	ADT
DHV	34	68	68	68	68	115	182	296		146	128	122	70	68	60	61	62	63	69	74	99	107	T07		263	261	DHV
SERVICE VOLUME	478	596	568	511	792	762	486	601		462	448	240	290	722	568	333	386	365	180	103	85	680	432		808	457	SERVICE VOLUME
FOUNDATION - 10	7	8	8	8	0	0	0	0		0	2	3	0	8	8	0	0	0	0	9	7	2	3		2	8	FOUNDATION - 10
SURFACE - 30	26	25	21	25	8	10	14	14		15	17	15	14	27	28	13	11	14	12	26	23	14	13		T2	26	SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	9	8	5		8	7	8	7	10	10	8	8	8	7	10	TO	10	8		8	10	DRAINAGE - 10
SAFETY - 20	4	20	20	20	20	18	5	7		4	2	1	1	17	20	1	T	1	1	20	0	11	1		20	20	SAFETY - 20
CAPACITY - 30	29	28	28	28	29	28	24	23		25	26	22	26	29	28	27	28	27	24	19	13	28	26		25	2T	CAPACITY - 30
SUFFICIENCY RATING	76	91	87	91	64	65	51	53		52	54	49	48	9T	94	49	48	50	44	84	53	65	51		67	85	SUFFICIENCY RATING
ADJUSTED RATING	85	93	90	93	71	69	52	50		52	55	51	54	93	95	56	55	55	49	86	55	66	52		63	82	ADJUSTED RATING
DEFICIENT MILEAGE	2.05	.70	.64	.26	.95	3.78	4.52	.70		3.47	2.38	1.89	4.96	.53	.08	.42	.47	2.63	2.37	.04	.15	.38	.54		.T8	.03	DEFICIENT MILEAGE

FAP ROUTE NO 13
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.8	2.3	6.4	13.5	23.5	33.4	41.6	42.7	45.1	48.9	55.9	63.1	68.5	73.3	75.1	BEGINNING MILE POST
LENGTH	0.8	1.5	4.0	7.1	9.9	9.9	8.1	0.9	2.4	3.9	6.9	7.2	5.3	4.8	1.7	2.0	LENGTH
YEAR BUILT	U	64	64	37	51	55	33	U	65	65	76	56	37	36	36	34	YEAR BUILT
YEAR IMPROVED	R	64	64	66	51	55	66	R	65	65	76	58	65	63	63	64	YEAR IMPROVED
SURFACE WIDTH	B	32	32	24	20	24	21	B	40	40	36	28	21	22	22	22	SURFACE WIDTH
ROADWAY WIDTH	A	32	32	25	26	27	24	A	40	40	36	28	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	RMS	PMS	PMS	RMS	N	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT		1165	509	495	464	424	769		824	348	301	286	289	291	292	353	ADT
DHV		174	76	74	69	63	175		123	45	39	37	37	37	37	45	DHV
SERVICE VOLUME		569	487	409	252	264	660		287	385	180	289	357	364	646	573	SERVICE VOLUME
FOUNDATION - 10		9	8	0	0	4	0		7	6	9	3	0	0	0	0	FOUNDATION - 10
SURFACE - 30		22	21	10	13	14	10		21	18	30	16	9	9	10	10	SURFACE - 30
DRAINAGE - 10		10	10	7	5	9	8		10	10	10	10	8	7	7	6	DRAINAGE - 10
SAFETY - 20		10	9	2	4	1	12		7	11	20	4	3	2	18	2	SAFETY - 20
CAPACITY - 30		25	28	27	26	26	27		23	28	27	28	28	28	29	29	CAPACITY - 30
SUFFICIENCY RATING		76	76	46	48	54	57		68	73	56	61	48	46	64	47	SUFFICIENCY RATING
ADJUSTED RATING		75	79	51	54	60	59		69	79	97	70	57	55	72	54	ADJUSTED RATING
DEFICIENT MILEAGE		.36	.96	3.88	5.14	4.58	3.51		.77	1.06	.27	2.83	2.77	2.63	.64	1.08	DEFICIENT MILEAGE

FAP ROUTE NO 14
SHEET 1 OF 3



BEGINNING MILE POST	77.2	88.0	92.8	99.3	100.3	100.8	108.0	116.4	122.5	124.9	129.5	130.5	133.0	137.0	146.0	BEGINNING MILE POST
LENGTH	10.8	4.7	6.5	0.9	0.5	7.1	8.4	6.1	2.3	4.5	1.0	2.4	3.9	9.1	5.6	LENGTH
YEAR BUILT	34	66	68	U	65	65	53	67	67	56	U	37	37	37	37	YEAR BUILT
YEAR IMPROVED	64	66	68	R	65	65	53	67	67	71	R	37	37	37	37	YEAR IMPROVED
SURFACE WIDTH	22	40	40	B	40	40	24	40	40	28	B	20	20	20	20	SURFACE WIDTH
ROADWAY WIDTH	24	40	40	A	40	40	28	40	40	28	A	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	N	PMS	PMS	RMS	PMS	PMS	PMS	N	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	398	515	600		1584	1062	930	887	890	914		864	843	824	320	ADT
DHV	51	66	78		205	138	120	115	115	118		112	109	107	41	DHV
SERVICE VOLUME	524	552	552		872	599	558	281	296	558		608	307	582	201	SERVICE VOLUME
FOUNDATION - 10	0	7	7		8	7	4	8	7	3		0	0	0	0	FOUNDATION - 10
SURFACE - 30	9	18	19		21	20	15	24	23	16		10	9	9	12	SURFACE - 30
DRAINAGE - 10	7	10	10		10	10	10	10	10	10		6	6	8	6	DRAINAGE - 10
SAFETY - 20	6	8	16		20	10	9	11	16	20		5	1	8	1	SAFETY - 20
CAPACITY - 30	29	28	28		26	27	27	24	24	27		27	25	27	27	CAPACITY - 30
SUFFICIENCY RATING	49	71	80		85	74	65	77	80	76		48	41	52	44	SUFFICIENCY RATING
ADJUSTED RATING	56	75	82		83	74	65	78	80	76		49	42	53	52	ADJUSTED RATING
DEFICIENT MILEAGE	5.52	1.38	1.30		.07	1.85	2.94	1.40	.47	1.08		1.28	2.34	4.36	3.15	DEFICIENT MILEAGE



BEGINNING MILE POST	259.4	265.1	270.5	270.8	270.8	271.2
LENGTH	5.5	5.3	0.3	0.0	0.3	1.2
YEAR BUILT	54	57	U	77	77	U
YEAR IMPROVED	54	75	R	77	77	R
SURFACE WIDTH	24	32	B	40	28	B
ROADWAY WIDTH	24	32	A	40	28	A
SURFACE TYPE	RMS	PMS	N	PMS	PMS	N
ADT	295	604		1589	1797	
DHV	46	96		252	283	
SERVICE VOLUME	450	546		230	349	
FOUNDATION - 10	0	10		10	8	
SURFACE - 30	15	27		30	24	
DRAINAGE - 10	10	10		10	10	
SAFETY - 20	4	5		20	20	
CAPACITY - 30	28	27		14	20	
SUFFICIENCY RATING	57	79		84	82	
ADJUSTED RATING	66	81		82	79	
DEFICIENT MILEAGE	2.39	1.13		.01	.05	

BEGINNING MILE POST	151.6	155.1	158.0	160.4	167.5	168.5	170.1	182.0	187.6	192.1	195.3	203.7	205.1	207.1	212.4	217.1	224.4	229.5	242.4	252.3
LENGTH	3.4	2.8	2.6	7.0	0.9	1.6	11.8	5.5	4.4	3.2	8.3	1.4	1.9	5.2	4.7	7.2	5.1	12.8	9.9	7.1
YEAR BUILT	37	56	56	36	33	U	39	39	39	39	39	U	46	46	46	48	48	55	50	54
YEAR IMPROVED	37	56	56	50	56	R	39	39	39	39	39	R	63	57	57	63	63	63	63	54
SURFACE WIDTH	20	24	24	22	26	B	20	20	20	20	20	B	20	20	20	25	25	20	20	24
ROADWAY WIDTH	24	28	28	24	30	A	24	24	24	24	24	A	24	24	24	25	25	20	24	24
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	N	RMS	RMS	PMS	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS
ADT	331	386	434	551	2551		626	487	464	510	525		390	322	288	255	284	264	230	250
DHV	43	50	56	71	331		81	63	60	66	68		62	51	45	41	45	41	36	39
SERVICE VOLUME	201	301	586	377	720		406	264	421	448	431		538	368	351	408	258	290	354	258
FOUNDATION - 10	0	0	0	0	0		0	0	0	0	0		0	6	0	0	0	0	0	2
SURFACE - 30	11	12	13	11	12		12	12	11	9	11		10	24	10	15	14	14	14	15
DRAINAGE - 10	4	9	10	6	6		10	8	8	8	6		10	10	10	10	10	9	9	10
SAFETY - 20	1	20	7	2	1		2	2	3	13	6		5	3	10	5	2	4	17	3
CAPACITY - 30	27	28	29	27	23		27	26	28	28	28		28	28	28	28	27	28	28	28
SUFFICIENCY RATING	43	69	59	46	42		51	48	50	58	54		53	71	58	58	53	55	68	58
ADJUSTED RATING	51	75	65	50	36		54	53	56	62	59		60	78	67	67	62	65	77	68
DEFICIENT MILEAGE	1.95	.88	1.01	3.81	.56		5.81	2.90	2.23	1.37	3.82		.93	1.53	1.98	3.05	2.40	5.80	3.18	3.00

FAP ROUTE NO 14
SHEET 3 OF 3

BEGINNING MILE POST	0.0	4.6	11.8	21.5	23.2	25.1	29.6	38.1	46.2
LENGTH	4.7	7.0	9.6	1.7	1.8	4.5	8.4	8.0	1.8
YEAR BUILT	U	77	34	68	34	34	66	65	37
YEAR IMPROVED	R	77	51	68	58	34	66	65	37
SURFACE WIDTH	B	40	20	40	22	20	32	32	20
ROADWAY WIDTH	A	40	24	40	24	24	32	32	24
SURFACE TYPE	N	PMS	RMS	PMS	RMS	RMS	PMS	PMS	RMS
AOT		1478	1116	1114	1122	1134	1162	1237	2019
DHV		192	145	144	145	147	151	160	262
SERVICE VOLUME		189	448	403	272	277	548	720	283
FOUNDATION - 10		8	0	7	0	0	7	6	0
SURFACE - 30		26	10	21	12	12	24	23	13
DRAINAGE - 10		10	5	10	7	6	10	10	8
SAFETY - 20		7	1	17	1	1	11	8	1
CAPACITY - 30		15	25	25	22	22	26	21	16
SUFFICIENCY RATING		66	41	80	42	41	78	74	38
ADJUSTED RATING		64	40	19	41	40	77	73	33
DEFICIENT MILEAGE		2.39	5.68	.34	1.05	2.65	1.86	2.08	1.13

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
AOT
DHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE NO 16

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.2	8.7	10.5	12.0	BEGINNING MILE POST
LENGTH	3.5	5.4	1.7	1.4	1.0	LENGTH
YEAR BUILT	69	38	38	57	U	YEAR BUILT
YEAR IMPROVED	69	63	63	57	P	YEAR IMPROVED
SURFACE WIDTH	24	20	20	24	8	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	28	A	ROADWAY WIDTH
SURFACE TYPE	BST	RMS	RMS	RMS	N	SURFACE TYPE
ADT	526	402	368	405		ADT
DHV	79	60	55	61		DHV
SERVICE VOLUME	365	390	265	415		SERVICE VOLUME
FOUNDATION - 10	3	0	4	6		FOUNDATION - 10
SURFACE - 30	17	13	17	17		SURFACE - 30
DRAINAGE - 10	6	7	8	10		DRAINAGE - 10
SAFETY - 20	4	3	1	2		SAFETY - 20
CAPACITY - 30	21	28	21	28		CAPACITY - 30
SUFFICIENCY RATING	57	51	57	63		SUFFICIENCY RATING
ADJUSTED RATING	62	58	64	69		ADJUSTED RATING
DEFICIENT MILEAGE	1.50	2.65	.16	.52		DEFICIENT MILEAGE

FAP ROUTE NO 17

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.0	2.1	13.0	18.0	20.0	23.9	34.9	38.0	48.4	53.3	58.9	63.3	73.5	BEGINNING MILE POST
LENGTH	0.9	1.1	10.9	5.0	2.0	3.8	10.9	3.1	10.3	4.9	5.4	4.3	10.2	9.3	LENGTH
YEAR BUILT	U	57	64	63	28	28	31	31	31	31	77	76	67	58	YEAR BUILT
YEAR IMPROVED	R	57	64	63	35	35	35	56	35	35	77	76	67	65	YEAR IMPROVED
SURFACE WIDTH	S	32	32	30	20	20	20	20	20	20	30	30	30	28	SURFACE WIDTH
ROADWAY WIDTH	A	32	32	30	24	24	24	24	24	24	30	30	30	28	ROADWAY WIDTH
SURFACE TYPE	N	BST	PMS	PMS	BST	BST	BST	BST	BST	BST	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT		1512	355	264	237	232	242	212	228	253	269	255	243	295	ADT
DHV		196	46	34	30	30	31	27	29	32	34	33	31	38	DHV
SERVICE VOLUME		456	580	663	655	627	448	422	448	470	549	678	663	427	SERVICE VOLUME
FOUNDATION - 10		6	4	2	0	0	0	0	0	0	9	9	7	6	FOUNDATION - 10
SURFACE - 30		20	14	13	9	8	8	7	7	7	28	28	19	20	SURFACE - 30
DRAINAGE - 10		10	10	10	8	8	7	7	7	5	10	10	10	10	DRAINAGE - 10
SAFETY - 20		2	7	4	13	3	1	1	1	1	11	20	20	5	SAFETY - 20
CAPACITY - 30		24	29	29	29	29	29	29	29	29	29	29	29	29	CAPACITY - 30
SUFFICIENCY RATING		62	64	58	59	48	45	44	44	42	87	96	85	70	SUFFICIENCY RATING
ADJUSTED RATING		59	71	67	60	55	55	55	54	52	91	97	90	77	ADJUSTED RATING
DEFICIENT MILEAGE		.43	3.93	2.10	.82	2.02	6.02	1.78	5.81	2.94	.70	.17	1.53	2.81	DEFICIENT MILEAGE

FAP ROUTE NO 18
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.8	5.5	7.1	10.1	16.9	22.0	24.3	27.6	30.8	38.5	48.3	57.4	62.5	63.2	63.6
LENGTH	2.8	2.6	1.5	4.7	6.8	5.0	2.2	3.3	3.1	7.7	9.7	9.1	5.0	0.6	0.4	1.3
YEAR BUILT	64	61	61	U	51	51	51	34	34	57	60	31	25	66	66	U
YEAR IMPROVED	64	61	61	R	59	59	59	54	40	76	60	52	52	66	66	R
SURFACE WIDTH	76	76	76	B	24	24	32	22	20	32	32	20	20	40	32	B
ROADWAY WIDTH	76	76	76	A	28	28	32	24	24	32	32	24	22	40	32	A
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	RMS	RMS	PMS	PMS	RMS	RMS	PMS	PMS	N
AOT	2074	3280	5110		2339	1236	808	627	543	641	466	492	805	931	860	
DHV	269	426	664		339	179	117	90	78	92	67	71	117	134	124	
SERVICE VOLUME	2208	2208	2208		454	501	456	197	224	504	428	683	471	240	720	
FOUNDATION - 10	8	8	8		2	0	0	0	0	8	5	0	0	9	8	
SURFACE - 30	25	24	25		14	13	14	11	12	26	16	8	10	26	24	
DRAINAGE - 10	10	10	10		8	10	8	7	6	10	10	3	3	10	10	
SAFETY - 20	14	18	20		8	17	8	2	0	8	16	2	1	6	1	
CAPACITY - 30	28	27	25		19	25	26	23	25	27	28	28	26	22	27	
SUFFICIENCY RATING	85	87	89		51	65	56	43	43	79	75	41	40	73	70	
ADJUSTED RATING	82	83	84		45	64	58	46	47	81	79	46	42	73	71	
DEFICIENT MILEAGE	.43	.34	.16		3.33	1.77	.99	1.92	1.78	1.61	2.42	5.39	3.04	.16	.13	

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
AOT
DHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE NO 19
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.7	6.1	13.0	18.5	23.1	28.8	31.4	32.9	42.0	50.0	51.7	52.5	58.6	62.5	63.5
LENGTH	1.7	4.3	6.8	5.6	4.1	5.7	2.5	1.4	9.0	7.9	1.7	0.8	6.0	3.9	1.3	0.3
YEAR BUILT	U	64	67	69	54	54	75	74	34	73	73	U	35	35	U	56
YEAR IMPROVED	R	64	67	69	54	54	75	74	57	73	73	R	35	35	R	56
SURFACE WIDTH	B	40	40	40	28	28	40	40	20	40	83	B	20	20	B	24
ROADWAY WIDTH	A	40	40	40	28	28	40	40	24	40	83	A	24	24	A	32
SURFACE TYPE	N	PMS	PMS	PMS	RMS	RMS	PMS	PMS	RMS	PMS	PMS	N	RMS	RMS	N	RMS
ADT		2281	1530	1434	1411	1505	1656	1725	1834	2350	7309		3136	2207		1701
DHV		296	198	186	183	195	215	224	238	305	950		407	286		221
SERVICE VOLUME		222	643	184	434	301	296	266	377	281	1700		486	324		963
FOUNDATION - 10		7	7	6	0	0	9	10	0	9	7		0	0		7
SURFACE - 30		21	22	22	17	14	27	28	12	27	24		12	12		23
DRAINAGE - 10		10	10	10	10	10	10	10	8	10	10		5	5		10
SAFETY - 20		18	17	9	14	17	17	2	3	6	5		7	4		1
CAPACITY - 30		10	25	15	24	20	19	17	21	14	22		17	17		27
SUFFICIENCY RATING		66	81	62	65	61	82	67	44	66	72		41	38		68
ADJUSTED RATING		61	79	60	63	58	80	64	40	61	60		33	33		65
DEFICIENT MILEAGE		1.48	1.20	2.13	1.45	2.25	.46	.48	5.06	2.70	.49		3.57	2.42		.11

BEGINNING MILE POST	0.0	0.8	3.7	4.9
LENGTH	0.8	2.7	1.2	0.1
YEAR BUILT	73	34	U	73
YEAR IMPROVED	73	64	R	73
SURFACE WIDTH	40	24	B	40
ROADWAY WIDTH	40	26	A	40
SURFACE TYPE	PMS	RMS	N	PMS
ADT	1017	1268		1428
DHV	132	164		185
SERVICE VOLUME	662	632		326
FOUNDATION - 10	7	0		9
SURFACE - 30	26	12		28
DRAINAGE - 10	10	8		10
SAFETY - 20	1	2		20
CAPACITY - 30	27	26		21
SUFFICIENCY RATING	71	48		88
ADJUSTED RATING	71	46		87
DEFICIENT MILEAGE	.23	1.45		.02

FAP ROUTE NO 20 & 21
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.5	7.5	17.9	20.9	29.3	41.1	42.3	43.3	52.6	63.7	63.8	64.0	64.3	71.8	73.8	75.8	75.8	81.3	88.4	BEGINNING MILE POST
LENGTH	0.5	7.0	10.2	3.0	8.4	11.8	1.1	1.0	9.2	11.1	0.0	0.2	0.2	7.5	2.0	1.9	0.0	5.4	7.1	0.1	LENGTH
YEAR BUILT	U	65	35	36	36	37	U	33	33	63	U	63	U	76	76	71	U	71	59	U	YEAR BUILT
YEAR IMPROVED	R	65	36	36	36	62	R	40	40	63	R	63	R	76	76	71	R	71	59	R	YEAR IMPROVED
SURFACE WIDTH	B	32	20	22	22	20	B	20	20	32	B	32	B	32	32	32	B	32	32	B	SURFACE WIDTH
ROADWAY WIDTH	A	32	24	25	25	24	A	24	24	32	A	32	A	32	32	32	A	32	32	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	BST	BST	BST	RMS	N	RMS	RMS	PMS	N	PMS	N	PMS	PMS	PMS	N	PMS	PMS	N	SURFACE TYPE
ADT		616	409	320	351	830		1670	1206	924		882		844	825	922		799	822		ADT
DHV		92	61	48	52	124		250	180	138		132		126	123	138		119	123		DHV
SERVICE VOLUME		722	210	280	464	486		564	378	662		963		653	722	619		592	406		SERVICE VOLUME
FOUNDATION - 10		6	0	0	0	0		0	0	6		7		9	8	8		9	0		FOUNDATION - 10
SURFACE - 30		18	12	11	12	14		13	14	18		23		28	28	24		24	13		SURFACE - 30
DRAINAGE - 10		10	8	8	9	9		10	9	10		10		10	10	10		10	10		DRAINAGE - 10
SAFETY - 20		13	1	1	5	4		5	2	12		5		19	20	13		20	20		SAFETY - 20
CAPACITY - 30		28	26	27	28	26		23	23	27		28		27	27	27		27	25		CAPACITY - 30
SUFFICIENCY RATING		75	47	47	54	53		51	48	73		73		93	93	82		90	68		SUFFICIENCY RATING
ADJUSTED RATING		78	53	55	62	54		47	47	73		74		93	93	82		90	69		ADJUSTED RATING
DEFICIENT MILEAGE		1.76	5.43	1.60	3.88	5.56		.50	4.79	3.00		.07		.52	.14	.35		.54	2.28		DEFICIENT MILEAGE

FAP ROUTE NO 22
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.1	2.1	5.4	14.6	27.8	33.1	44.1	47.8	BEGINNING MILE POST
LENGTH	1.7	0.0	3.2	9.1	13.1	5.3	10.9	3.7	2.7	LENGTH
YEAR BUILT	U	20	20	36	62	77	31	32	52	YEAR BUILT
YEAR IMPROVED	R	36	36	36	76	77	60	60	52	YEAR IMPROVED
SURFACE WIDTH	B	25	25	22	28	34	18	18	22	SURFACE WIDTH
ROADWAY WIDTH	A	25	25	25	28	34	24	24	28	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	RMS	PMS	PMS	RMS	RMS	PMS	SURFACE TYPE
ADT		4043	1792	1042	526	460	457	419	313	ADT
DHV		525	233	151	76	66	66	60	45	DHV
SERVICE VOLUME		243	301	425	522	585	438	316	196	SERVICE VOLUME
FOUNDATION - 10		0	0	0	8	5	0	0	0	FOUNDATION - 10
SURFACE - 30		15	13	10	21	26	7	8	11	SURFACE - 30
DRAINAGE - 10		8	8	1	10	10	4	4	10	DRAINAGE - 10
SAFETY - 20		20	1	2	13	20	5	2	4	SAFETY - 20
CAPACITY - 30		0	19	25	28	28	28	27	21	CAPACITY - 30
SUFFICIENCY RATING		43	41	44	86	93	64	61	52	SUFFICIENCY RATING
ADJUSTED RATING		33	37	44	88	94	50	47	60	ADJUSTED RATING
DEFICIENT MILEAGE		.03	1.93	5.11	1.84	.37	6.13	2.15	1.29	DEFICIENT MILEAGE

FAP ROUTE NO 23
SHEET 1 OF 2



BEGINNING MILE POST	50.5	55.7	64.0	72.9	76.3	77.8	79.1	79.9	83.0	85.5	95.5	101.5	108.4	119.4	130.3	BEGINNING MILE POST
LENGTH	5.1	8.7	8.3	3.3	1.5	1.3	0.8	3.1	2.4	10.0	6.0	6.8	11.0	10.8	9.5	LENGTH
YEAR BUILT	52	69	29	28	69	28	U	40	31	53	54	54	55	55	65	YEAR BUILT
YEAR IMPROVED	60	55	41	41	69	36	R	40	56	53	54	54	73	78	78	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	28	20	B	24	20	24	24	24	28	26	34	SURFACE WIDTH
ROADWAY WIDTH	28	24	24	24	28	22	A	24	24	28	28	28	28	26	34	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	BST	BST	PMS	BST	N	RMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	SURFACE TYPE
AOT	267	281	334	526	1262	1359		1204	683	628	509	473	478	479	525	AOT
OHV	38	40	48	76	182	197		174	99	91	73	68	69	69	78	OHV
SERVICE VOLUME	642	392	258	221	276	250		278	203	266	732	462	486	513	585	SERVICE VOLUME
FOUNDATION - 10	0	0	0	2	8	0		0	0	0	0	2	0	8	9	FOUNDATION - 10
SURFACE - 30	10	10	13	13	26	12		13	13	11	10	11	13	28	30	SURFACE - 30
DRAINAGE - 10	10	9	10	8	10	4		9	7	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	6	1	4	3	10	1		6	3	5	13	15	13	20	17	SAFETY - 20
CAPACITY - 30	29	28	27	25	20	18		21	23	25	29	28	28	28	28	CAPACITY - 30
SUFFICIENCY RATING	53	48	54	51	74	35		49	46	51	62	66	64	94	94	SUFFICIENCY RATING
ADJUSTED RATING	62	51	62	56	73	33		48	45	54	67	71	69	95	95	ADJUSTED RATING
DEFICIENT MILEAGE	2.43	4.57	3.86	1.65	.39	.84		1.60	1.32	4.90	2.29	2.33	3.96	.65	.57	DEFICIENT MILEAGE

FAP ROUTE NO 23
SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.9	1.8	4.4	7.5	12.2	16.0	22.6	26.7	31.8	35.6	43.1	55.6	BEGINNING MILE POST
LENGTH	0.9	0.8	4.0	2.6	4.6	3.8	6.5	4.0	5.1	3.8	7.4	12.5	9.8	LENGTH
YEAR BUILT	74	74	36	68	40	41	68	41	49	54	61	61	61	YEAR BUILT
YEAR IMPROVED	74	74	37	68	42	63	68	59	49	54	61	61	61	YEAR IMPROVED
SURFACE WIDTH	44	44	30	40	20	24	40	25	25	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	44	44	30	40	24	24	40	28	25	30	26	26	26	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	PMS	RMS	RMS	PMS	RMS	BST	RMS	PMS	PMS	PMS	SURFACE TYPE
AOT	6559	5235	3671	3041	2678	2262	1947	1681	1731	1578	1461	1507	1496	AOT
DHV	1082	863	605	501	441	373	321	277	285	260	241	248	246	DHV
SERVICE VOLUME	344	442	234	425	100	145	385	100	307	499	277	299	132	SERVICE VOLUME
FOUNDATION - 10	8	10	3	5	0	2	7	0	0	0	6	6	5	FOUNDATION - 10
SURFACE - 30	25	28	15	16	14	14	17	12	12	10	18	17	17	SURFACE - 30
DRAINAGE - 10	10	10	4	10	5	6	10	7	8	10	10	10	10	DRAINAGE - 10
SAFETY - 20	1	2	1	3	2	2	15	3	6	8	5	9	2	SAFETY - 20
CAPACITY - 30	0	1	0	12	0	0	17	0	16	22	17	18	2	CAPACITY - 30
SUFFICIENCY RATING	44	51	23	46	21	24	66	22	42	50	56	60	36	SUFFICIENCY RATING
ADJUSTED RATING	31	39	16	38	16	20	62	19	38	47	53	57	33	ADJUSTED RATING
DEFICIENT MILEAGE	.54	.42	3.11	1.41	3.68	2.50	2.23	3.13	2.99	1.91	1.29	5.00	6.27	DEFICIENT MILEAGE

FAP ROUTE NO 24
SHEET OF 2

BEGINNING MILE POST	65.4	72.2	76.1	82.0	86.1	91.2	97.0	100.4	109.0	116.8	127.4	133.2	138.4	BEGINNING MILE POST
LENGTH	6.7	3.8	5.8	4.1	5.0	5.8	3.4	8.6	7.7	10.6	5.7	5.2	1.3	LENGTH
YEAR BUILT	60	60	60	57	57	48	48	51	52	52	59	64	36	YEAR BUILT
YEAR IMPROVED	60	60	60	64	64	63	63	51	52	52	59	64	71	YEAR IMPROVED
SURFACE WIDTH	24	24	24	28	28	25	25	25	24	24	32	32	25	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	33	30	25	25	25	26	26	32	32	31	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	RMS	BST	RMS	RMS	PMS	PMS	RMS	SURFACE TYPE
AUT	1404	1384	1410	1220	1219	1219	1219	1243	1127	1198	2097	2146	2166	AOT
DHV	231	207	211	183	182	182	182	186	169	179	253	300	303	DHV
SERVICE VOLUME	297	450	258	333	104	240	237	217	277	277	565	494	396	SERVICE VOLUME
FOUNDATION - 10	5	4	5	6	7	2	0	0	0	0	8	5	3	FOUNDATION - 10
SURFACE - 30	19	17	17	16	17	14	13	11	11	13	24	21	16	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	8	8	8	8	7	10	10	9	DRAINAGE - 10
SAFETY - 20	4	9	2	8	1	2	5	6	2	2	8	8	2	SAFETY - 20
CAPACITY - 30	18	23	18	22	4	19	18	17	21	20	22	21	19	CAPACITY - 30
SUFFICIENCY RATING	56	63	52	62	39	45	44	42	42	42	72	65	45	SUFFICIENCY RATING
ADJUSTED RATING	54	61	50	61	38	44	43	41	41	41	68	60	44	ADJUSTED RATING
DEFICIENT MILEAGE	2.98	1.43	2.82	1.55	3.10	3.19	1.90	5.00	4.51	6.16	1.60	1.84	.67	DEFICIENT MILEAGE

FAP ROUTE NO 24

SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.0	7.7	20.9	28.1	35.5	44.7	46.4	47.0	52.3
LENGTH	0.0	7.6	13.1	7.2	7.4	9.2	1.7	0.5	5.3	0.7
YEAR BUILT	U	36	36	35	40	37	37	37	78	U
YEAR IMPROVED	R	56	56	40	40	37	37	37	78	R
SURFACE WIDTH	B	20	20	20	20	20	20	20	40	B
ROADWAY WIDTH	A	24	25	24	24	25	25	25	40	A
SURFACE TYPE	N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	N
ADT		732	623	522	550	678	709	1011	7134	
OHV		95	80	67	71	88	92	131	147	
SERVICE VOLUME		315	315	238	357	185	126	147	720	
FOUNDATION - 10		0	0	0	0	0	0	0	8	
SURFACE - 30		9	8	11	10	12	13	12	30	
DRAINAGE - 10		8	6	7	7	6	6	10	10	
SAFETY - 20		1	2	2	2	3	1	1	3	
CAPACITY - 30		25	26	26	27	23	19	17	27	
SUFFICIENCY RATING		43	42	46	46	44	39	40	78	
ADJUSTED RATING		45	45	51	50	47	41	40	77	
DEFICIENT MILEAGE		4.33	7.62	3.88	3.99	5.17	1.06	.30	1.18	

BEGINNING MILE POST	0.0	0.7
LENGTH	0.7	6.7
YEAR BUILT	36	33
YEAR IMPROVED	36	36
SURFACE WIDTH	22	20
ROADWAY WIDTH	25	24
SURFACE TYPE	BST	BST
ADT	2229	1527
OHV	289	250
SERVICE VOLUME	392	364
FOUNDATION - 10	0	0
SURFACE - 30	13	7
DRAINAGE - 10	10	5
SAFETY - 20	1	2
CAPACITY - 30	19	20
SUFFICIENCY RATING	43	34
ADJUSTED RATING	37	30
DEFICIENT MILEAGE	.43	6.46

FAP ROUTE NO 25 & 26
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.3	7.2	12.0	22.5	29.1	34.6	35.7	44.4	54.7	66.0	71.3	73.3	79.1
LENGTH	0.3	6.9	4.8	10.4	6.6	5.5	1.1	8.6	10.2	11.2	5.3	2.0	5.7	1.8
YEAR BUILT	U	50	50	50	48	48	U	57	58	65	65	65	65	U
YEAR IMPROVED	R	50	50	50	48	48	R	60	78	65	65	65	65	R
SURFACE WIDTH	B	22	22	22	25	25	B	28	28	28	28	28	28	B
ROADWAY WIDTH	A	24	24	24	25	25	A	28	28	28	28	28	28	A
SURFACE TYPE	N	PMS	PMS	PMS	BST	BST	N	RMS	PMS	PMS	PMS	PMS	PMS	N
ADT		321	272	292	413	621		644	368	418	511	514	846	
DHV		41	35	37	53	80		83	47	54	66	66	109	
SERVILE VOLUME		377	220	220	237	217		492	368	486	504	312	480	
FOUNDATION - 10		0	0	0	0	0		0	9	7	8	8	8	
SURFACE - 30		13	12	11	12	12		10	27	19	22	24	21	
DRAINAGE - 10		10	10	10	9	9		10	10	10	10	10	10	
SAFETY - 20		3	1	1	1	1		19	9	3	3	2	5	
CAPACITY - 30		28	28	27	27	24		27	28	28	28	27	27	
SUFFICIENCY RATING		54	51	49	49	46		66	83	67	71	71	71	
ADJUSTED RATING		62	60	58	55	49		69	87	73	75	75	72	
DEFICIENT MILEAGE		3.17	2.36	5.32	3.37	2.97		2.94	1.74	3.71	1.53	.60	1.66	

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
ADT
DHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE 27
SHEET 1 OF 1

BEGINNING MILE POST	0.0	8.7	45.0	47.3	53.7	60.0	64.2	68.3	68.6	68.6	70.3	82.0	90.9	95.3	96.6	101.1	BEGINNING MILE POST
LENGTH	8.7	0.0	2.3	6.4	6.2	4.2	4.1	0.2	0.0	1.5	11.7	8.9	4.4	1.0	4.6	0.5	LENGTH
YEAR BUILT	36	0	65	65	65	69	U	U	U	U	21	36	74	U	74	68	YEAR BUILT
YEAR IMPROVED	72	U	65	65	65	69	N	R	N	R	54	36	74	R	74	68	YEAR IMPROVED
SURFACE WIDTH	22	T	28	28	28	34	0 C	8	D C	B	22	21	40	B	44	40	SURFACE WIDTH
ROADWAY WIDTH	22		28	28	28	34	E O	A	E O	A	24	24	40	A	44	40	ROADWAY WIDTH
SURFACE TYPE	BST	D	PMS	PMS	PMS	PMS	R N	N	R N	N	RMS	RMS	PMS	N	PMS	PMS	SURFACE TYPE
ADT	433	F	433	433	433	489	S		S		1320	1202	1413		1898	2027	ADT
OHV	97		97	97	97	110	T		I		264	240	282		379	405	OHV
SERVICE VOLUME	184	S	658	251	437	447	R		R		844	486	309		344	662	SERVICE VOLUME
FOUNDATION - 10	4	T	6	5	7	8	U		U		0	0	9		8	5	FOUNDATION - 10
SURFACE - 30	17	A	17	17	18	23	C		C		9	11	28		26	18	SURFACE - 30
DRAINAGE - 10	6	T	10	10	10	10	T		T		8	8	10		10	10	DRAINAGE - 10
SAFETY - 20	0	E	3	0	1	9	I		I		7	4	6		3	12	SAFETY - 20
CAPACITY - 30	22		28	25	27	26	O		O		25	23	16		13	21	CAPACITY - 30
SUFFICIENCY RATING	49		64	57	63	76	N		N		49	46	69		60	66	SUFFICIENCY RATING
ADJUSTED RATING	55		70	63	69	80					47	45	67		56	61	ADJUSTED RATING
DEFICIENT MILEAGE	4.43		.83	2.75	2.32	1.01					5.97	4.82	1.37		1.87	.19	DEFICIENT MILEAGE

FAP ROUTE NO 28
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.2	5.6	10.7	13.0	14.8	19.9	25.1	33.0	34.1	42.2	43.2	49.9	57.2	58.3	59.9	66.0	67.9	68.8	75.0	77.8	80.1	83.4	BEGINNING MILE POST
LENGTH	0.2	5.4	5.0	2.3	1.7	5.1	5.2	7.9	1.1	8.0	1.0	6.6	7.3	1.1	1.4	5.7	2.0	0.8	6.1	2.8	2.3	3.2	7.1	LENGTH
YEAR BUILT	U	50	51	56	U	45	42	40	U	39	U	39	36	36	36	36	31	51	31	34	28	28	U	YEAR BUILT
YEAR IMPROVED	R	50	51	56	R	45	42	40	R	39	R	39	63	63	63	36	40	51	58	62	71	71	R	YEAR IMPROVED
SURFACE WIDTH	B	24	28	28	B	20	20	20	B	22	B	20	22	22	22	22	24	34	22	24	24	24	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	32	28	A	24	24	24	A	24	A	24	24	24	24	24	31	34	26	30	30	30	A	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	PMS	N	RMS	RMS	RMS	N	RMS	N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT		577	531	531		879	841	929		1169		1060	1108	272	313	373	606	614	659	729	728	1105		ADT
DHV		121	111	111		184	176	195		245		155	166	40	46	55	78	79	85	94	94	143		DHV
SERVICE VOLUME		420	243	324		315	350	435		812		450	540	222	540	567	248	243	296	302	627	331		SERVICE VOLUME
FOUNDATION - 10		5	5	4		4	0	0		0		0	0	0	0	0	0	0	0	0	0	3		FOUNDATION - 10
SURFACE - 30		17	17	16		17	12	13		10		13	10	12	10	10	13	12	12	14	14	15		SURFACE - 30
DRAINAGE - 10		7	8	10		5	8	8		8		5	6	4	5	5	10	10	7	7	7	8		DRAINAGE - 10
SAFETY - 20		2	4	12		3	5	10		20		15	1	0	1	1	2	6	3	0	1	1		SAFETY - 20
CAPACITY - 30		26	23	25		21	23	23		25		25	25	27	29	29	25	25	26	25	28	24		CAPACITY - 30
SUFFICIENCY RATING		57	57	67		50	48	54		63		58	42	43	45	45	50	53	48	46	50	51		SUFFICIENCY RATING
ADJUSTED RATING		61	62	71		51	49	55		62		58	41	52	53	52	54	57	51	48	52	50		ADJUSTED RATING
DEFICIENT MILEAGE		2.33	2.16	.77		2.55	2.73	2.64		2.97		2.78	4.26	.65	.81	3.18	1.00	.41	3.20	1.52	1.16	1.60		DEFICIENT MILEAGE

FAP ROUTE NO 29
SHEET 1 OF 1



BEGINNING MILE POST	0.0	10.1	20.6	23.3
LENGTH	10.1	10.4	2.7	0.8
YEAR BUILT	38	40	40	U
YEAR IMPROVED	40	40	40	R
SURFACE WIDTH	20	20	20	B
ROADWAY WIDTH	24	24	24	A
SURFACE TYPE	RMS	RMS	RMS	N
ADT	442	348	369	
DHV	61	48	51	
SERVICE VOLUME	220	220	239	
FOUNDATION - 10	0	0	0	
SURFACE - 30	14	13	12	
DRAINAGE - 10	7	8	8	
SAFETY - 20	3	2	2	
CAPACITY - 30	26	27	27	
SUFFICIENCY RATING	50	50	49	
ADJUSTED RATING	56	58	56	
DEFICIENT MILEAGE	5.07	5.24	1.40	

FAP ROUTE NO 30

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.4	2.0	16.9	25.6	32.4	39.3	50.3	50.8	BEGINNING MILE POST
LENGTH	1.4	0.6	14.8	8.6	6.8	6.8	11.0	0.4	10.0	LENGTH
YEAR BUILT	62	62	65	64	55	54	52	U	57	YEAR BUILT
YEAR IMPROVED	62	62	65	64	55	54	71	R	66	YEAR IMPROVED
SURFACE WIDTH	28	32	32	30	24	24	24	B	28	SURFACE WIDTH
ROADWAY WIDTH	28	32	32	30	24	24	24	A	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	SURFACE TYPE
ADT	532	785	874	328	281	266	287		74	ADT
DHV	80	118	131	49	42	40	43		11	DHV
SERVICE VOLUME	448	672	616	414	353	301	332		448	SERVICE VOLUME
FOUNDATION - 10	4	7	5	4	4	4	8		7	FOUNDATION - 10
SURFACE - 30	17	21	18	16	16	17	24		19	SURFACE - 30
DRAINAGE - 10	9	10	10	10	9	10	10		8	DRAINAGE - 10
SAFETY - 20	3	20	17	6	20	7	1		6	SAFETY - 20
CAPACITY - 30	27	27	27	28	28	28	28		30	CAPACITY - 30
SUFFICIENCY RATING	60	85	77	64	77	66	71		70	SUFFICIENCY RATING
ADJUSTED RATING	64	86	78	71	83	75	78		86	ADJUSTED RATING
DEFICIENT MILEAGE	.57	.09	3.42	3.12	1.57	2.32	3.21		3.00	DEFICIENT MILEAGE

FAP ROUTE NO 31

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.7	6.2	14.1	23.4	28.1	35.2	39.8	44.4	48.1	50.7	51.7	60.9	BEGINNING MILE POST
LENGTH	3.7	2.5	7.8	9.2	4.7	7.0	4.6	4.5	3.7	2.5	0.9	9.1	4.8	LENGTH
YEAR BUILT	79	79	33	33	33	33	33	33	33	33	U	58	45	YEAR BUILT
YEAR IMPROVED	79	79	79	79	79	45	45	45	45	45	R	68	68	YEAR IMPROVED
SURFACE WIDTH	32	32	24	24	24	20	20	20	20	20	B	24	24	SURFACE WIDTH
ROADWAY WIDTH	32	32	24	24	24	24	24	24	24	24	A	26	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	PMS	RMS	SURFACE TYPE
ADT	323	466	404	279	253	242	261	314	700	2252		297	143	ADT
DHV	45	65	56	39	35	33	36	43	98	315		41	20	DHV
SERVICE VOLUME	565	565	258	237	258	203	185	203	372	203		456	333	SERVICE VOLUME
FOUNDATION - 10	10	10	0	0	0	0	0	0	0	0		8	4	FOUNDATION - 10
SURFACE - 30	30	30	13	16	14	12	13	15	13	13		22	16	SURFACE - 30
DRAINAGE - 10	10	10	7	7	8	7	8	5	8	8		10	10	DRAINAGE - 10
SAFETY - 20	3	20	1	1	1	1	2	1	12	1		2	2	SAFETY - 20
CAPACITY - 30	29	28	27	28	28	28	27	27	26	7		29	29	CAPACITY - 30
SUFFICIENCY RATING	82	98	48	52	51	48	50	48	59	29		71	61	SUFFICIENCY RATING
ADJUSTED RATING	87	98	55	61	61	58	60	56	62	24		78	74	ADJUSTED RATING
DEFICIENT MILEAGE	.66	.05	4.06	4.45	2.33	3.66	2.33	2.39	1.52	1.83		2.66	1.90	DEFICIENT MILEAGE

FAP ROUTE NO 32

SHEET 1 OF 1



BEGINNING MILE POST		0.0	0.6	1.2	5.5	14.0	17.6	30.0	42.8	53.8	54.5	64.9
LENGTH		0.6	0.5	8.3	4.4	3.6	12.3	12.7	11.1	0.6	10.3	1.9
YEAR BUILT	U		59	42	67	74	14	74	74	71	71	40
YEAR IMPROVED	R		59	50	67	74	74	74	74	71	71	79
SURFACE WIDTH	B		26	28	34	34	34	34	34	34	34	24
ROADWAY WIDTH	A		37	28	34	34	34	34	34	34	34	26
SURFACE TYPE	N		BST	BST	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS
ADT			4487	1382	406	287	214	252	231	264	657	1058
DHV			583	179	52	37	35	32	30	38	85	137
SERVICE VOLUME			352	312	640	266	243	266	243	138	365	319
FOUNDATION - 10			6	3	8	8	<	9	9	9	7	0
SURFACE - 30			18	15	27	24	28	28	27	27	24	13
DRAINAGE - 10			10	8	10	10	10	10	10	10	10	8
SAFETY - 20			1	3	3	1	2	2	1	1	1	1
CAPACITY - 30			5	21	29	28	28	28	28	26	27	24
SUFFICIENCY RATING			40	50	77	71	77	77	75	73	69	46
ADJUSTED RATING			30	48	81	78	83	84	83	90	72	46
DEFICIENT MILEAGE			.33	4.16	1.01	1.05	2.84	2.94	2.79	.18	3.22	1.06

BEGINNING MILE POST	0.0	7.0
LENGTH	7.0	8.6
YEAR BUILT	51	51
YEAR IMPROVED	60	60
SURFACE WIDTH	24	24
ROADWAY WIDTH	24	24
SURFACE TYPE	PMS	PMS
ADT	531	336
DHV	74	47
SERVICE VOLUME	336	336
FOUNDATION - 10	7	7
SURFACE - 30	17	17
DRAINAGE - 10	9	8
SAFETY - 20	2	1
CAPACITY - 30	27	28
SUFFICIENCY RATING	62	61
ADJUSTED RATING	66	68
DEFICIENT MILEAGE	2.67	3.35

FAP ROUTE NO 33 & 34

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.3	7.6	11.4	12.9	16.0
LENGTH	3.3	4.2	3.8	1.4	3.1	5.3
YEAR BUILT	60	72	65	63	65	68
YEAR IMPROVED	60	72	69	69	69	69
SURFACE WIDTH	24	30	30	30	30	30
ROADWAY WIDTH	24	30	30	30	30	30
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS
ADT	621	562	590	580	572	546
DHV	102	92	97	95	94	90
SERVICE VOLUME	333	453	410	432	550	367
FOUNDATION - 10	5	8	9	10	10	10
SURFACE - 30	19	25	26	28	28	28
DRAINAGE - 10	7	10	10	10	10	10
SAFETY - 20	3	6	3	3	2	20
CAPACITY - 30	25	27	26	27	27	26
SUFFICIENCY RATING	59	76	74	78	77	94
ADJUSTED RATING	62	79	77	81	80	95
DEFICIENT MILEAGE	1.38	1.03	.98	.32	.72	.32

FAP ROUTE NO 35

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.6	7.4	12.8	16.2	18.9	26.1	31.1	31.6	36.1	40.1
LENGTH	3.6	3.8	6.4	2.3	2.7	7.1	4.9	0.5	4.4	4.1	6.5
YEAR BUILT	44	41	34	41	63	63	40	40	40	37	37
YEAR IMPROVED	47	47	47	41	63	63	40	40	51	61	65
SURFACE WIDTH	20	20	20	20	28	28	20	20	20	24	24
ROADWAY WIDTH	28	25	24	26	28	28	25	25	26	26	26
SURFACE TYPE	BST	BST	BST	BST	PMS	PMS	BST	BST	RMS	RMS	RMS
ADT	468	478	508	541	763	486	460	523	587	591	593
DHV	70	71	76	81	114	72	69	78	88	88	88
SERVICE VOLUME	234	167	93	226	558	586	463	266	459	825	573
FOUNDATION - 10	0	0	0	0	5	4	0	0	0	0	0
SURFACE - 30	10	14	13	9	16	14	8	11	10	10	10
DRAINAGE - 10	7	6	6	6	10	10	7	7	6	7	7
SAFETY - 20	4	2	1	3	20	5	5	3	6	20	20
CAPACITY - 30	26	24	18	25	27	28	28	26	27	28	28
SUFFICIENCY RATING	47	46	38	43	78	61	48	47	49	65	65
ADJUSTED RATING	52	51	43	47	79	66	54	52	53	68	68
DEFICIENT MILEAGE	1.94	2.05	3.96	1.35	.60	2.79	2.59	.27	2.26	1.43	2.28

FAP ROUTE 36
SHEET 1 OF 1



BEGINNING MILE POST	0.0	7.8	17.2	24.4	2.7	5.8	5.6	0.8	1.1	0.5	0.8	4.4	7.1	8.6	1.9	5.3	9.6	3.1	2.2	10.9	7.9	BEGINNING MILE POST
LENGTH	7.8	9.3	7.2	2.7	5.8	5.6	0.8	1.1	0.5	0.8	4.4	7.1	8.6	1.9	5.3	9.6	3.1	2.2	10.9	7.9		LENGTH
YEAR BUILT	54	54	54	54	76	74	75	75	75	75	54	54	54	57	57	67	67	67	58	60		YEAR BUILT
YEAR IMPROVED	54	54	54	54	76	74	75	15	75	75	54	54	54	57	57	67	67	67	69	69		YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	40	40	40	48	56	48	24	24	24	24	24	28	28	28	28	28		SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	40	40	40	48	56	48	24	24	24	28	28	28	28	28	28	28		ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS		SURFACE TYPE
ADT	916	894	920	1130	1130	1130	1133	1133	1133	1162	1838	1785	1122	963	595	413	339	373	506	611		ADT
OHV	123	120	124	152	152	152	152	152	152	156	248	240	151	130	80	55	45	50	68	83		OHV
SERVICE VOLUME	275	530	249	396	320	170	189	272	1632	212	301	136	327	536	371	536	387	371	536	472		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	7	9	10	9	10	10	2	5	4	4	0	3	5	4	5	7		FOUNDATION - 10
SURFACE - 30	11	10	12	13	21	25	21	30	28	28	14	18	16	16	13	13	16	15	18	25		SURFACE - 30
DRAINAGE - 10	8	8	8	10	10	10	10	10	10	10	9	8	9	10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	1	7	9	3	19	8	20	20	20	17	10	1	3	4	5	6	20	20	16	7		SAFETY - 20
CAPACITY - 30	23	21	23	24	23	17	18	22	29	21	18	4	23	26	27	28	28	28	28	27		CAPACITY - 30
SUFFICIENCY RATING	43	52	52	50	86	69	85	91	97	86	53	36	55	60	55	60	79	77	77	76		SUFFICIENCY RATING
ADJUSTED RATING	44	53	53	49	85	68	84	90	96	85	49	32	54	60	59	66	84	82	80	78		ADJUSTED RATING
DEFICIENT MILEAGE	4.48	4.48	3.50	1.35	.81	1.74	.13	.10	.01	.12	2.10	4.55	3.91	.18	2.39	3.86	.67	.52	2.52	1.89		DEFICIENT MILEAGE

FAP ROUTE NO 37
SHEET 1 OF 1



BEGINNING MILE POST	0.0	4.3	6.4	7.3	7.7	8.0	8.6
LENGTH	4.3	2.0	0.9	0.3	0.3	0.5	0.2
YEAR BUILT	75	39	U	37	77	37	71
YEAR IMPROVED	75	53	R	55	77	55	71
SURFACE WIDTH	44	24	B	22	36	22	44
ROADWAY WIDTH	44	24	A	24	36	24	44
SURFACE TYPE	PMS	RMS	N	RMS	PMS	RMS	RMS
ADT	4328	8894		5422	5207	4929	4669
DHV	601	1245		759	728	690	653
SERVICE VOLUME	170	759		243	376	280	795
FOUNDATION - 10	10	0		0	9	0	6
SURFACE - 30	28	8		13	28	13	17
DRAINAGE - 10	10	8		7	10	6	10
SAFETY - 20	5	4		1	3	6	20
CAPACITY - 30	0	5		0	1	0	18
SUFFICIENCY RATING	53	25		27	51	25	71
ADJUSTED RATING	42	13		17	39	16	62
DEFICIENT MILEAGE	2.05	1.54		.27	.14	.43	.07

BEGINNING MILE POST	0.0	4.2	13.2	13.9	21.4	22.7	26.0	31.7	36.5	42.4	44.4
LENGTH	4.2	9.0	0.6	7.4	1.3	3.3	5.6	4.8	5.8	2.0	6.7
YEAR BUILT	64	64	58	58	49	49	49	49	53	51	79
YEAR IMPROVED	64	78	78	77	67	67	70	70	67	67	79
SURFACE WIDTH	24	26	26	26	24	24	24	24	24	24	36
ROADWAY WIDTH	24	26	26	26	24	24	24	24	24	24	36
SURFACE TYPE	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS
ADT	637	338	338	338	355	579	524	509	524	604	719
DHV	95	50	50	50	53	86	78	76	78	90	107
SERVICE VOLUME	564	554	350	525	285	326	394	652	612	652	357
FOUNDATION - 10	3	8	9	9	5	4	2	0	0	0	10
SURFACE - 30	17	28	28	30	17	15	16	10	10	10	30
DRAINAGE - 10	7	10	10	10	8	8	6	5	8	5	10
SAFETY - 20	0	5	1	7	1	1	1	3	1	2	20
CAPACITY - 30	27	29	28	29	27	26	27	28	28	29	26
SUFFICIENCY RATING	54	80	76	85	58	54	52	46	47	45	96
ADJUSTED RATING	57	85	82	89	65	58	57	51	52	49	96
DEFICIENT MILEAGE	1.94	1.80	.15	1.12	.56	1.52	2.73	2.60	3.10	1.11	.27

FAP ROUTE 38 & 39

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.1
LENGTH	0.1	0.2
YEAR BUILT	72	U
YEAR IMPROVED	72	R
SURFACE WIDTH	40	B
ROADWAY WIDTH	40	A
SURFACE TYPE	PMS	N
ADT	1065	
DHV	138	
SERVICE VOLUME	326	
FOUNDATION - 10	9	
SURFACE - 30	27	
DRAINAGE - 10	10	
SAFETY - 20	20	
CAPACITY - 30	24	
SUFFICIENCY RATING	90	
ADJUSTED RATING	90	
DEFICIENT MILEAGE	.01	

BEGINNING MILE POST	0.0	6.3	11.7	16.8	19.8	27.4
LENGTH	6.3	5.4	5.1	2.9	7.6	5.0
YEAR BUILT	61	62	77	70	65	57
YEAR IMPROVED	61	62	77	70	75	72
SURFACE WIDTH	28	28	28	30	30	24
ROADWAY WIDTH	28	28	28	30	30	24
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS
ADT	417	298	260	371	408	422
DHV	70	50	43	62	68	70
SERVICE VOLUME	660	660	377	292	323	301
FOUNDATION - 10	0	0	8	4	5	7
SURFACE - 30	10	8	26	16	15	20
DRAINAGE - 10	10	10	10	10	10	10
SAFETY - 20	6	8	4	2	4	2
CAPACITY - 30	28	29	28	27	27	27
SUFFICIENCY RATING	54	55	76	59	61	66
ADJUSTED RATING	60	64	83	66	67	72
DEFICIENT MILEAGE	2.92	2.43	1.22	1.21	2.98	1.70

FAP ROUTE NO 40 & 41

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.9	8.2	19.7	31.7	37.2	46.0	52.2	56.2	58.5	59.1	70.5	73.2	75.4
LENGTH	1.9	6.3	11.4	12.0	5.4	8.7	6.1	4.0	2.2	0.6	11.3	2.7	2.1	0.7
YEAR BUILT	60	60	63	62	56	57	57	36	36	36	34	34	34	U
YEAR IMPROVED	64	64	64	71	64	64	64	66	66	66	34	34	58	R
SURFACE WIDTH	24	24	24	30	24	24	24	28	30	30	22	22	22	B
ROADWAY WIDTH	40	40	42	30	34	32	32	28	36	36	26	26	26	A
SURFACE TYPE	BST	BST	BST	PMS	BST	BST	BST	RMS	RMS	RMS	RMS	RMS	RMS	N
AOT	119	114	104	102	102	102	106	141	188	531	661	952	1194	
OHV	19	18	16	16	16	16	16	22	30	84	105	152	191	
SERVICE VOLUME	662	411	482	434	482	482	724	501	774	748	324	795	367	
FOUNDATION - 10	0	0	0	3	0	0	0	6	8	8	0	0	0	
SURFACE - 30	11	11	12	19	15	12	8	22	26	26	13	10	12	
DRAINAGE - 10	10	10	10	10	10	10	10	10	10	10	7	9	9	
SAFETY - 20	20	4	13	13	6	20	5	5	5	6	1	5	2	
CAPACITY - 30	30	29	30	29	30	30	30	29	29	28	25	27	22	
SUFFICIENCY RATING	71	54	65	74	61	72	53	72	78	78	46	51	45	
ADJUSTED RATING	84	70	80	87	77	85	69	83	86	81	49	51	44	
DEFICIENT MILEAGE	.57	2.90	3.99	3.13	2.13	2.45	2.90	1.13	.50	.13	6.12	1.33	1.19	

FAP ROUTE NO 42
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.6	1.3	3.0	9.4	14.8	25.2	29.0	35.2
LENGTH	0.6	0.7	1.6	6.4	5.3	10.4	3.7	6.2	7.5
YEAR BUILT	U	77	77	50	50	63	63	63	62
YEAR IMPROVED	R	77	77	79	79	63	63	63	62
SURFACE WIDTH	B	48	44	25	25	28	28	28	30
ROADWAY WIDTH	A	48	44	28	28	30	30	30	30
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS
ADT		2279	2044	1549	910	347	355	360	322
DHV		296	265	201	118	45	46	46	41
SERVICE VOLUME		1495	333	424	401	414	442	600	600
FOUNDATION - 10		8	9	9	2	3	5	5	3
SURFACE - 30		27	28	30	17	17	19	18	17
DRAINAGE - 10		10	10	10	10	10	10	10	10
SAFETY - 20		15	1	5	5	20	11	6	12
CAPACITY - 30		27	18	23	26	28	28	25	29
SUFFICIENCY RATING		87	66	77	60	78	73	68	71
ADJUSTED RATING		86	61	75	61	83	79	74	78
DEFICIENT MILEAGE		.09	.56	1.48	2.13	2.30	1.00	1.99	2.19

FAP ROUTE NO 43
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.7	13.1	14.2	21.9	27.8
LENGTH	2.7	10.4	1.1	7.6	5.9	0.5
YEAR BUILT	54	54	U	48	48	72
YEAR IMPROVED	54	54	R	48	48	72
SURFACE WIDTH	24	24	B	20	20	34
ROADWAY WIDTH	24	24	A	20	20	34
SURFACE TYPE	RMS	RMS	N	RMS	RMS	PMS
ADT	408	479		916	813	581
OHV	57	68		130	115	82
SERVICE VOLUME	534	530		585	206	576
FOUNDATION - 10	3	0		0	0	9
SURFACE - 30	14	2		7	14	28
DRAINAGE - 10	7	7		6	6	10
SAFETY - 20	20	1		5	1	20
CAPACITY - 30	28	28		27	22	28
SUFFICIENCY RATING	72	38		45	43	95
ADJUSTED RATING	77	43		46	45	95
DEFICIENT MILEAGE	.77	6.46		4.21	3.36	.02

FAP ROUTE NO 44

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.5	7.3	8.0	15.7	22.7	23.8	28.2	33.3	37.8	43.9
LENGTH	0.5	6.7	0.6	7.7	7.0	1.0	4.4	5.0	4.5	5.5	0.0
YEAR BUILT	U	35	69	42	48	69	46	46	35	73	U
YEAR IMPROVED	R	56	69	42	78	69	78	55	39	70	R
SURFACE WIDTH	B	22	30	20	24	30	24	24	20	32	B
ROADWAY WIDTH	A	24	30	24	24	30	24	26	24	32	A
SURFACE TYPE	N	RMS	RMS	PMS	PMS	RMS	PMS	RMS	RMS	PMS	N
ADT		594	448	387	255	229	222	253	340	354	
DHV		77	58	50	33	29	28	32	44	46	
SERVICE VOLUME		176	486	387	349	291	312	573	634	569	
FOUNDATION - 10		0	7	0	7	9	7	0	0	7	
SURFACE - 30		11	23	8	26	25	24	9	10	17	
DRAINAGE - 10		5	10	4	10	10	10	10	7	10	
SAFETY - 20		1	3	1	1	20	2	5	2	20	
CAPACITY - 30		23	28	28	29	29	29	29	29	29	
SUFFICIENCY RATING		40	71	41	73	93	72	53	48	83	
ADJUSTED RATING		44	76	48	81	95	81	63	56	87	
DEFICIENT MILEAGE		4.07	.20	4.56	1.90	.07	1.24	2.38	2.35	1.01	

FAP ROUTE NO 45

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.1	1.1	4.1	7.7	16.9	26.3	31.6	36.6	41.8	51.3	51.3	56.9	58.0	58.8	64.9	65.2	73.6	75.0	76.4	77.1
LENGTH	0.1	0.0	2.9	3.6	9.3	9.2	5.2	5.2	4.9	9.3	0.0	5.5	1.0	0.8	6.0	0.3	8.2	1.3	1.4	0.4	0.7
YEAR BUILT	60	0	60	60	60	62	65	65	65	61	61	61	61	61	61	70	61	68	68	34	76
YEAR IMPROVED	63	U	63	63	63	62	65	65	65	61	61	61	67	61	67	70	61	68	68	76	76
SURFACE WIDTH	28	7	28	28	28	30	28	26	26	26	26	26	26	30	26	44	26	34	34	32	34
ROADWAY WIDTH	28		28	28	28	30	28	26	26	28	28	28	28	33	28	44	28	34	34	32	34
SURFACE TYPE	PMS	0	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS
ADT	152	F	153	155	161	178	761	167	761	131	101	179	279	234	358	474	478	478	478	478	384
OHV	22		22	23	24	26	24	24	24	19	15	26	32	35	53	71	71	71	71	71	57
SERVICE VOLUME	406	S	315	442	353	554	531	552	355	312	442	364	427	535	371	522	382	515	529	683	381
FOUNDATION - 10	9	T	5	5	7	5	7	9	7	6	7	0	0	6	0	8	2	7	8	5	10
SURFACE - 30	25	A	18	15	20	17	77	16	16	14	18	13	14	15	13	18	13	23	25	75	30
DRAINAGE - 10	10	1	10	10	10	10	10	10	10	9	10	10	10	10	8	10	6	10	10	10	10
SAFETY - 20 -	0	5	20	20	5	20	4	20	5	2	20	3	2	20	2	1	7	9	3	10	20
CAPACITY - 30	25		25	29	29	25	25	29	29	29	29	29	29	29	28	28	27	28	28	28	28
SUFFICIENCY RATING	73		82	79	71	81	67	83	67	58	84	55	55	78	51	65	49	77	74	68	98
ADJUSTED RATING	84		90	88	82	88	79	90	75	72	93	67	66	85	58	70	54	81	78	73	98
DEFICIENT MILEAGE	.02		.53	.77	2.72	1.75	1.73	.89	1.63	3.92	.01	2.50	.47	.18	2.96	.13	4.19	.30	.36	.15	.01

BEGINNING MILE POST	0.0	5.9	6.7
LENGTH	5.9	0.8	0.0
YEAR BUILT	49	31	78
YEAR IMPROVED	49	42	78
SURFACE WIDTH	20	24	48
ROADWAY WIDTH	26	30	48
SURFACE TYPE	RMS	RMS	PMS
ADT	1300	1451	386
OHV	182	203	115
SERVICE VOLUME	535	358	103
FOUNDATION - 10	0	5	10
SURFACE - 30	11	16	30
DRAINAGE - 10	8	8	10
SAFETY - 20	9	20	20
CAPACITY - 30	25	22	13
SUFFICIENCY RATING	53	71	83
ADJUSTED RATING	51	69	87
DEFICIENT MILEAGE	2.81	.23	.01

FAP ROUTE NO 46 & 47

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.2	1.1	1.5	2.0	2.5	1.0	1.3	6.7	17.6	18.3	22.7	26.4	29.5
LENGTH	0.2	0.8	0.7	0.5	0.0	0.1	0.2	5.4	4.8	0.6	4.3	3.6	3.1	0.3
YEAR BUILT	71	76	U	76	U	70	70	41	45	54	63	63	63	74
YEAR IMPROVED	71	76	R	76	R	70	70	63	45	54	63	63	63	74
SURFACE W10TH	40	44	B	48	B	40	40	21	20	24	28	28	28	34
ROADWAY W10TH	40	44	A	48	A	40	40	24	24	24	28	28	28	34
SURFACE TYPE	PMS	PMS	N	PMS	N	PMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	PMS
ADT	3041	3047		2043		4050	928	450	460	285	225	242	285	307
DHV	396	396		286		572	129	68	64	39	31	33	39	42
SERVICE VOLUME	464	806		872		368	151	453	406	494	353	332	519	399
FOUNDATION - 10	9	9		9		7	7	3	3	4	9	8	10	10
SURFACE - 30	28	28		28		23	23	16	16	17	21	25	27	30
DRAINAGE - 10	10	10		10		10	10	8	9	10	10	10	10	10
SAFETY - 20	6	4		1		20	1	4	7	6	6	15	20	2
CAPACITY - 30	17	23		25		7	17	28	28	29	29	29	29	28
SUFFICIENCY RATING	70	74		73		67	58	59	63	66	81	87	96	80
ADJUSTED RATING	63	68		69		58	59	64	68	74	87	91	97	85
DEFICIENT MILEAGE	.08	.23		.14		.06	.11	2.23	1.80	2.26	.83	.47	.12	.06



BEGINNING MILE POST	0.0	0.1	0.2	3.0	6.8	13.6	16.1	26.8
LENGTH	0.1	0.1	2.4	3.7	6.8	2.4	10.6	0.7
YEAR BUILT	46	U	46	46	59	59	53	U
YEAR IMPROVED	74	R	62	62	59	59	19	R
SURFACE W10TH	40	B	24	24	24	24	26	B
ROADWAY W10TH	40	A	26	26	24	24	26	A
SURFACE TYPE	RMS	N	RMS	RMS	PMS	PMS	PMS	N
ADT	2018		7760	1418	931	738	7123	
DHV	262		228	184	121	95	745	
SERVICE VOLUME	828		387	255	396	297	478	
FOUNDATION - 10	4		3	0	0	0	7	
SURFACE - 30	17		16	13	15	13	28	
DRAINAGE - 10	6		7	8	10	8	10	
SAFETY - 20	20		6	2	4	8	10	
CAPACITY - 30	25		21	19	21	25	25	
SUFFICIENCY RATING	72		53	42	50	54	80	
ADJUSTED RATING	68		49	40	51	56	79	
DEFICIENT MILEAGE	.02		1.13	2.20	3.44	1.14	2.13	

FAP ROUTE NO 48 & 49
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.5	7.3	8.3	8.5	10.4	16.6	31.1	40.1	47.9	60.8	70.1	76.4	81.9	87.0
LENGTH	0.5	7.1	1.0	0.1	1.9	6.0	14.5	8.9	7.8	12.9	9.3	6.2	5.4	5.2	3.5
YEAR BUILT	U	69	64	64	62	63	63	60	60	55	67	58	64	60	U
YEAR IMPROVED	R	68	64	64	72	63	63	60	60	55	67	60	64	60	R
SURFACE WIDTH	B	40	34	52	32	32	32	28	28	28	28	32	32	36	B
ROADWAY WIDTH	A	40	34	52	32	32	32	28	28	28	28	32	32	36	A
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N
ADT		1668	1481	955	899	866	1014	1185	1310	1335	1465	1998	2476	5372	
DHV		366	325	149	141	135	159	186	205	209	230	313	388	805	
SERVICE VOLUME		569	629	296	182	453	569	436	400	293	202	643	643	244	
FOUNDATION - 10		7	6	8	8	6	5	6	6	5	8	8	8	8	
SURFACE - 30		19	14	23	22	16	17	21	19	19	27	25	23	26	
DRAINAGE - 10		10	10	10	10	10	10	10	10	9	10	10	10	10	
SAFETY - 20		20	20	3	1	20	12	4	9	2	1	7	6	7	
CAPACITY - 30		20	22	22	18	26	26	24	22	19	13	23	21	0	
SUFFICIENCY RATING		76	72	66	59	78	70	65	66	54	59	73	68	51	
ADJUSTED RATING		73	70	66	60	79	70	64	64	52	56	69	62	39	
DEFICIENT MILEAGE		1.71	.29	.05	.80	1.32	4.37	3.12	2.65	5.95	3.81	1.68	1.74	2.55	

FAP ROUTE 50
SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.3	8.3	9.0	18.7	27.2	27.5	32.5	38.4	49.2	59.9
LENGTH	3.3	5.0	0.7	9.6	8.4	0.3	5.0	5.8	10.7	10.6	11.1
YEAR BUILT	60	60	60	59	59	U	58	58	57	56	55
YEAR IMPROVED	61	61	61	59	59	R	77	77	77	77	77
SURFACE WIDTH	30	30	30	28	28	B	24	24	24	24	24
ROADWAY WIDTH	30	30	30	28	28	A	32	32	28	28	28
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS
ADT	357	289	248	249	253		214	207	225	423	636
DHV	49	40	34	34	35		29	28	31	59	89
SERVICE VOLUME	600	414	702	371	342		592	425	524	436	395
FOUNDATION - 10	6	4	7	0	0		8	7	8	8	8
SURFACE - 30	19	17	22	13	15		30	28	30	28	30
DRAINAGE - 10	10	10	10	10	10		10	10	10	10	10
SAFETY - 20	17	11	20	12	14		6	20	14	10	15
CAPACITY - 30	29	29	29	29	28		29	29	29	28	27
SUFFICIENCY RATING	81	71	88	64	67		83	94	91	94	90
ADJUSTED RATING	85	78	92	73	76		89	96	94	87	91
DEFICIENT MILEAGE	.63	1.45	.09	3.48	2.79		.85	.35	.97	1.70	1.11

FAP ROUTE 51
SHEET 1 OF 1



BEGINNING MILE POST	0.0	4.3	6.3	15.9	23.T	3T.5	32.0	34.2	40.5	45.3	46.2
LENGTH	4.6	2.0	9.5	7.2	8.4	0.4	2.1	6.2	4.8	0.8	0.4
YEAR BUILT	U	63	48	48	48	U	48	48	56	U	56
YEAR IMPROVED	R	63	48	48	48	R	48	57	56	R	56
SURFACE WIDTH	B	32	20	20	20	B	20	22	30	B	30
ROADWAY WIDTH	A	32	24	24	24	A	24	28	30	A	30
SURFACE TYPE	N	PMS	RMS	RMS	RMS	N	RMS	RMS	BST	N	BST
AOT		4467	999	852	851		866	866	866		968
DHV		580	129	1T0	T10		112	TT2	112		T25
SERVICE VOLUME		817	185	584	561		220	438	573		535
FOUNDATION - 10		8	0	0	0		0	0	0		2
SURFACE - 30		24	15	9	10		13	10	T0		13
DRAINAGE - 10		10	8	9	7		7	8	10		10
SAFETY - 20		13	1	T2	5		1	3	9		20
CAPACITY - 30		19	20	27	27		22	26	27		26
SUFFICIENCY RATING		74	44	57	49		43	47	56		71
ADJUSTED RATING		66	44	58	50		44	48	57		71
DEFICIENT MILEAGE		.52	5.37	3.13	4.29		1.23	3.33	2.13		.12

GINNING MILE POST	0.0	7.1	10.3	18.0	23.6	26.2	28.2	30.2	32.2	33.5	33.9	41.5
NGTH	7.1	3.2	7.6	5.5	2.6	1.9	2.0	1.9	1.3	0.3	7.6	3.9
AR BUILT	40	47	48	37	36	36	36	56	22	35	34	34
AR IMPROVED	50	47	65	65	60	59	64	56	49	5T	55	55
RFACE WIDTH	21	24	24	24	24	24	24	24	24	22	22	22
ADWAY WIDTH	24	24	25	24	25	24	24	28	24	22	24	24
RFACE TYPE	BST	BST	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS
T	2595	1633	1553	1676	1926	2147	2322	3188	3614	4359	1600	1685
V	384	24T	229	248	285	3T7	343	4T1	534	645	236	249
RVICE VOLUME	184	187	468	30T	431	174	187	177	374	132	350	390
UNDATION - 10	0	0	0	0	0	0	0	0	0	0	0	0
RFACE - 30	12	14	15	15	12	12	13	12	T4	13	T5	15
AINAGE - TO	T	6	8	7	6	5	5	10	6	5	4	4
FETY - 20	T	2	6	1	5	5	2	3	2	0	1	2
APACITY - 30	0	11	23	18	20	3	2	0	5	0	21	20
UFFICIENCY RATING	20	33	52	41	43	25	22	25	31	18	41	41
DJUSTED RATING	15	30	49	37	38	21	18	19	23	12	38	37
EFICIENT MILEAGE	5.70	2.15	3.67	3.29	1.51	1.49	T.56	1.48	.92	.28	4.50	2.34

FAP ROUTE NO 52 & 53
SHEET 1 OF 1



BEGINNING MILE POST	0.0	9.1	17.6	23.7
LENGTH	9.1	8.7	5.9	5.5
YEAR BUILT	59	68	74	76
YEAR IMPROVED	66	68	75	76
SURFACE WIDTH	24	30	30	30
ROADWAY WIDTH	24	32	30	30
SURFACE TYPE	BST	PMS	PMS	PMS
ADT	255	296	347	416
DHV	33	38	45	54
SERVICE VOLUME	327	525	530	512
FOUNDATION - 10	0	7	8	9
SURFACE - 30	11	22	27	27
DRAINAGE - 10	10	10	10	10
SAFETY - 20	2	6	15	16
CAPACITY - 30	28	29	29	28
SUFFICIENCY RATING	51	74	89	90
ADJUSTED RATING	61	81	92	92
DEFICIENT MILEAGE	4.46	2.27	.65	.55

FAP ROUTE NO 54
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.1	2.4	12.1	12.9
LENGTH	2.1	0.2	9.7	0.8	0.0
YEAR BUILT	53	53	53	U	66
YEAR IMPROVED	53	53	53	R	66
SURFACE WIDTH	24	24	24	8	32
ROADWAY WIDTH	24	24	24	A	32
SURFACE TYPE	RMS	RMS	RMS	N	PMS
ADT	822	822	1328		1102
DHV	135	135	219		181
SERVICE VOLUME	297	348	258		299
FOUNDATION - 10	6	6	6		9
SURFACE - 30	16	17	17		26
DRAINAGE - 10	8	8	8		10
SAFETY - 20	3	20	10		1
CAPACITY - 30	23	24	17		21
SUFFICIENCY RATING	56	75	58		67
ADJUSTED RATING	57	76	56		66
DEFICIENT MILEAGE	.94	.07	4.08		.02

BEGINNING MILE POST	0.0	8.1	16.5	22.0	27.8
LENGTH	8.1	8.3	5.4	5.8	6.7
YEAR BUILT	57	63	63	60	56
YEAR IMPROVED	57	63	63	60	56
SURFACE WIDTH	24	28	28	24	24
ROADWAY WIDTH	24	28	28	24	24
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS
ADT	349	281	328	462	680
DHV	52	42	69	69	102
SERVICE VOLUME	327	318	212	327	249
FOUNDATION - 10	4	6	6	4	5
SURFACE - 30	18	17	17	16	17
DRAINAGE - 10	8	8	8	7	9
SAFETY - 20	2	2	2	2	2
CAPACITY - 30	28	28	27	27	24
SUFFICIENCY RATING	60	61	60	56	57
ADJUSTED RATING	67	70	68	62	60
DEFICIENT MILEAGE	3.26	3.26	2.19	2.57	2.90

FAP ROUTE NO 55 & 56

SHEET NO 1 OF 1



BEGINNING MILE POST	0.0	5.3	7.0	10.4	17.9	21.8	26.5	33.2	36.6	41.8	54.3	56.6	57.8
LENGTH	5.4	1.7	3.3	7.5	3.9	4.6	6.6	3.4	5.1	12.4	2.3	1.1	6.5
YEAR BUILT	60	61	61	64	64	36	36	37	37	36	33	55	71
YEAR IMPROVED	60	61	61	64	64	64	64	37	37	56	71	55	71
SURFACE WIDTH	32	32	32	32	32	24	24	24	24	22	22	24	32
ROADWAY WIDTH	32	32	32	32	32	25	25	30	30	24	24	32	32
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS
ADT	1618	1548	1606	1556	1544	1514	1514	1515	2254	2029	2000	1973	2223
DHV	192	184	191	185	183	180	180	180	268	241	238	234	264
SERVICE VOLUME	1915	362	362	315	471	646	418	737	470	597	264	442	585
FOUNDATION - 10	3	4	4	5	7	0	0	0	0	0	2	3	8
SURFACE - 30	17	17	16	16	18	10	10	9	10	11	14	14	25
DRAINAGE - 10	10	10	10	10	10	7	0	9	9	6	7	10	10
SAFETY - 20	1	20	2	9	16	9	8	5	15	7	1	11	16
CAPACITY - 30	28	22	22	21	24	26	24	26	21	24	16	22	23
SUFFICIENCY RATING	59	73	54	61	75	52	48	49	55	48	40	60	82
ADJUSTED RATING	56	70	51	58	73	49	45	46	49	43	35	55	78
DEFICIENT MILEAGE	2.22	.47	1.53	2.92	.99	2.25	3.43	1.75	2.32	6.46	1.40	.45	1.17

FAP ROUTE NO 57
SHEET 1 OF 4



BEGINNING MILE POST	64.4	64.9	66.9	73.5	76.9	79.2	80.8	83.1	88.2	94.3	103.2	112.9	121.7	123.1	131.0	135.8	136.1	137.6	148.6	156.7	BEGINNING MILE POST
LENGTH	0.5	2.0	6.6	3.3	2.3	1.7	2.1	5.0	6.0	8.9	9.6	8.7	1.4	7.7	4.8	0.2	1.5	11.0	7.9	1.6	LENGTH
YEAR BUILT	71	71	47	47	47	47	U	42	37	37	40	40	31	31	79	U	79	54	51	73	YEAR BUILT
YEAR IMPROVED	71	71	56	56	56	56	R	42	56	57	55	55	58	58	79	R	75	54	51	73	YEAR IMPROVED
SURFACE WIDTH	32	32	24	24	24	24	B	24	24	24	24	24	20	20	30	B	30	24	24	30	SURFACE WIDTH
ROADWAY WIDTH	32	32	31	31	31	31	A	30	30	30	32	32	24	24	30	A	30	24	24	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	N	PMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	N	PMS	RMS	BST	PMS	SURFACE TYPE
ADT	2137	1813	1911	1929	2169	1834		1752	1752	1459	1050	397	425	383	309		433	429	399	311	ADT
DHV	254	215	227	229	258	212		227	227	189	160	60	65	58	47		66	65	61	47	DHV
SERVICE VOLUME	546	546	456	308	456	592		377	261	333	526	520	392	561	529		604	442	299	648	SERVICE VOLUME
FOUNDATION - 10	9	8	6	5	7	7		4	2	0	0	8	0	0	10		10	0	0	9	FOUNDATION - 10
SURFACE - 30	28	25	18	18	20	17		16	13	13	12	30	7	9	30		30	13	12	28	SURFACE - 30
DRAINAGE - 10	10	10	9	9	9	9		10	8	9	9	9	5	6	10		10	10	8	10	DRAINAGE - 10
SAFETY - 20	20	10	15	6	6	3		7	1	1	4	1	15	6	16		20	10	1	20	SAFETY - 20
CAPACITY - 30	23	24	23	19	22	25		21	17	21	25	28	28	28	29		28	28	27	29	CAPACITY - 30
SUFFICIENCY RATING	90	77	71	55	62	61		58	41	44	50	76	55	45	95		98	61	48	96	SUFFICIENCY RATING
ADJUSTED RATING	88	74	67	50	57	57		54	37	41	50	81	61	52	96		98	67	55	97	ADJUSTED RATING
DEFICIENT MILEAGE	.05	.46	1.49	1.50	.89	.68		2.13	3.55	5.01	4.83	2.09	.66	4.27	.24		.03	4.29	4.15	.06	DEFICIENT MILEAGE

FAP ROUTE NO 57
SHEET 2 OF 4



BEGINNING MILE POST	158.3	161.5	171.2	180.2	192.2	199.0	206.8	212.1	212.4	213.0	218.0	226.7	238.9	241.4	242.4	BEGINNING MILE POST
LENGTH	3.2	9.5	8.1	11.8	6.8	7.6	5.3	0.2	0.6	4.9	8.6	12.2	2.5	1.0	6.0	LENGTH
YEAR BUILT	73	68	48	73	36	36	36	37	U	37	36	37	38	68	38	YEAR BUILT
YEAR IMPROVED	73	68	52	73	53	53	57	47	R	52	49	54	54	68	54	YEAR IMPROVED
SURFACE WIDTH	30	36	22	32	24	24	22	22	B	24	24	24	24	36	24	SURFACE WIDTH
ROADWAY WIDTH	30	36	24	32	24	24	26	24	A	26	25	24	24	36	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	PMS	RMS	RMS	RMS	RMS	N	RMS	BST	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	284	292	305	320	333	346	358	1458		471	419	389	339	324	294	ADT
DHV	43	44	46	48	50	52	54	223		72	64	59	51	49	44	DHV
SERVICE VOLUME	648	476	449	448	441	441	396	235		438	418	393	278	405	217	SERVICE VOLUME
FOUNDATION - 10	8	4	0	6	0	0	0	0		0	0	0	0	7	0	FOUNDATION - 10
SURFACE - 30	27	18	8	21	8	9	8	13		11	8	10	12	19	11	SURFACE - 30
DRAINAGE - 10	10	10	7	10	9	9	7	8		8	8	8	9	10	9	DRAINAGE - 10
SAFETY - 20	20	20	1	18	1	1	1	5		2	1	2	1	20	1	SAFETY - 20
CAPACITY - 30	2[illegible]	29	28	28	28	28	28	16		28	28	28	27	28	27	CAPACITY - 30
SUFFICIENCY RATING	96	81	64	83	66	67	64	42		69	65	68	69	84	68	SUFFICIENCY RATING
ADJUSTED RATING	96	86	52	87	54	55	51	39		54	51	55	57	88	57	ADJUSTED RATING
DEFICIENT MILEAGE	.19	1.82	4.56	2.01	3.72	4.06	2.99	.15		2.54	4.78	6.34	1.29	.16	3.16	DEFICIENT MILEAGE

FAP ROUTE NO 57
SHEET 3 OF 4

BEGINNING MILE POST	248.6	256.5	262.3	267.4	278.3	279.7	280.7	287.7	289.8	296.8	306.4	316.7	324.6
LENGTH	8.0	5.8	5.1	10.9	1.3	1.0	6.9	2.1	7.0	9.6	10.2	8.0	4.6
YEAR BUILT	40	40	47	41	U	66	66	64	64	76	67	61	U
YEAR IMPROVED	54	54	47	56	R	66	66	64	64	76	67	61	R
SURFACE WIDTH	24	24	24	24	B	32	32	32	32	32	40	32	B
ROADWAY WIDTH	24	24	24	25	A	32	32	32	32	32	40	32	A
SURFACE TYPE	RMS	RMS	BST	RMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N
AOT	285	352	406	524		1306	719	706	714	769	887	946	
DHV	43	53	62	80		195	93	91	92	99	115	122	
SERVICE VOLUME	393	418	438	459		640	621	403	448	666	296	666	
FOUNDATION - 10	0	0	0	0		7	6	6	6	7	7	4	
SURFACE - 30	10	10	8	8		23	22	21	21	27	23	19	
DRAINAGE - 10	5	5	8	10		10	10	10	10	10	10	10	
SAFETY - 20	1	2	3	14		20	17	14	16	17	6	16	
CAPACITY - 30	28	28	28	27		25	28	27	27	28	24	27	
SUFFICIENCY RATING	48	49	47	59		85	83	78	80	89	70	76	
ADJUSTED RATING	57	57	53	64		84	84	80	81	89	71	76	
DEFICIENT MILEAGE	4.16	2.95	2.75	4.48		.15	1.17	.47	1.41	1.05	3.07	1.92	

330.7	330.5	330.1	329.3	BEGINNING MILE POST
0.4	0.2	0.3	0.8	LENGTH
69	48	60	U	YEAR BUILT
69	50	60	R	YEAR IMPROVED
24	24	72	B	SURFACE WIDTH
24	34	88	A	ROADWAY WIDTH
PMS	PMS	PMS	N	SURFACE TYPE
1704	2496	3236		AOT
204	299	388		DHV
678	361	1920		SERVICE VOLUME
8	6	7		FOUNDATION - 10
24	19	22		SURFACE - 30
10	8	10		DRAINAGE - 10
20	20	20		SAFETY - 20
25	18	27		CAPACITY - 30
87	71	86		SUFFICIENCY RATING
85	66	82		ADJUSTED RATING
.05	.06	.05		DEFICIENT MILEAGE

FAP ROUTE NO 57
SHEET 4 OF 4



BEGINNING MILE POST	0.0	3.3	9.7	12.0	17.3	25.5	31.5	35.8	39.8	43.6	44.4
LENGTH	3.3	6.3	2.2	5.2	8.2	6.0	4.2	4.0	3.7	0.8	5.8
YEAR BUILT	35	35	29	28	28	58	64	56	56	61	56
YEAR IMPROVED	51	51	35	40	40	64	64	64	56	61	56
SURFACE WIDTH	22	22	20	20	20	44	32	32	24	28	22
ROADWAY WIDTH	24	24	24	24	24	44	32	32	28	28	22
SURFACE TYPE	RMS	RMS	PMS	RMS	RMS	PMS	PMS	PMS	RMS	RMS	RMS
ADT	1114	805	708	960	960	918	1343	1227	701	538	451
DHV	211	156	138	187	187	190	261	239	136	104	89
SERVICE VOLUME	819	452	556	302	302	455	591	564	523	485	420
FOUNDATION - 10	0	0	0	0	0	6	1	7	3	6	3
SURFACE - 30	8	9	8	10	9	19	22	20	17	15	13
DRAINAGE - 10	8	8	8	4	4	10	10	10	9	10	10
SAFETY - 20	13	2	1	0	0	2	1	3	3	20	17
CAPACITY - 30	26	25	26	21	21	24	23	24	26	27	21
SUFFICIENCY RATING	55	44	43	35	34	61	69	64	58	82	70
ADJUSTED RATING	54	46	45	35	34	61	67	63	61	84	75
DEFICIENT MILEAGE	1.51	3.56	1.28	3.42	>.42	2.34	1.32	1.44	1.59	.15	1.75

FAP ROUTE NO 58
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.2	4.5	14.3	14.9	15.3	20.4	24.8	29.6	38.0	40.7	45.3	49.4
LENGTH	1.7	2.2	5.6	0.6	0.5	5.1	4.2	4.7	8.3	2.7	4.6	4.1	8.0
YEAR BUILT	55	41	41	U	U	U	73	73	73	42	36	36	36
YEAR IMPROVED	55	41	41	N	R	N	73	73	73	52	47	47	63
SURFACE WIDTH	24	20	20	D C	B	D C	32	32	32	24	24	24	22
ROADWAY WIDTH	36	24	24	E D	A	E D	32	32	32	24	24	24	24
SURFACE TYPE	RMS	PMS	RMS	R N	N	R N	PMS	PMS	PMS	RMS	RMS	RMS	RMS
ADT	1078	925	688	S		S	608	273	291	303	303	302	311
DHV	161	138	103	T		T	91	40	43	45	45	45	46
SERVICE VOLUME	580	453	431	R		R	643	666	643	774	515	744	627
FOUNDATION - 10	7	3	0	U		U	7	7	9	0	0	0	0
SURFACE - 30	17	17	12	C		C	23	22	27	8	8	9	9
DRAINAGE - 10	10	9	9	T		T	10	10	10	8	6	8	8
SAFETY - 20	9	20	5	1		1	3	16	19	9	2	2	3
CAPACITY - 30	26	25	26	O		O	28	29	29	29	29	29	29
SUFFICIENCY RATING	69	74	52	N		N	71	84	94	54	45	48	49
ADJUSTED RATING	69	74	55				74	89	96	63	54	57	57
DEFICIENT MILEAGE	.54	.59	4.63				1.22	.76	.50	1.26	2.53	2.17	4.09

FAP ROUTE NO 59

SHEET 1 OF 1



BEGINNING MILE POST	0.0	9.7	17.0	25.3	28.7	35.8	38.9	49.4	53.6	60.3	62.1	71.0	74.5	81.4	87.3	88.3	90.3
LENGTH	9.5	7.3	8.3	3.3	7.2	3.1	10.5	4.2	6.6	1.9	9.1	3.6	6.9	5.8	0.9	2.0	5.3
YEAR BUILT	55	59	59	59	59	U	52	52	40	69	69	55	52	42	39	39	U
YEAR IMPROVED	69	63	63	63	63	R	52	52	40	69	69	55	55	52	71	71	R
SURFACE WIDTH	28	26	26	26	26	B	22	22	26	48	40	40	24	26	32	32	B
ROADWAY WIDTH	28	26	26	26	26	A	26	26	26	48	40	40	32	31	32	32	A
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	BST	PMS	PMS	RMS	PMS	RMS	RMS	RMS	N
ADT	438	336	246	233	272		423	514	405	405	435	1873	2632	2634	3800	3801	
DHV	65	50	36	34	40		63	77	60	60	65	243	342	242	494	494	
SERVICE VOLUME	430	333	333	402	214		288	288	369	520	448	315	340	108	240	290	
FOUNDATION - 10	8	6	6	5	6		5	6	0	9	9	0	3	0	3	6	
SURFACE - 30	23	18	15	17	17		14	17	13	27	27	13	14	14	16	17	
DRAINAGE - 10	10	10	10	10	10		8	8	9	10	10	10	10	10	10	10	
SAFETY - 20	4	4	10	1	1		2	3	5	2	8	4	13	3	2	20	
CAPACITY - 30	28	28	28	29	27		27	26	28	28	28	18	15	13	0	4	
SUFFICIENCY RATING	73	66	73	62	61		56	60	55	76	82	45	55	40	31	55	
ADJUSTED RATING	78	73	81	72	70		62	65	61	81	85	41	48	33	23	46	
DEFICIENT MILEAGE	2.57	2.51	2.24	1.26	2.81		4.63	1.69	2.00	.46	1.65	1.98	3.12	3.53	.68	.50	

FAP ROUTE NO 60

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.0	7.0	13.0	21.8	26.6	27.7	33.8	38.6	43.5	45.1	54.8	66.6	70.4	83.4
LENGTH	0.6	5.9	6.0	8.8	4.7	1.1	6.0	4.8	4.8	1.5	9.6	11.8	3.8	12.9	4.5
YEAR BUILT	U	50	77	35	63	63	63	52	41	62	62	61	62	59	60
YEAR IMPROVED	R	54	77	66	63	63	65	52	67	62	62	61	62	63	60
SURFACE WIDTH	B	24	40	22	30	30	30	24	24	32	30	30	30	28	28
ROADWAY WIDTH	A	30	40	24	30	30	30	28	30	32	30	30	30	28	28
SURFACE TYPE	N	PMS	PMS	RMS	PMS	PMS	PMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS
ADI		991	916	890	761	805	865	952	970	1002	452	385	470	431	390
OHV		128	118	115	99	104	112	123	126	168	75	64	78	12	65
SERVICE VOLUME		208	200	406	485	333	355	333	333	500	485	510	333	792	584
FOUNDATION - 10		0	9	0	6	7	6	2	2	5	3	0	0	0	0
SURFACE - 30		13	28	10	18	19	20	14	17	19	15	12	14	9	7
DRAINAGE - 10		10	10	5	10	10	10	10	9	10	10	10	10	10	10
SAFETY - 20		5	15	3	20	1	6	9	2	3	3	6	13	14	20
CAPACITY - 30		24	21	26	27	25	25	24	24	25	28	28	26	29	28
SUFFICIENCY RATING		52	83	44	81	62	67	59	54	64	56	56	63	62	65
ADJUSTED RATING		52	83	45	82	64	68	59	54	64	62	63	68	68	71
DEFICIENT MILEAGE		2.85	1.02	4.93	.89	.42	1.99	2.03	2.25	.56	4.24	5.20	1.43	4.91	1.60

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
ADI
OHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE NO 61

SHEET 1 OF 2



BEGINNING MILE POST	88.0	93.5	102.3	110.3	118.1	124.4	130.3	136.7	142.0	147.3	155.5	156.9
LENGTH	5.5	8.7	8.0	7.8	6.2	5.9	6.3	5.2	5.2	8.1	1.3	0.6
YEAR BUILT	60	60	57	57	45	47	42	42	42	38	38	U
YEAR IMPROVED	60	60	59	59	49	47	42	42	42	42	42	R
SURFACE WIDTH	28	28	24	24	22	25	20	20	20	24	24	B
ROADWAY WIDTH	28	28	29	29	22	25	24	24	24	26	26	A
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	3ST	RMS	RMS	RMS	RMS	RMS	N
ADT	380	379	293	263	263	263	263	343	491	560	2095	
DHV	63	63	49	44	44	44	44	57	82	94	351	
SERVICE VOLUME	584	732	531	353	245	312	400	421	220	355	259	
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0	0	
SURFACE - 30	9	7	14	13	13	12	13	12	15	12	13	
DRAINAGE - 10	10	10	10	10	7	8	8	8	9	8	8	
SAFETY - 20	11	20	13	12	2	3	20	4	2	14	7	
CAPACITY - 30	28	29	29	28	27	28	28	28	24	26	10	
SUFFICIENCY RATING	58	66	66	63	49	51	69	52	50	60	38	
ADJUSTED RATING	65	72	74	72	59	61	77	60	55	64	33	
DEFICIENT MILEAGE	2.34	2.98	2.74	2.88	3.18	2.90	1.98	2.53	2.63	3.24	.86	

FAP ROUTE NO 61
SHEET 2 OF 2



BEGINNING MILE POST	0.0	1.5	2.0	3.9	8.8	12.1	20.2	24.9	29.7	33.3	37.0
LENGTH	0.8	0.4	1.8	4.8	3.3	8.0	4.6	4.7	3.6	3.6	1.0
YEAR BUILT	U	61	78	78	70	40	40	40	38	37	U
YEAR IMPROVED	R	61	78	78	70	49	49	49	49	49	R
SURFACE WIDTH	8	36	40	40	34	24	24	24	24	24	8
ROADWAY WIDTH	A	36	40	40	34	26	26	26	26	26	A
SURFACE TYPE	N	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	N
ADT		882	820	763	749	729	813	960	922	2150	
DHV		132	123	114	112	109	121	144	138	322	
SERVICE VOLUME		560	135	190	360	255	255	277	387	277	
FOUNDATION - 10		7	9	8	7	0	0	0	0	0	
SURFACE - 10		18	28	28	22	12	11	16	14	14	
DRAINAGE - 10		10	10	10	10	8	8	8	8	9	
SAFETY - 20		1	1	5	20	2	4	4	3	4	
CAPACITY - 30		26	16	21	25	24	23	22	25	13	
SUFFICIENCY RATING		62	64	72	84	46	46	50	50	40	
ADJUSTED RATING		63	65	74	85	48	48	50	51	35	
DEFICIENT MILEAGE		.18	.66	1.37	.53	4.36	2.51	2.37	1.81	2.19	

FAP ROUTE NO 62
SHEET 1 OF 1



BEGINNING MILE POST	0.0	4.0	13.5	17.8	18.4	19.2	22.2	22.8	24.8	25.4	26.6	33.4	35.4	36.3
LENGTH	3.7	9.4	4.2	0.6	0.7	3.0	0.6	1.9	0.5	1.2	6.8	2.0	0.8	3.2
YEAR BUILT	49	49	49	U	49	47	47	47	47	47	41	41	46	46
YEAR IMPROVED	54	54	54	R	54	73	73	62	62	57	70	70	59	60
SURFACE WIDTH	24	24	24	B	24	24	24	24	24	24	24	24	24	24
ROADWAY WIDTH	24	24	24	A	24	24	24	24	24	24	24	24	24	24
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS
AOT	1014	848	900		1179	1179	1179	1240	1301	1301	1301	1298	1295	1295
OHV	131	110	117		153	153	153	161	169	169	169	168	168	168
SERVICE VOLUME	258	408	297		258	384	450	429	360	237	278	360	450	278
FOUNDATION - 10	0	0	0		3	0	3	0	0	2	6	4	0	0
SURFACE - 30	13	12	12		14	13	14	13	12	14	17	14	12	13
DRAINAGE - 10	9	10	10		10	10	10	10	10	9	10	10	R	9
SAFETY - 20	2	3	2		1	4	20	13	1	20	2	13	18	2
CAPACITY - 30	22	26	24		21	24	25	24	23	19	21	23	24	21
SUFFICIENCY RATING	46	51	48		49	51	72	60	46	64	56	64	62	45
ADJUSTED RATING	46	52	49		48	50	71	59	44	62	54	62	60	43
DEFICIENT MILEAGE	2.02	4.64	2.22		.37	1.47	.18	.77	.31	.43	3.00	.12	.33	1.77



BEGINNING MILE POST	0.0	3.0	7.1		
LENGTH	3.0	4.2	1.8		
YEAR BUILT	72	U	U		
YEAR IMPROVED	77	N	N		
SURFACE WIDTH	30	0 C	0 C		
ROADWAY WIDTH	30	E 0	E 0		
SURFACE TYPE	PMS	R N	R N		
AOT	656	S	S		
OHV	91	T	T		
SERVICE VOLUME	400	R	R		
FOUNDATION - 10	10	U	U		
SURFACE - 30	30	C	C		
DRAINAGE - 10	10	T	T		
SAFETY - 20	2	1	1		
CAPACITY - 30	27	0	0		
SUFFICIENCY RATING	79	N	N		
ADJUSTED RATING	81				
DEFICIENT MILEAGE	.63				

FAP ROUTE NO 63 & 64

SHEET 1 OF 1

BEGINNING MILE POST	0.0
LENGTH	0.3
YEAR BUILT	38
YEAR IMPROVED	38
SURFACE WIDTH	40
ROADWAY WIDTH	40
SURFACE TYPE	RMS
ADT	1750
DHV	353
SERVICE VOLUME	614
FOUNDATION - 10	7
SURFACE - 30	16
DRAINAGE - 10	7
SAFETY - 20	1
CAPACITY - 30	21
SUFFICIENCY RATING	52
ADJUSTED RATING	48
DEFICIENT MILEAGE	.14



BEGINNING MILE POST	0.0	10.6	23.2	37.3
LENGTH	10.6	12.6	14.0	12.7
YEAR BUILT	61	59	59	59
YEAR IMPROVED	61	59	59	59
SURFACE WIDTH	28	28	28	28
ROADWAY WIDTH	28	28	28	28
SURFACE TYPE	PMS	PMS	PMS	PMS
ADT	223	386	488	522
DHV	35	61	78	83
SERVICE VOLUME	608	353	353	371
FOUNDATION - 10	0	3	4	4
SURFACE - 30	10	17	18	17
DRAINAGE - 10	10	9	10	10
SAFETY - 20	1	5	13	20
CAPACITY - 30	29	27	27	27
SUFFICIENCY RATING	56	61	72	78
ADJUSTED RATING	67	68	76	81
DEFICIENT MILEAGE	4.61	4.92	3.93	2.79

FAP ROUTE NO 65 & 66

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.7
LENGTH	0.7	1.0
YEAR BUILT	U	28
YEAR IMPROVED	R	52
SURFACE WIDTH	B	20
ROADWAY WIDTH	A	24
SURFACE TYPE	N	RMS
ADT		835
DHV		108
SERVICE VOLUME		380
FOUNDATION - 10		3
SURFACE - 30		13
DRAINAGE - 10		7
SAFETY - 20		1
CAPACITY - 30		26
SUFFICIENCY RATING		50
ADJUSTED RATING		57
DEFICIENT MILEAGE		.50



BEGINNING MILE POST	0.0	0.1	1.2
LENGTH	0.1	1.0	0.2
YEAR BUILT	33	U	63
YEAR IMPROVED	53	R	63
SURFACE WIDTH	24	B	30
ROADWAY WIDTH	28	A	30
SURFACE TYPE	RMS	N	PMS
ADT	698		919
DHV	272		146
SERVICE VOLUME	368		311
FOUNDATION - 10	0		9
SURFACE - 30	12		25
DRAINAGE - 10	8		10
SAFETY - 20	0		20
CAPACITY - 30	21		23
SUFFICIENCY RATING	41		87
ADJUSTED RATING	44		87
DEFICIENT MILEAGE	.70		.03



BEGINNING MILE POST	0.0	0.6	2.9	5.0	6.1	10.0	13.6	22.1	28.1	31.0	37.0	38.0
LENGTH	0.6	2.3	2.0	1.0	3.9	3.6	8.4	6.0	2.8	6.0	1.0	0.3
YEAR BUILT	U	33	68	68	70	64	61	57	57	59	U	73
YEAR IMPROVED	R	55	68	68	70	64	61	71	57	59	R	73
SURFACE WIDTH	B	32	30	30	32	28	26	24	24	24	B	40
ROADWAY WIDTH	A	32	30	30	32	28	26	24	24	24	A	40
SURFACE TYPE	N	RMS	PMS	PMS	PMS	PMS	PMS	PMS	BST	BST	N	PMS
ADT		1064	952	871	512	492	459	442	447	753		1138
DHV		159	142	130	76	73	68	66	67	112		260
SERVICE VOLUME		629	361	554	406	275	259	512	266	312		627
FOUNDATION - 10		2	4	0	2	2	6	1	5	4		10
SURFACE - 30		14	24	16	15	17	18	22	18	16		30
DRAINAGE - 10		10	10	8	10	10	9	10	7	7		10
SAFETY - 20		3	2	7	20	3	1	5	3	3		20
CAPACITY - 30		26	24	26	27	26	26	28	26	25		24
SUFFICIENCY RATING		55	64	51	74	58	60	72	59	55		94
ADJUSTED RATING		55	64	58	78	63	65	77	65	57		93
DEFICIENT MILEAGE		1.04	.73	.45	1.01	1.53	3.39	1.68	1.16	2.79		.01

FAP ROUTE NO 67, 68 & 69

SHEET 1 OF 1



BEGINNING MILE POST		0.0	0.2	1.2	1.5	1.5
LENGTH		0.2	1.0	0.2	D.D	1.2
YEAR BUILT	N		31	U	31	U
YEAR IMPROVED	D		52	R	52	R
SURFACE WIDTH	N		22	B	22	B
ROADWAY WIDTH		E	24	A	24	A
SURFACE TYPE		X	RMS	N	RMS	N
AOT		I	77		133	
DHV		S	10		17	
SERVICE VOLUME		T	544		716	
FOUNDATION - 10		E	0		0	
SURFACE - 30		N	5		14	
DRAINAGE - 10		T	5		5	
SAFETY - 20			2		20	
CAPACITY - 30			30		30	
SUFFICIENCY RATING			42		69	
ADJUSTED RATING			60		81	
DEFICIENT MILEAGE			.60		.01	



BEGINNING MILE POST	0.0	5.1	5.6	10.3	11.7	14.5
LENGTH	5.1	0.4	4.8	1.1	2.8	6.9
YEAR BUILT	61	70	61	49	49	48
YEAR IMPROVED	61	70	61	49	49	48
SURFACE WIDTH	30	30	30	24	20	24
ROADWAY WIDTH	30	30	30	24	24	24
SURFACE TYPE	PMS	PMS	PMS	BST	RMS	RMS
ADT	521	521	594	731	755	855
DHV	83	83	95	116	120	136
SERVICE VOLUME	414	402	384	673	431	396
FOUNDATION - 10	0	6	4	2	0	2
SURFACE - 30	15	21	17	14	12	14
DRAINAGE - 10	8	10	7	5	4	6
SAFETY - 20	13	10	7	1	9	2
CAPACITY - 30	27	27	26	27	26	25
SUFFICIENCY RATING	63	74	61	49	51	49
ADJUSTED RATING	67	78	65	51	53	50
DEFICIENT MILEAGE	1.91	.12	1.89	.57	1.37	3.56

FAP ROUTE NO 70 & 72

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.6
LENGTH	1.6	1.2
YEAR BUILT	49	U
YEAR IMPROVED	61	R
SURFACE WIDTH	24	B
ROADWAY WIDTH	28	A
SURFACE TYPE	RMS	N
ADT	1305	
DHV	155	
SERVICE VOLUME	249	
FOUNDATION - 10	3	
SURFACE - 30	18	
DRAINAGE - 10	8	
SAFETY - 20	3	
CAPACITY - 30	21	
SUFFICIENCY RATING	53	
ADJUSTED RATING	51	
DEFICIENT MILEAGE	.78	



BEGINNING MILE POST	0.0	1.7
LENGTH	1.7	0.2
YEAR BUILT	41	U
YEAR IMPROVED	41	R
SURFACE WIDTH	20	B
ROADWAY WIDTH	26	A
SURFACE TYPE	BST	N
ADT	655	
DHV	98	
SERVICE VOLUME	749	
FOUNDATION - 10	0	
SURFACE - 30	8	
DRAINAGE - 10	6	
SAFETY - 20	17	
CAPACITY - 30	28	
SUFFICIENCY RATING	59	
ADJUSTED RATING	62	
DEFICIENT MILEAGE	.71	

FAP ROUTE NO 75 & 77

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.4	6.0	13.3	19.6	23.9	24.3	25.1	27.4	29.9	45.8	46.4	47.2
LENGTH	0.4	5.5	7.2	6.3	4.2	0.3	0.7	2.3	2.5	15.8	0.5	0.8	0.4
YEAR BUILT	U	52	53	57	60	60	60	60	35	35	57	U	72
YEAR IMPROVED	R	52	53	57	60	60	60	60	35	45	57	R	72
SURFACE WIDTH	B	24	24	24	24	24	24	24	20	20	28	B	44
ROADWAY WIDTH	A	24	24	24	24	24	24	24	20	24	28	A	44
SURFACE TYPE	N	RMS	RMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	N	PMS
ADT		641	287	253	253	290	327	331	339	1154	1643		1243
DHV		105	47	41	41	47	53	54	55	190	271		161
SERVICE VOLUME		556	278	591	440	394	522	348	391	450	425		795
FOUNDATION - 10		4	0	0	7	9	5	8	0	0	8		7
SURFACE - 30		15	13	13	26	26	27	26	8	9	24		24
DRAINAGE - 10		7	6	6	9	10	10	9	6	5	10		10
SAFETY - 20		1	1	3	3	20	20	1	1	1	1		20
CAPACITY - 30		27	27	29	29	28	28	28	28	24	20		27
SUFFICIENCY RATING		54	47	51	74	93	94	72	43	39	63		88
ADJUSTED RATING		57	56	61	82	95	95	78	51	38	60		87
DEFICIENT MILEAGE		2.56	3.84	3.12	1.10	.02	.04	.64	1.47	9.67	.21		.05

BEGINNING MILE POST	0.0	2.2
LENGTH	1.9	0.5
YEAR BUILT	64	U
YEAR IMPROVED	64	R
SURFACE WIDTH	30	B
ROADWAY WIDTH	30	A
SURFACE TYPE	PMS	N
ADT	476	
DHV	61	
SERVICE VOLUME	626	
FOUNDATION - 10	5	
SURFACE - 30	22	
DRAINAGE - 10	10	
SAFETY - 20	3	
CAPACITY - 30	29	
SUFFICIENCY RATING	69	
ADJUSTED RATING	74	
DEFICIENT MILEAGE	.60	

FAP ROUTE NO 78 & 79

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.5	2.3	4.0	5.1	14.6	24.2	28.1	29.1	34.4	39.5	45.6	46.1	49.8	50.8	59.3	66.0	67.0	BEGINNING MILE POST
LENGTH	1.5	0.7	1.6	1.1	9.5	9.5	3.9	0.9	5.3	5.0	6.0	0.4	3.7	1.0	8.4	6.7	0.9	0.1	LENGTH
YEAR BUILT	53	U	62	56	56	62	64	U	64	65	64	62	62	53	53	53	U	27	YEAR BUILT
YEAR IMPROVED	53	R	62	56	78	62	64	R	64	65	64	62	62	53	53	53	R	27	YEAR IMPROVED
SURFACE WIDTH	24	B	30	25	24	30	30	B	28	28	28	24	24	24	24	24	B	24	SURFACE WIDTH
ROADWAY WIDTH	24	A	30	25	24	30	30	A	28	28	28	24	24	24	24	24	A	26	ROADWAY WIDTH
SURFACE TYPE	RMS	N	RMS	BST	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	N	BST	SURFACE TYPE
AOT	625		605	527	397	393	422		240	212	181	164	155	200	294	387		861	AOT
DHV	94		91	79	59	59	63		36	32	27	24	23	30	44	58		130	DHV
SERVICE VOLUME	217		372	257	337	367	522		600	586	377	805	276	494	469	469		728	SERVICE VOLUME
FOUNDATION - 10	6		5	0	9	6	6		5	4	0	0	2	6	6	7		6	FOUNDATION - 10
SURFACE - 30	26		18	12	28	17	20		21	19	16	10	14	27	17	17		17	SURFACE - 30
DRAINAGE - 10	10		10	4	7	10	10		10	10	10	5	5	9	9	10		3	DRAINAGE - 10
SAFETY - 20	2		1	2	1	20	20		15	20	13	20	3	5	2	3		20	SAFETY - 20
CAPACITY - 30	24		26	25	27	28	28		29	29	29	30	29	29	29	28		27	CAPACITY - 30
SUFFICIENCY RATING	58		60	43	72	81	84		80	82	68	65	53	66	63	65		73	SUFFICIENCY RATING
ADJUSTED RATING	61		64	48	77	85	87		86	88	79	77	66	76	71	71		74	ADJUSTED RATING
DEFICIENT MILEAGE	.67		.65	.63	2.68	1.80	.62		1.06	.91	1.94	.17	1.76	.34	3.11	2.34		.03	DEFICIENT MILEAGE

FAP ROUTE NO 80

SHEET 1 OF 1

BEGINNING MILE POST	0.0	12.9	13.8	26.7	29.5	32.6
LENGTH	12.9	0.8	12.8	2.8	3.0	9.8
YEAR BUILT	59	U	73	73	73	51
YEAR IMPROVED	59	A	73	73	73	51
SURFACE WIDTH	24	B	24	24	24	24
ROADWAY WIDTH	24	A	24	24	24	24
SURFACE TYPE	PMS	N	PMS	RMS	RMS	BST
ADT	223		307	333	347	400
DHV	34		47	51	54	62
SERVICE VOLUME	386		353	400	218	218
FOUNDATION - 10	7		6	4	4	0
SURFACE - 30	22		23	17	14	13
DRAINAGE - 10	10		10	10	8	8
SAFETY - 20	2		1	2	1	1
CAPACITY - 30	29		28	28	26	26
SUFFICIENCY RATING	70		68	61	53	48
ADJUSTED RATING	79		75	69	61	55
DEFICIENT MILEAGE	3.88		4.12	1.10	1.45	5.11



BEGINNING MILE POST	0.0	5.4
LENGTH	5.4	1.4
YEAR BUILT	52	55
YEAR IMPROVED	71	55
SURFACE WIDTH	24	24
ROADWAY WIDTH	24	24
SURFACE TYPE	PMS	RMS
ADT	2775	2389
DHV	402	346
SERVICE VOLUME	514	243
FOUNDATION - 10	7	4
SURFACE - 30	19	14
DRAINAGE - 10	8	10
SAFETY - 20	4	10
CAPACITY - 30	18	9
SUFFICIENCY RATING	56	47
ADJUSTED RATING	49	41
DEFICIENT MILEAGE	2.40	.78

FAP ROUTE NO 81 & 82

SHEET 1 OF 1



BEGINNING MILE POST	0.0	14.7	23.1	30.8	41.8
LENGTH	14.7	8.3	7.6	11.0	5.8
YEAR BUILT	52	52	52	59	59
YEAR IMPROVED	52	52	52	59	59
SURFACE WIDTH	24	22	22	24	24
ROADWAY WIDTH	24	26	26	24	24
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS
AOT	1165	1015	800	678	632
OHV	205	178	140	119	111
SERVICE VOLUME	438	192	175	221	429
FOUNDATION - 10	0	0	3	2	2
SURFACE - 30	13	14	17	14	15
DRAINAGE - 10	7	7	7	6	7
SAFETY - 20	3	2	1	3	7
CAPACITY - 30	23	16	18	22	26
SUFFICIENCY RATING	46	39	46	47	57
ADJUSTED RATING	45	39	48	50	60
DEFICIENT MILEAGE	7.97	5.10	4.15	5.86	2.51

FAP ROUTE NO 83

SHEET 1 OF 2



BEGINNING MILE POST	47.7	54.5	65.1	77.7	82.6	86.2
LENGTH	6.7	10.6	12.6	4.8	3.7	4.7
YEAR BUILT	58	55	58	62	59	59
YEAR IMPROVED	58	55	63	62	59	59
SURFACE WIDTH	24	24	24	30	24	24
ROADWAY WIDTH	24	24	24	30	24	24
SURFACE TYPE	PMS	PMS	RMS	PMS	PMS	PMS
ADT	594	549	592	990	800	1094
DHV	104	96	104	174	134	183
SERVICE VOLUME	384	258	196	333	301	478
FOUNDATION - 10	2	2	8	5	4	5
SURFACE - 30	15	15	30	17	16	16
DRAINAGE - 10	6	7	6	10	10	10
SAFETY - 20	4	6	1	9	9	12
CAPACITY - 30	26	24	22	22	23	24
SUFFICIENCY RATING	53	54	67	63	62	67
ADJUSTED RATING	57	58	70	63	64	66
DEFICIENT MILEAGE	3.19	4.89	4.16	1.79	1.41	1.56

FAP ROUTE NO 83

SHEET 2 OF 2

BEGINNING MILE POST	0.0	6.4	11.4	20.3
LENGTH	6.4	5.0	8.8	8.7
YEAR BUILT	53	52	55	55
YEAR IMPROVED	53	52	55	55
SURFACE WIDTH	24	24	24	24
ROADWAY WIDTH	24	24	24	24
SURFACE TYPE	RMS	RMS	RMS	RMS
ADT	376	416	511	845
DHV	63	70	86	143
SERVICE VOLUME	374	394	243	365
FOUNDATION - 10	6	5	4	5
SURFACE - 30	19	18	15	18
DRAINAGE - 10	9	10	0	8
SAFETY - 20	1	1	1	1
CAPACITY - 30	21	21	25	24
SUFFICIENCY RATING	62	61	54	56
ADJUSTED RATING	69	67	59	57
DEFICIENT MILEAGE	2.44	1.97	4.05	3.84



BEGINNING MILE POST	0.0
LENGTH	6.7
YEAR BUILT	53
YEAR IMPROVED	53
SURFACE WIDTH	24
ROADWAY WIDTH	24
SURFACE TYPE	RMS
ADT	2003
DHV	330
SERVICE VOLUME	528
FOUNDATION - 10	5
SURFACE - 30	22
DRAINAGE - 10	8
SAFETY - 20	6
CAPACITY - 30	21
SUFFICIENCY RATING	62
ADJUSTED RATING	57
DEFICIENT MILEAGE	2.54

FAP ROUTE NO 84 & 85

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.9	3.8	5.5	16.3	18.7	31.4
LENGTH	0.9	2.8	5.7	6.7	2.4	12.6	6.7
YEAR BUILT	U	58	61	73	68	45	63
YEAR IMPROVED	R	58	61	73	68	45	63
SURFACE WIDTH	B	25	30	31	20	20	28
ROADWAY WIDTH	A	25	30	31	20	20	28
SURFACE TYPE	N	PMS	PMS	PMS	GRV	GRV	PMS
ADT		2344	965	513	424	171	174
DHV		508	193	102	84	25	26
SERVICE VOLUME		661	738	469	345	262	534
FOUNDATION - 10		5	5	4	0	0	4
SURFACE - 30		19	19	21	0	0	16
DRAINAGE - 10		4	10	10	3	2	10
SAFETY - 20		2	1	2	3	4	9
CAPACITY - 30		18	26	27	26	29	29
SUFFICIENCY RATING		48	61	64	32	35	68
ADJUSTED RATING		41	61	68	37	47	79
DEFICIENT MILEAGE		1.48	2.24	2.42	1.67	8.25	2.15

BEGINNING MILE POST	0.0	1.4	3.0	6.7	10.0	20.2
LENGTH	1.3	1.5	3.7	3.3	10.2	2.1
YEAR BUILT	63	72	63	67	67	67
YEAR IMPROVED	63	72	63	67	67	67
SURFACE WIDTH	30	30	30	30	30	30
ROADWAY WIDTH	30	30	30	30	30	30
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS
ADT	334	391	416	441	475	492
DHV	72	84	89	95	102	106
SERVICE VOLUME	441	434	408	235	434	697
FOUNDATION - 10	7	7	7	7	5	7
SURFACE - 30	24	25	26	25	20	22
DRAINAGE - 10	10	10	10	10	10	10
SAFETY - 20	20	1	7	1	6	3
CAPACITY - 30	28	27	27	24	26	28
SUFFICIENCY RATING	89	70	77	67	67	70
ADJUSTED RATING	92	76	81	72	72	74
DEFICIENT MILEAGE	.19	.41	.85	1.09	3.37	.65

FAP ROUTE NO 86 & 87

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.4
LENGTH	0.4	1.0
YEAR BUILT	79	79
YEAR IMPROVED	79	79
SURFACE WIDTH	50	50
ROADWAY WIDTH	50	50
SURFACE TYPE	PMS	PMS
ADT	1958	1010
DHV	259	131
SERVICE VOLUME	380	535
FOUNDATION - 10	10	10
SURFACE - 30	30	30
DRAINAGE - 10	10	10
SAFETY - 20	0	1
CAPACITY - 30	20	26
SUFFICIENCY RATING	70	77
ADJUSTED RATING	66	77
DEFICIENT MILEAGE	.12	.23



BEGINNING MILE POST	0.0	6.8	16.4	21.0
LENGTH	6.8	9.6	4.6	11.4
YEAR BUILT	64	64	64	64
YEAR IMPROVED	79	79	78	78
SURFACE WIDTH	30	30	30	30
ROADWAY WIDTH	30	30	30	30
SURFACE TYPE	PMS	PMS	PMS	PMS
ADT	872	967	1535	2202
DHV	135	154	245	352
SERVICE VOLUME	355	270	155	604
FOUNDATION - 10	9	10	6	9
SURFACE - 30	30	30	28	28
DRAINAGE - 10	8	10	10	10
SAFETY - 20	1	1	1	7
CAPACITY - 30	24	21	6	21
SUFFICIENCY RATING	72	72	54	75
ADJUSTED RATING	73	72	51	71
DEFICIENT MILEAGE	1.90	2.70	2.12	2.86

FAP ROUTE NO 88 & 93
SHEET 1 OF 1

SUFFICIENCY RATINGS BY FINANCIAL DISTRICTS



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1979

SUFFICIENCY RATING BY FINANCIAL DISTRICT I

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	ST	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P005	128+0.492	WHITEFISH	FLATHEAD	1	34	54	6.201	22	23	RMS	2580	335	150	0	11	4	1	0	16	12	5.2
P052	33+0.584	JCT FAP RTE 83	FLATHEAD	1	35	57	.344	22	22	RMS	4359	645	132	0	13	5	0	0	18	12	.3
P038	4+0.354	0.3 W FAS 206	FLATHEAD	1	39	53	2.055	24	24	RMS	8894	1245	759	0	8	8	4	5	25	13	1.5
P052	0+0.000	JCT FAP RTE 5	LAKE	1	40	50	7.134	21	24	8ST	2595	384	184	0	12	7	1	0	20	15	5.7
P001	15+0.265	TROY	LINCOLN	1	37	38	1.655	20	24	RMS	2041	265	132	0	13	5	1	0	19	16	1.3
P038	8+0.079	0.6 E COL FALLS	FLATHEAD	1	37	55	.576	22	24	RMS	4929	690	280	0	13	6	6	0	25	16	.4
P001	138+0.380	JCT FAP RTE 38	FLATHEAD	1	34	66	1.705	24	30	RMS	4553	728	365	0	13	8	4	0	25	17	1.3
P038	7+0.387	COLUMBIA FALLS	FLATHEAD	1	37	55	.373	22	24	RMS	5422	759	243	0	13	7	7	0	27	17	.3
P052	28+0.294	FLATHEAD CO	FLATHEAD	1	36	64	2.004	24	24	RMS	2322	343	187	0	13	5	2	2	22	18	1.6
P052	30+0.238	2.0 N FLATHEAD CO	FLATHEAD	1	56	56	1.975	24	28	RMS	3188	471	177	0	12	10	3	0	25	19	1.5
P001	124+0.638	0.7 E KALISPELL	FLATHEAD	1	40	64	3.634	30	30	RMS	4328	519	348	0	11	8	2	8	29	20	2.6
P052	26+0.286	2.0 S FLATHEAD CO	LAKE	1	36	59	1.995	24	24	RMS	2147	317	174	0	12	5	5	3	25	21	1.5
P052	32+0.237	1.3 S FAP RTE 83	FLATHEAD	1	22	49	1.347	24	24	RMS	3614	534	374	0	14	6	2	9	31	23	.9
P001	25+0.405	6.4 W LIBBY	LINCOLN	1	38	52	4.437	24	24	RMS	2159	280	249	0	12	3	1	13	29	24	3.2
P001	140+0.073	1.7 E FAP 38	FLATHEAD	1	29	65	2.443	24	24	RMS	4039	626	469	0	13	10	1	10	34	25	1.6
P001	16+0.932	JCT FAP 56	LINCOLN	1	34	38	4.574	20	24	RMS	1955	254	211	0	11	3	3	12	29	25	3.2
P001	142+0.567	1.0 W HUNGRY HORSE	FLATHEAD	1	31	34	10.727	20	24	RMS	2658	425	415	0	11	5	1	15	32	26	7.3
P005	57+0.826	1.1 S FAP 52	LAKE	1	58	58	1.188	32	32	PMS	6041	881	403	6	17	10	6	0	39	27	.7
P005	24+0.366	9.3 N LAKE CO	LAKE	1	55	60	3.147	32	32	PMS	3949	576	302	4	17	10	4	1	36	27	2.0
P005	104+0.255	JCT FAP 82	FLATHEAD	1	49	61	5.341	38	38	RMS	6103	732	340	5	17	10	10	0	42	29	3.1
P005	15+0.054	LAKE CO	LAKE	1	40	40	3.437	24	30	RMS	4038	589	507	0	15	8	4	13	40	30	2.1
P033	0+0.658	LIBBY	LINCOLN	1	59	59	.558	26	37	8ST	4487	583	352	6	18	10	1	5	40	30	.3
P052	7+0.124	7.1 N FAP 5	LAKE	1	47	47	3.214	24	24	8ST	1633	241	187	0	14	6	2	11	33	30	2.2
P005	56+0.943	2.0 S FAP 52	LAKE	1	73	73	.882	40	40	PMS	5754	840	308	6	21	10	6	0	43	31	.5
P001	106+0.450	12.9 W KALISPELL	FLATHEAD	1	49	63	6.886	24	27	RMS	1605	208	176	0	11	8	3	12	34	31	4.5
P005	86+0.330	2.0 S ROLLINS	LAKE	1	33	65	6.417	24	24	RMS	1656	223	335	0	10	4	1	20	35	32	4.2
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1	72	72	5.797	32	32	PMS	4266	622	504	2	17	8	4	11	42	32	3.4
P005	59+0.004	JCT FAP 52	LAKE	1	58	58	.331	40	40	PMS	8859	1293	289	8	22	10	7	0	47	32	.2
P001	180+0.514	16.2 W GLACIER CO	FLATHEAD	1	33	35	3.632	18	20	RMS	1257	175	259	0	11	3	0	20	34	33	2.4
P005	61+0.013	POLSON	LAKE	1	66	66	.587	40	40	PMS	4019	542	289	7	24	10	1	2	44	34	.3
P001	128+0.337	JCT FAP RTE 52	FLATHEAD	1	34	51	10.056	22	24	RMS	2969	415	716	0	9	8	4	21	42	34	5.8
P005	168+0.284	FORTINE	LINCOLN	1	31	52	9.654	22	22	RMS	1333	173	180	0	15	5	1	16	37	35	6.1
P005	179+0.692	EUREKA	LINCOLN	1	43	57	1.370	22	24	RMS	2092	271	357	0	13	8	1	19	41	36	.8
P005	79+0.397	1.8 N JCT FAP 36	LAKE	1	32	52	6.932	22	24	RMS	1614	217	390	0	12	4	1	22	39	36	4.2
P006	115+0.193	LAKE CO	LAKE	1	34	52	.936	20	24	RMS	1223	182	211	0	11	8	1	17	37	36	.6
P005	159+0.617	STRYKER	LINCOLN	1	31	63	8.683	22	24	RMS	1105	143	159	0	16	4	1	17	38	37	5.4
P052	41+0.541	CRESTON	FLATHEAD	1	34	55	3.975	22	24	RMS	1685	249	390	0	15	4	2	20	41	37	2.3
P052	18+0.000	YELLOW BAY	LAKE	1	37	65	5.585	24	24	RMS	1676	248	301	0	15	7	1	18	41	37	3.3
P001	89+0.548	9.2 E FLATHEAD CO	FLATHEAD	1	36	57	9.847	24	25	RMS	1174	152	220	0	12	6	1	20	39	38	6.0
P001	103+0.175	3.8 E MARION	FLATHEAD	1	40	63	3.262	24	24	RMS	1557	202	220	0	13	8	4	16	41	38	1.9
P001	113+0.334	6.0 W KALISPELL	FLATHEAD	1	49	79	6.278	24	32	PMS	2818	357	429	3	13	8	3	18	45	38	3.5
P005	61+0.600	0.6 N POLSON	LAKE	1	54	54	2.852	24	32	PMS	3797	512	544	0	17	10	4	16	47	38	1.5
P001	21+0.505	4.6 E FAP 56	LINCOLN	1	37	70	3.927	24	26	RMS	2057	267	528	0	10	4	7	22	43	38	2.2
P005	27+0.503	JCT FAP 6	LAKE	1	56	60	2.550	44	44	PMS	3786	552	578	3	15	10	3	16	47	38	1.4
P052	33+0.928	JCT FAP RTE 82	FLATHEAD	1	34	55	7.644	22	24	RMS	1600	236	390	0	15	4	1	21	41	38	4.5
P052	23+0.600	4.7 S FLATHEAD CO	LAKE	1	36	60	2.661	24	25	RMS	1926	285	431	0	12	6	5	20	43	38	1.5
P038	7+0.760	0.3 E COL FALLS	FLATHEAD	1	77	77	.303	36	36	PMS	5207	728	376	9	28	10	3	1	51	39	.1
P005	125+0.445	JCT FAP 38	FLATHEAD	1	60	60	1.488	36	36	PMS	8182	981	937	5	16	10	10	14	55	40	.7
P005	47+0.372	RONAN	LAKE	1	70	70	6.021	40	40	PMS	5167	754	288	9	23	10	10	0	52	40	2.9
P001	49+0.289	13.5 E FAS 482	LINCOLN	1	35	39	6.869	20	24	RMS	1014	131	228	0	13	4	2	21	40	40	4.1
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1	37	53	2.143	22	24	RMS	989	128	187	0	14	6	1	20	41	41	1.3
P001	37+0.882	5.1 E LIBBY	LINCOLN	1	36	51	6.395	24	24	RMS	1832	238	582	0	10	7	4	24	45	41	3.5
P082	5+0.451	1.4 W FAP 52	FLATHEAD	1	55	55	1.472	24	24	RMS	2389	346	243	4	14	10	10	9	47	41	.8
P005	93+0.536	FLATHEAD CO	FLATHEAD	1	64	64	5.181	32	32	PMS	1801	243	243	0	11	10	10	15	46	42	2.8
P005	98+0.643	5.2 NLFLATHEADCO	FLATHEAD	1	63	63	5.548	32	32	PMS	2767	373	522	3	13	10	4	19	49	42	2.8

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P005	30+0.048	2.5 N JCT FAP 6	LAKE	1 56 60	2.564	32	32	PMS	3640	531	544	3	16	10	7	15	51	42	1.3
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1 52 52	9.172	28	28	RMS	1045	135	187	0	12	7	5	19	43	43	5.2
P001	99+0.410	MARION	FLATHEAD	1 47 61	3.779	24	30	RMS	1489	193	259	0	14	7	6	19	46	43	2.0
P001	71+0.596	8.7 W FLATHEAD CO	LINCOLN	1 37 53	6.645	22	24	RMS	943	122	243	0	14	5	2	22	43	43	3.8
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1 75 75	4.368	44	44	PMS	4328	601	170	10	28	10	5	0	53	43	2.1
P001	44+0.296	8.5 E FAS 482	LINCOLN	1 36 65	5.006	20	24	RMS	1145	148	364	0	9	7	5	24	45	44	2.8
P005	114+0.862	KALISPELL	FLATHEAD	1 57 60	5.799	36	36	PMS	4684	562	662	5	18	10	5	17	55	44	2.6
P005	120+0.676	5.8 N KALISPELL	FLATHEAD	1 60 60	4.785	36	36	PMS	5108	612	723	4	16	10	9	17	56	45	2.1
P005	41+0.154	5.4 S RONAN	LAKE	1 66 66	4.905	40	40	PMS	5328	777	648	5	14	10	16	12	57	45	2.1
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1 72 72	.388	32	32	PMS	4155	606	336	6	16	10	20	3	55	45	.2
P005	32+0.761	ST IGNATIUS	LAKE	1 69 69	.340	44	44	RMS	4075	594	336	5	17	10	20	3	55	45	.2
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1 41 43	6.753	20	24	RMS	874	113	234	0	13	7	2	23	45	46	3.7
P033	64+0.921	2.0 E FA 5	LINCOLN	1 40 79	1.975	24	26	RMS	1058	137	319	0	13	8	1	24	46	46	1.1
P001	153+0.269	JCT FAP 65	FLATHEAD	1 48 49	3.364	24	28	PMS	1174	164	162	6	18	7	2	15	48	47	1.7
P001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1 49 51	4.352	22	28	PMS	1015	131	338	0	14	8	2	24	48	48	2.3
P033	1+0.219	0.6 N LIBBY	LINCOLN	1 42 50	8.320	28	28	BST	1382	179	312	3	15	8	3	21	50	48	4.2
P065	0+0.000	JCT FAP 1 W GLAC	FLATHEAD	1 38 38	.305	40	40	RMS	1750	353	614	7	16	7	1	21	52	48	.1
P052	10+0.345	10.3 N FAP 5	LAKE	1 48 65	7.657	24	25	RMS	1553	229	468	0	15	8	6	23	52	49	3.7
P082	0+0.000	JCT FAP 5	FLATHEAD	1 52 71	5.474	24	24	PMS	2775	402	514	7	19	8	4	18	56	49	2.4
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1 56 60	1.843	32	32	PMS	4114	600	544	4	15	10	18	13	60	50	.7
P001	6+0.982	3.2 E FAS 508	LINCOLN	1 49 51	6.959	22	28	PMS	1036	134	508	0	12	8	5	26	51	51	3.4
P001	123+0.228	KALISPELL U L	FLATHEAD	1 67 67	1.404	44	44	PMS	5412	649	731	8	23	10	4	17	62	51	.5
P001	56+0.167	20.4 E FAS 482	LINCOLN	1 38 50	8.685	20	26	RMS	865	112	278	0	13	6	7	24	50	51	4.3
P036	31+0.138	LAKE CO	LAKE	1 40 40	.511	20	25	BST	523	78	266	0	11	7	3	26	47	52	.3
P005	92+0.740	4.9 N ROLLINS	LAKE	1 64 64	.749	32	32	PMS	1704	230	220	4	14	10	15	14	57	53	.3
P001	197+0.193	0.6 W GLACIER CO	FLATHEAD	1 52 70	.623	26	26	PMS	1257	175	336	6	17	10	0	22	55	53	.3
P036	31+0.649	FLATHEAD CO	FLATHEAD	1 40 51	4.443	20	26	RMS	587	88	459	0	10	6	6	27	49	53	2.3
P005	64+0.489	3.5 N POLSON	LAKE	1 54 54	2.938	24	32	PMS	3099	418	365	4	16	10	20	13	63	55	1.1
P001	37+0.373	4.5 E LIBBY	LINCOLN	1 76 76	.509	44	44	PMS	2731	355	240	9	26	10	10	8	63	56	.2
P005	18+0.483	3.4 N LAKE CO	LAKE	1 55 60	5.861	32	32	PMS	3950	576	580	5	18	10	17	15	65	56	2.1
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1 55 59	10.962	24	28	PMS	1205	156	616	3	14	10	5	26	58	57	4.6
P083	47+0.765	LAKE CO. LINE	LAKE	1 58 58	6.789	24	24	PMS	594	104	384	2	15	6	4	26	53	57	3.2
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1 65 65	.521	24	28	RMS	1182	165	378	6	19	10	1	23	59	58	.2
P083	54+0.540	6.8 N LAKE CO LINE	LAKE	1 55 55	10.638	24	24	PMS	549	96	258	2	15	7	6	24	54	58	4.9
P001	0+0.000	IDAHO LINE	LINCOLN	1 54 55	2.622	24	30	PMS	956	124	323	4	16	9	6	24	59	59	1.1
P005	53+0.399	6.0 N RONAN	LAKE	1 58 58	3.432	32	32	PMS	5157	752	640	8	22	10	17	12	69	59	1.1
P005	67+0.425	6.4 N POLSON	LAKE	1 54 70	3.855	30	30	PMS	2303	310	414	4	23	9	10	19	65	60	1.3
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1 57 59	2.834	26	26	PMS	1229	172	489	5	20	10	1	25	61	60	1.1
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1 57 59	1.514	26	26	PMS	1219	170	403	6	20	10	1	24	61	60	.6
P056	27+0.876	6.7 S FAP 1	LINCOLN	1 56 56	6.764	24	24	PMS	680	102	249	5	17	9	2	24	57	60	2.9
P001	36+0.664	4.0 E LIBBY	LINCOLN	1 76 76	.709	62	62	PMS	2875	373	272	8	27	10	14	9	68	61	.2
P005	156+0.922	LINCOLN CO	LINCOLN	1 55 60	2.697	26	26	PMS	901	117	359	0	15	9	11	25	60	61	1.1
P038	8+0.655	1.3 E COL FALLS	FLATHEAD	1 71 71	.242	44	44	RMS	4669	653	795	6	17	10	20	18	71	62	.1
P056	22+0.022	5.4 N LINCOLN CO	LINCOLN	1 60 60	5.854	24	24	PMS	462	69	327	4	16	7	2	27	56	62	2.6
P001	29+0.863	2.0 W LIBBY	LINCOLN	1 71 76	2.036	68	68	PMS	4789	622	1800	9	26	10	2	25	72	63	.6
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAD	1 57 59	5.217	26	26	PMS	1205	168	403	6	19	8	7	24	64	63	1.9
P001	184+0.217	12.6 W GLACIER CO	FLATHEAD	1 67 77	12.259	32	32	PMS	1257	175	725	6	16	10	6	26	64	63	4.4
P083	77+0.797	4.8 S FLATHEAD CO	LAKE	1 62 62	4.859	30	30	PMS	990	174	333	5	17	10	9	22	63	63	1.8
P005	145+0.620	OLNEY	FLATHEAD	1 55 60	11.263	26	26	PMS	857	111	359	0	14	9	15	25	63	64	4.2
P083	82+0.636	JCT FAS RTE 209	FLATHEAD	1 59 59	3.735	24	24	PMS	800	134	301	4	16	10	9	23	62	64	1.4
P005	180+0.908	JCT FAP 33	LINCOLN	1 50 50	6.546	24	24	RMS	507	65	307	0	13	9	11	27	60	65	2.6
P001	157+0.164	3.7 E WEST GLACIER	FLATHEAD	1 48 49	2.350	24	28	PMS	1188	166	194	6	17	7	20	17	67	66	.8
P083	86+0.280	3.7 N FAS RTE 209	FLATHEAD	1 59 59	4.733	24	24	PMS	1094	183	478	5	16	10	12	24	67	66	1.6
P005	71+0.313	6.2 S FAP 36	LAKE	1 62 62	6.212	32	32	PMS	1856	250	396	5	21	10	14	21	71	67	1.8
P036	36+0.100	4.4 N FLATHEAD CO	FLATHEAD	1 37 61	4.101	24	26	RMS	591	88	825	0	10	7	20	28	65	68	1.4

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P036	40+0.186	LAKE CO	LAKE	1	37	65	6.526	24	26	RMS	593	88	573	0	10	7	20	28	65	68	2.3
P056	16+0.540	SANDERS-LINCOLN CO	LINCOLN	1	63	63	5.482	28	28	PMS	328	49	212	6	17	8	2	27	60	68	2.2
P001	33+0.316	0.6 E LIBBY	LINCOLN	1	76	76	3.326	68	68	PMS	4774	620	2160	7	26	10	8	26	77	69	.8
P001	177+0.633	19.1 W GLACIER CO	FLATHEAD	1	69	69	2.884	34	34	PMS	1257	175	514	9	24	10	3	25	71	70	.8
P083	65+0.165	17.7 N LAKE CO.	LAKE	1	58	63	12.634	24	24	RMS	592	104	196	8	30	6	1	22	67	70	4.2
P033	54+0.527	0.7 N RES BR	LINCOLN	1	71	71	10.394	34	34	PMS	657	85	365	7	24	10	1	27	69	72	3.2
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1638	221	616	6	23	10	12	25	76	73	.4
P033	14+0.002	13.3 N LIBBY	LINCOLN	1	74	74	3.652	34	34	PMS	287	37	266	8	24	10	1	28	71	78	1.1
P001	32+0.748	LIBBY	LINCOLN	1	71	76	.561	68	68	PMS	6120	734	1800	8	24	10	20	24	86	80	.1
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	1254	175	482	6	20	10	20	25	81	80	1.2
P033	53+0.851	RESERV BR APPR	LINCOLN	1	71	71	.676	34	34	PMS	294	38	138	9	27	10	1	26	73	80	.2
P033	9+0.560	8.9 N LIBBY	LINCOLN	1	67	67	4.431	34	34	PMS	406	52	640	8	27	10	3	29	77	81	1.0
P033	17+0.654	LIBBY OAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	274	35	243	9	28	10	2	28	77	83	2.8
P033	42+0.817	11.0 S RES BR APPR	LINCOLN	1	74	74	11.169	34	34	PMS	231	30	243	9	27	10	1	28	75	83	2.8
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	252	32	266	9	28	10	2	28	77	84	2.9
P001	169+0.063	15.8 E WEST GLAC	FLATHEAD	1	75	75	2.107	32	32	PMS	1239	173	539	7	24	10	20	25	86	85	.3
		DISTRICT TOTAL					556.744													48	267.4



SUFFICIENCY RATING BY FINANCIAL DISTRICT 2

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P001	221+1.600	BROWNING	GLACIER	2	32	70	2.814	22	24	RMS	3017	588	423	3	13	9	1	9	35	28	1.8
P001	379+0.167	JCT FAP RTE 10	HILL	2	52	52	1.516	40	40	RMS	5668	606	654	0	12	10	8	16	46	34	.8
P058	17+0.315	5.2 N KIOWA JCT	GLACIER	2	28	40	8.213	20	24	RMS	960	187	302	0	9	4	0	21	34	34	5.4
P058	12+0.053	KIOWA JCT	GLACIER	2	28	40	5.269	20	24	RMS	960	187	302	0	10	4	0	21	35	35	3.4
P001	220+0.489	1.3 W BROWNING	GLACIER	2	45	45	1.390	24	24	RMS	1383	193	278	0	11	7	2	20	40	38	.8
P001	218+0.818	2.9 W BROWNING	GLACIER	2	39	63	1.575	26	30	RMS	1297	181	289	0	11	7	1	21	40	38	.9
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	2	25	63	2.119	24	24	RMS	1205	192	772	0	10	5	1	26	42	41	1.2
P001	224+0.000	JCT FAP RTE 3	GLACIER	2	35	61	4.927	22	24	RMS	1276	204	642	0	8	8	3	25	44	42	2.8
P001	210+0.124	0.9 E EAST GLAC	GLACIER	2	43	62	1.211	26	30	RMS	1297	181	400	0	12	9	1	23	45	43	.7
P001	240+0.263	4.8 E FAS 444	GLACIER	2	27	60	6.784	24	24	RMS	1093	163	838	0	10	4	3	27	44	43	3.8
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	2	25	61	7.073	24	24	RMS	1129	180	805	0	9	7	2	27	45	44	3.9
P010	109+0.571	1.8 S FAP 1	HILL	2	52	52	1.796	32	32	RMS	2037	264	471	0	12	10	5	22	49	44	.9
P001	435+0.143	5.8 E FAP 66	BLAINE	2	35	71	4.686	24	31	PMS	951	123	417	0	14	4	1	26	45	45	2.6
P058	9+0.785	9.9 W BROWNING	GLACIER	2	29	35	2.247	20	24	PMS	708	138	556	0	8	8	1	26	43	45	1.3
P058	3+0.397	3.5 W BROWNING	GLACIER	2	35	51	6.369	22	24	RMS	805	156	452	0	9	8	2	25	44	46	3.6
P001	429+0.077	0.6 E FAP 66	BLAINE	2	36	62	5.241	28	30	RMS	1071	139	453	0	12	10	2	25	49	49	2.7
P001	278+0.459	JCT FAI 15	TOOLE	2	60	60	.350	68	68	PMS	3104	434	3360	0	13	10	7	28	58	50	.1
P001	211+0.317	2.1 E EAST GLAC	GLACIER	2	39	63	1.867	26	30	RMS	1297	181	703	0	10	8	9	26	53	51	.9
P001	197+0.816	GLACIER CO LINE	GLACIER	2	52	70	6.390	26	26	PMS	1121	156	223	4	15	10	3	20	52	51	3.1
P067	0+0.750	SHELBY LIMITS	TOOLE	2	28	52	1.005	20	24	RMS	835	108	380	3	13	7	1	26	50	51	.5
P010	97+0.042	7.6 N HILL CO	HILL	2	28	41	7.369	22	24	RMS	1342	174	416	0	12	7	11	24	54	52	3.4
P001	254+0.122	0.6 W OF CUT BANK	GLACIER	2	55	55	.402	42	42	PMS	2489	298	817	4	19	10	1	25	59	53	.2
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	2	35	71	6.447	24	24	BST	816	106	469	0	11	6	7	27	51	53	3.2
P001	413+0.431	0.4 E ZURICH	BLAINE	2	49	56	.591	32	32	PMS	1715	222	629	5	16	10	1	25	57	53	.3
P001	383+0.815	HAVRE	HILL	2	46	54	7.204	24	30	PMS	2374	308	522	6	18	10	4	21	59	53	3.0
P001	372+0.142	8.6 E KREMLIN	HILL	2	60	60	7.002	32	32	PMS	1911	248	599	3	17	10	4	24	58	54	2.9
P058	0+0.000	JCT FAP RTE 1	GLACIER	2	35	51	3.369	22	24	RMS	1114	217	819	0	8	8	13	26	55	54	1.5
P001	391+0.007	BLAINE CO	BLAINE	2	46	54	2.849	24	31	PMS	2314	300	522	5	18	10	7	21	61	55	1.1
P001	424+0.712	HARLEM	BLAINE	2	68	68	3.805	40	40	PMS	2067	268	281	7	24	10	3	16	60	55	1.5
P001	254+0.578	CUT BANK	GLACIER	2	55	55	.229	42	42	PMS	3032	363	817	5	19	10	5	23	62	55	.1
P001	209+0.252	EAST GLACIER	GLACIER	2	63	63	.874	32	32	PMS	1294	181	482	5	17	10	1	24	57	55	.4
P010	90+0.926	1.5 N HILL CO	HILL	2	30	73	6.098	22	26	PMS	1113	144	686	0	10	7	12	27	56	55	2.7
P001	251+0.988	2.7 W OF CUT BANK	GLACIER	2	72	72	2.128	50	50	PMS	1712	256	272	7	24	10	3	16	60	56	.9
P001	408+0.325	4.2 E CHINOOK	BLAINE	2	40	56	5.091	28	30	PMS	1748	227	612	6	16	10	4	24	60	56	2.0
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	2	57	62	7.266	32	32	PMS	789	102	569	0	12	10	6	27	55	57	3.3
P001	278+0.091	0.4 W FAI 15	TOOLE	2	60	60	.368	68	68	PMS	1384	207	3440	0	13	10	7	29	59	57	.2
P001	354+0.598	1.0 E GILFORD	HILL	2	36	59	8.956	26	31	RMS	1008	131	489	5	16	10	1	26	58	58	3.8
P001	308+0.048	1.0 E LIBERTY CO	LIBERTY	2	47	60	7.280	26	26	RMS	763	99	442	3	15	10	2	27	57	59	3.1
P001	393+0.855	2.8 E BLAINE CO	BLAINE	2	38	59	9.717	24	30	RMS	2720	353	612	5	18	10	11	21	65	59	3.4
P001	228+0.797	BLACKFOOT	GLACIER	2	57	57	1.050	24	32	RMS	1230	196	680	4	13	10	7	26	60	59	.4
P001	278+0.809	0.3 E FAI 15	TOOLE	2	56	56	.440	60	60	PMS	3104	434	1680	0	12	9	20	26	67	60	.1
P001	204+0.366	6.4 E GLACIER CO	GLACIER	2	63	63	4.884	32	32	PMS	1116	156	546	5	17	10	3	26	61	60	1.9
P001	404+0.087	CHINOOK	BLAINE	2	44	56	4.248	28	30	PMS	1941	252	612	5	17	10	8	24	64	60	1.5
P001	271+0.001	7.6 E TOOLE CO	TOOLE	2	53	66	7.061	32	32	RMS	1315	197	544	0	17	10	11	25	63	61	2.6
P003	101+0.021	9.2 S FAP RTE 1	GLACIER	2	51	51	2.132	26	28	RMS	697	167	454	4	16	10	4	24	58	61	.9
P058	39+0.819	BABB	GLACIER	2	56	56	3.787	24	28	RMS	701	136	523	3	17	9	3	26	58	61	1.6
P058	25+0.516	6.0 S ST MARYS	GLACIER	2	58	64	6.011	44	44	PMS	978	190	455	6	19	10	2	24	61	61	2.3
P001	423+0.924	0.8 W HARLEM	BLAINE	2	68	68	.797	40	40	PMS	1750	227	281	8	23	10	8	18	67	63	.3
P058	35+0.813	4.3 N ST MARYS	GLACIER	2	56	64	4.001	32	32	PMS	1227	239	564	7	20	10	3	24	64	63	1.4
P001	363+0.532	APPR TO KREMLIN	HILL	2	36	70	8.591	28	32	RMS	1022	132	599	7	17	10	4	27	65	65	3.0
P001	315+0.301	6.5 W CHESTER	LIBERTY	2	47	60	5.785	26	26	RMS	776	100	500	6	17	10	4	27	64	66	2.1
P001	223+0.702	2.8 E BROWNING	GLACIER	2	60	60	.184	32	32	PMS	1969	376	336	7	20	10	20	13	70	66	.1
P058	31+0.544	ST MARYS	GLACIER	2	64	64	4.279	32	32	PMS	1343	261	597	7	22	10	7	23	69	67	1.3
P066	10+0.608	PHILLIPS-BLAINE CO	BLAINE	2	59	59	12.623	28	28	PMS	386	61	353	3	17	9	5	27	61	68	4.9
P001	247+0.019	7.7 W OF CUT BANK	GLACIER	2	27	76	4.950	24	24	PMS	1208	181	574	8	28	7	3	25	71	70	1.4

FINANCIAL DISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P001	213+0.173	3.9 E EAST GLAC	GLACIER	2	77	77	5.712	48	48	PMS	1297	181	258	8	30	10	6	19	73	71	1.5
P001	280+0.100	SHELBY	TOOLE	2	54	59	11.649	32	32	PMS	943	122	569	0	15	10	19	27	71	71	3.4
P001	332+0.615	HILL CO	HILL	2	71	71	9.281	40	40	PMS	1080	140	244	9	27	10	4	21	71	71	2.7
P001	421+0.341	3.4 W HARLEM	BLAINE	2	39	62	2.572	26	31	RMS	1615	209	612	6	16	10	17	25	74	71	.7
P001	348+0.215	HINGHAM	HILL	2	60	60	6.381	32	32	PMS	1006	130	621	8	21	10	6	27	72	72	1.8
P001	256+0.020	CUT BANK	GLACIER	2	67	67	6.809	40	40	PMS	1410	211	580	5	20	10	14	25	74	72	1.8
P003	103+0.350	7.1 S FAP RTE 1	GLACIER	2	60	60	7.233	32	32	RMS	664	160	485	4	17	10	14	25	70	72	2.2
P010	104+0.366	6.9 S FAP 1	HILL	2	67	67	5.125	40	40	PMS	2022	262	526	7	19	10	17	23	76	72	1.2
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	2	50	63	1.203	24	30	RMS	1180	188	530	4	16	10	20	25	75	74	.3
P001	263+0.107	0.3 E TOOLE CO	TOOLE	2	65	65	7.491	32	32	PMS	1171	175	720	7	21	10	12	26	76	75	1.8
P010	89+0.606	0.2 N HILL CO	HILL	2	70	70	1.319	32	32	PMS	1076	139	585	7	23	10	9	26	75	75	.3
P001	291+0.748	6.8 E FAS 417	TOOLE	2	56	59	8.023	32	32	PMS	798	103	599	0	17	10	20	27	74	75	2.1
P058	44+0.488	4.7 N BA88	GLACIER	2	56	56	5.856	22	22	RMS	457	89	420	3	13	10	17	27	70	75	1.8
P003	95+0.089	5.9 N GLACIER CO	GLACIER	2	66	66	5.926	34	34	PMS	726	174	504	8	25	10	6	25	74	76	1.5
P066	23+0.241	12.6 N PHILLIPS CO	BLAINE	2	59	59	14.057	28	28	PMS	488	78	353	4	18	10	13	27	72	76	3.9
P001	307+0.040	LIBERTY CO	LIBERTY	2	57	62	.983	32	32	PMS	762	99	629	4	16	10	20	28	78	79	.2
P001	262+0.815	TOOLE CO	TOOLE	2	67	67	.272	40	40	PMS	1074	161	680	5	20	10	20	26	81	81	.1
P066	37+0.321	12.7 S JCT FAP 1	BLAINE	2	59	59	12.714	28	28	PMS	522	83	377	4	17	10	20	27	78	81	2.8
P001	341+0.907	0.3 E FAS RTE 432	HILL	2	60	60	5.813	32	32	PMS	1123	145	666	7	21	10	20	27	85	84	.9
P001	428+0.518	JCT FAP 66	BLAINE	2	68	68	.553	40	40	PMS	1248	162	244	9	26	10	20	20	85	84	.1
P003	89+0.220	GLACIER CO	GLACIER	2	68	68	5.858	34	34	PMS	769	185	529	9	26	10	13	25	83	84	1.0
P058	43+0.622	3.8 N BA88	GLACIER	2	61	61	.866	28	28	RMS	538	104	485	6	19	10	20	27	82	84	.2
P010	89+0.417	HILL CO	HILL	2	30	70	.189	30	30	RMS	1070	139	567	7	22	10	20	26	85	85	
P001	414+0.015	1.0 E ZURICH	BLAINE	2	56	73	7.314	32	32	PMS	1671	217	666	8	27	10	20	25	90	88	.7
P001	322+0.620	CHESTER	LIBERTY	2	77	77	3.787	40	40	PMS	1054	137	281	10	30	10	19	23	92	92	.3
P001	326+0.338	3.8 E CHESTER	LIBERTY	2	76	76	6.154	40	40	PMS	1057	137	281	10	30	10	20	23	93	93	.4
P001	321+0.077	0.6 W CHESTER	LIBERTY	2	77	77	.701	40	40	PMS	810	105	244	10	30	10	20	24	94	94	
		DISTRICT TOTAL					374.551													37	137.3

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1979

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 3
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS 87	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P032	48+0.193	2.6 S SCOBEY	DANIELS	3	33	45	2.587	20	24	RMS	2252	315	203	0	13	8	1	7	29	24	1.8
P061	155+0.525	JCT FAS RTE 363	PHILLIPS	3	38	42	1.398	24	26	RMS	2095	351	259	0	13	8	7	10	38	33	.9
P025	46+0.499	ROOSEVELT CO	ROOSEVELT	3	37	37	.503	20	25	RMS	1011	131	147	0	12	10	1	17	40	40	.3
P042	73+0.246	JCT FAP R7E 31	VALLEY	3	34	58	2.174	22	26	RMS	1194	191	367	0	12	9	2	22	45	44	1.2
P022	43+0.383	JCT FAP 30	SHERIDAN	3	33	40	9.226	20	24	RMS	1206	180	378	0	14	9	2	23	48	47	4.8
P022	42+0.348	PLENTYWOOD	SHERIDAN	3	33	40	1.033	20	24	RMS	1670	250	564	0	13	10	5	23	51	47	.5
P042	59+0.181	2.9 N VALLEY CO	VALLEY	3	34	34	11.347	22	26	RMS	661	105	324	0	13	7	1	25	46	49	6.1
P001	629+0.422	3.2 E BROCKTON	ROOSEVELT	3	46	50	5.368	24	32	RMS	1063	138	302	0	16	9	2	23	50	50	2.7
P042	70+0.534	2.7 S FAP RTE 31	VALLEY	3	34	34	2.721	22	26	RMS	952	152	795	0	10	9	5	27	51	51	1.3
P022	7+0.586	7.1 E SCOBEY	DANIELS	3	35	36	10.261	20	24	BST	409	61	210	0	12	8	1	26	47	53	5.4
P001	626+0.151	BROCKTON	ROOSEVELT	3	43	57	3.243	24	30	RMS	1063	138	414	0	16	10	3	25	54	54	1.5
P022	29+0.335	ARCHER	SHERIDAN	3	37	62	11.850	20	24	RMS	830	124	486	0	14	9	4	26	53	54	5.6
P022	17+0.900	SHERIDAN CO	SHERIDAN	3	36	36	3.028	22	25	BST	320	48	280	0	11	8	1	27	47	55	1.6
P032	6+0.294	2.5 N FAP R7E 1	ROOSEVELT	3	33	79	7.819	24	24	RMS	404	56	258	0	13	7	1	27	48	55	4.1
P061	142+0.098	14.7 S MALTA	PHILLIPS	3	42	42	5.277	20	24	RMS	491	82	220	0	15	9	2	24	50	55	2.6
P001	591+0.423	WOLF POINT	ROOSEVELT	3	58	58	5.798	32	32	PMS	2186	262	648	6	17	10	4	24	61	56	2.3
P001	543+0.809	JCT FAP 31	VALLEY	3	62	62	2.430	36	36	PMS	1825	246	616	5	17	10	4	24	60	56	1.0
P030	0+0.000	JCT FAP R7E 22	SHERIDAN	3	38	40	10.149	20	24	RMS	442	61	220	0	14	7	3	26	50	56	5.1
P030	20+0.630	JCT FAS RTE 516	SHERIDAN	3	40	40	2.757	20	24	RMS	369	51	239	0	12	8	2	27	49	56	1.4
P032	39+0.888	4.7 N DANIELS CO	DANIELS	3	33	45	4.598	20	24	RMS	314	43	203	0	15	5	1	27	48	56	2.4
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	3	57	61	9.308	32	32	PMS	1705	230	616	3	17	10	8	24	62	58	3.5
P017	3+0.200	3.5 N FAP R7E 42	VALLEY	3	38	63	5.422	20	24	RMS	402	60	390	0	13	7	3	28	51	58	2.7
P030	10+0.100	10.1 N JCT RTE 22	SHERIDAN	3	40	40	10.490	20	24	RMS	348	48	220	0	13	8	2	27	50	58	5.2
P032	28+0.176	7.0 S DANIELS CO	ROOSEVELT	3	33	45	7.041	20	24	RMS	242	33	203	0	12	7	1	28	48	58	3.7
P061	118+0.176	15.8 N FAP RTE 66	PHILLIPS	3	49	49	6.251	22	22	BST	263	44	245	0	13	7	2	27	49	59	3.2
P032	35+0.228	DANIELS CO	DANIELS	3	33	45	4.667	20	24	RMS	261	36	185	0	13	8	2	27	50	60	2.3
P061	136+0.797	18.9 S FAS 363	PHILLIPS	3	42	42	5.282	20	24	RMS	343	57	421	0	12	8	4	28	52	60	2.5
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	3	52	52	4.409	24	30	RMS	1063	138	442	0	15	10	11	25	61	61	1.7
P001	542+0.429	GLASGOW	VALLEY	3	62	62	1.386	68	68	PMS	3435	463	3440	6	18	10	7	28	69	61	.4
P001	526+0.523	14.1 W GLASGOW	VALLEY	3	50	55	11.109	24	27	PMS	1073	144	346	5	20	10	2	24	61	61	4.3
P001	521+0.454	20.0 E VALLEY CO	VALLEY	3	50	55	5.116	24	27	PMS	1049	141	507	3	18	10	4	26	61	61	2.0
P032	14+0.125	10.0 N JCT FAP 1	ROOSEVELT	3	33	79	9.277	24	24	RMS	279	39	237	0	16	7	1	28	52	61	4.5
P032	23+0.431	11.8 S DANIELS CO	ROOSEVELT	3	33	79	4.760	24	24	RMS	253	35	258	0	14	8	1	28	51	61	2.3
P061	124+0.473	22.0 N FAP R7E 66	PHILLIPS	3	47	47	5.924	25	25	BST	263	44	312	0	12	8	3	28	51	61	2.9
P001	644+1.008	CULBERTSON	ROOSEVELT	3	56	61	3.010	32	32	PMS	1213	163	680	6	16	10	5	26	63	62	1.1
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	3	58	58	4.565	32	32	PMS	1664	199	648	6	17	10	7	25	65	62	1.6
P001	454+0.446	OOOSON	PHILLIPS	3	49	78	3.241	26	26	RMS	1182	153	526	3	17	8	9	26	63	62	1.2
P017	0+0.000	JCT FAP RTE 42	VALLEY	3	69	69	3.500	24	24	BST	526	79	365	3	17	6	4	27	57	62	1.5
P032	44+0.481	9.3 N DANIELS CO	DANIELS	3	33	45	3.712	20	24	RMS	700	98	372	0	13	8	12	26	59	62	1.5
P022	20+0.923	3.0 E SHERIDAN CO	SHERIDAN	3	36	36	8.441	22	25	BST	351	52	464	0	12	9	5	28	54	62	3.9
P062	1+0.524	CULBERTSON	ROOSEVELT	3	61	61	.496	36	36	PMS	882	132	560	7	18	10	1	26	62	63	.2
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	3	60	60	9.761	32	32	PMS	1779	213	680	5	17	10	11	25	68	64	3.1
P017	8+0.774	3.1 S NASHUA	VALLEY	3	38	63	1.783	20	24	RMS	368	55	265	4	17	8	1	27	57	64	.8
P031	0+0.000	JCT FAP 42	VALLEY	3	62	62	1.443	28	28	PMS	532	80	448	4	17	9	3	27	60	64	.6
P061	147+0.379	9.5 S MALTA	PHILLIPS	3	38	42	8.114	24	26	RMS	560	94	355	0	12	8	14	26	60	64	3.2
P062	2+0.037	0.5 S CULBERTSON	ROOSEVELT	3	78	78	1.845	40	40	PMS	820	123	135	9	28	10	1	16	64	65	.7
P061	88+0.068	PHILLIPS CO	PHILLIPS	3	60	60	5.580	28	28	PMS	380	63	584	0	9	10	11	28	58	65	2.3
P001	508+0.040	6.6 E VALLEY CO	VALLEY	3	66	66	7.595	40	40	PMS	1095	147	680	5	19	10	6	27	67	66	2.5
P001	501+0.410	VALLEY CO	VALLEY	3	55	55	6.588	24	28	RMS	1119	151	536	0	12	9	20	26	67	66	2.2
P001	499+1.054	SACO	PHILLIPS	3	55	55	1.515	24	28	RMS	1263	170	629	0	11	10	20	26	67	66	.5
P001	656+0.309	10.8 W N O LINE	ROOSEVELT	3	55	62	5.246	32	32	PMS	956	129	580	7	17	10	5	27	66	66	1.8
P034	0+0.000	JCT FAP 22	SHERIDAN	3	51	60	7.029	24	24	PMS	531	74	336	7	17	9	2	27	62	66	2.7
P001	546+0.252	2.4 E FAP 31	VALLEY	3	53	53	8.404	24	30	RMS	1498	202	631	0	14	10	20	25	69	67	2.6
P001	642+0.523	1.7 W CULBERTSON	ROOSEVELT	3	56	61	1.712	32	32	PMS	1090	141	428	0	13	10	20	25	68	67	.5
P066	0+0.000	JCT FAP R7E 61	PHILLIPS	3	61	61	10.621	28	28	PMS	223	35	608	0	10	10	7	29	56	67	4.7

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY FNO	SUFFICIENCY SRF	SUFFICIENCY ORN	SUFFICIENCY SAF	SUFFICIENCY CAP	SUFFICIENCY TOT	SUFFICIENCY AOJ	DEFIC MILES
P001	639+0.172	5.0 W CULBERTSON	ROOSEVELT	3	52	52	3.338	24	30	RMS	1024	133	414	0	13	10	20	25	68	68	1.1
P001	472+0.410	MALTA	PHILLIPS	3	67	67	8.975	40	40	PMS	1787	232	288	7	21	10	15	18	71	68	2.6
P034	7+0.070	RAYMOND	SHERIDAN	3	51	60	8.604	24	24	PMS	336	47	336	7	17	8	1	28	61	68	3.4
P001	556+0.131	NASHUA	VALLEY	3	56	70	8.685	32	32	PMS	1146	154	696	6	21	10	6	27	70	69	2.6
P022	81+0.351	5.5 S FROID	ROOSEVELT	3	59	59	7.156	32	32	PMS	822	123	406	0	13	10	20	25	68	69	2.3
P017	10+0.569	1.4 S NASHUA	VALLEY	3	57	57	1.424	24	28	RMS	405	61	415	6	17	10	2	28	63	69	.5
P001	661+0.539	5.6 W N D LINE	ROOSEVELT	3	55	62	5.605	32	32	PMS	904	122	396	6	16	10	12	25	69	70	1.7
P001	515+0.618	14.2 E VALLEY CO	VALLEY	3	50	55	5.795	24	27	PMS	1049	141	567	4	17	10	14	26	71	71	1.7
P031	16+0.960	JCT AIRBASE ROAD	VALLEY	3	64	64	8.673	30	30	PMS	328	49	414	4	16	10	6	28	64	71	3.1
P001	466+0.722	12.1 E DODSON	PHILLIPS	3	53	53	4.948	24	30	RMS	1363	177	554	2	17	10	20	25	74	72	1.3
P061	93+0.534	5.6 N PHILLIPS CO	PHILLIPS	3	60	60	8.793	28	28	PMS	379	63	732	0	7	10	20	29	66	72	3.0
P061	110+0.333	8.1 N FAP RTE 66	PHILLIPS	3	57	59	7.800	24	29	PMS	263	44	353	0	13	10	12	28	63	72	2.9
P001	648+0.067	3.0 E CULBERTSON	ROOSEVELT	3	61	61	8.291	32	32	PMS	1000	135	680	3	13	10	20	27	73	73	2.2
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	3	63	63	11.140	32	32	PMS	924	138	662	6	18	10	12	27	73	73	3.0
P022	63+0.803	MEDICINE LAKE	SHERIDAN	3	63	63	.265	32	32	PMS	882	132	963	7	23	10	5	28	73	74	.1
P032	60+0.935	9.2 N SCOBEY	DANIELS	3	45	68	4.884	24	24	RMS	143	20	333	4	16	10	2	29	61	74	1.9
P061	102+0.308	JCT FAP RTE 66	PHILLIPS	3	57	59	8.062	24	29	PMS	293	49	531	0	14	10	13	29	66	74	2.7
P001	554+0.658	0.5 W NASHUA	VALLEY	3	56	70	.526	32	32	PMS	1378	186	544	7	24	10	11	25	77	75	.1
P031	32+0.480	15.5 N AIRBASE RD	VALLEY	3	54	54	6.850	24	24	PMS	266	40	301	4	17	10	7	28	66	75	2.3
P001	457+0.675	3.1 E DODSON	PHILLIPS	3	63	78	9.025	30	30	PMS	1190	154	604	8	28	10	6	26	78	77	2.0
P001	489+0.049	9.9 W SACO	PHILLIPS	3	67	67	9.965	40	40	PMS	1221	164	616	5	17	10	20	26	78	77	2.2
P025	46+1.002	JCT FAP 32	ROOSEVELT	3	78	78	5.381	40	40	PMS	1134	147	720	8	30	10	3	27	78	77	1.2
P061	130+0.356	25.0 S FAS RTE 363	PHILLIPS	3	42	42	6.399	20	24	RMS	263	44	400	0	13	8	20	28	69	77	2.0
P001	481+0.373	9.0 E MALTA	PHILLIPS	3	67	67	7.671	40	40	PMS	1242	161	304	7	21	10	19	22	79	78	1.6
P001	564+0.858	8.8 E NASHUA	VALLEY	3	61	61	6.923	32	32	PMS	1146	154	720	7	26	10	9	27	79	78	1.5
P022	0+0.523	SCOBEY	DANIELS	3	65	65	7.070	32	32	PMS	616	92	722	6	18	10	13	28	75	78	1.8
P032	51+0.736	SCOBEY	DANIELS	3	58	68	9.191	24	26	PMS	297	41	456	8	22	10	2	29	71	78	2.7
P031	2+0.075	0.6 N FAP 1	VALLEY	3	65	65	14.871	32	32	PMS	874	131	616	5	18	10	17	27	77	78	3.4
P031	39+0.360	11.0 S OPHEIM	VALLEY	3	52	71	11.080	24	24	RMS	287	43	332	8	24	10	1	28	71	78	3.2
P001	446+0.310	PHILLIPS CO	PHILLIPS	3	73	73	7.398	40	40	PMS	948	123	599	5	19	10	20	27	81	81	1.4
P042	58+0.581	JCT FAP RTE 17	VALLEY	3	36	66	.600	30	36	RMS	531	84	748	8	26	10	6	28	78	81	.1
P022	73+0.852	2.0 S ROOSEVELT CO	ROOSEVELT	3	71	71	1.992	32	32	PMS	922	138	619	8	24	10	13	27	82	82	.4
P001	611+0.926	POPLAR	ROOSEVELT	3	70	79	13.687	40	40	PMS	1566	203	320	10	30	10	15	20	85	83	2.1
P031	25+0.657	8.6 N AIRBASE ROAD	VALLEY	3	55	55	6.846	24	24	PMS	281	42	353	4	16	9	20	28	77	83	1.6
P001	555+0.899	NASHUA	VALLEY	3	56	70	.095	32	32	PMS	1372	185	528	8	23	10	20	25	86	85	
P001	571+0.774	FRAZER	VALLEY	3	58	76	9.318	24	32	PMS	1339	180	720	6	24	10	20	26	86	85	1.3
P031	1+0.443	JCT FAP 1	VALLEY	3	62	62	.642	32	32	PMS	785	118	672	7	21	10	20	27	85	86	.1
P031	50+0.833	OPHEIM	VALLEY	3	57	66	10.022	28	28	PMS	74	11	448	7	19	8	6	30	70	86	3.0
P042	56+0.288	VALLEY CO	VALLEY	3	36	66	2.293	30	36	RMS	188	30	774	8	26	10	5	29	78	86	.5
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	3	79	79	3.704	32	32	PMS	323	45	565	10	30	10	3	29	82	87	.7
P022	75+0.881	FROID	ROOSEVELT	3	71	71	5.469	32	32	PMS	799	119	592	9	24	10	20	27	90	90	.5
P022	71+0.833	ROOSEVELT CO	ROOSEVELT	3	76	76	2.019	32	32	PMS	825	123	722	8	28	10	20	27	93	93	.1
P022	64+0.346	MEDICINE LAKE	SHERIDAN	3	76	76	7.509	32	32	PMS	844	126	653	9	28	10	19	27	93	93	.5
P032	3+0.720	JCT FAP RTE 1	ROOSEVELT	3	79	79	2.548	32	32	PMS	466	65	565	10	30	10	20	28	98	98	.1
P001	537+0.618	3.3 W GLASGOW	VALLEY	3			3.326	UNDER CONSTRUCTION													
P001	541+0.059	GLASGOW	VALLEY	3			.345	UNDER CONSTRUCTION													
		DISTRICT TOTAL					583.413													35	205.0



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1979

SUFFICIENCY RATING BY FINANCIAL DISTRICT 4 RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 4

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST 8T 1M	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TCT	AOJ	DEFIC MILES
P026	0+0.771	0.8 E JCT FAP 20	RICHLAND	4 33 36	6.762	20	24	BST	1927	250	364	0	7	5	2	20	34	30	4.5
P020	52+0.569	SIONEY	RICHLAND	4 35 35	6.066	20	24	RMS	3136	407	486	0	12	5	7	17	41	33	3.6
P020	58+0.614	6.1 N SIONEY	RICHLAND	4 35 35	3.906	20	24	RMS	2207	286	324	0	12	5	4	17	38	33	2.4
P062	33+0.331	3.6 N SIONEY	RICHLAND	4 37 49	3.662	24	26	RMS	2150	322	277	0	14	9	4	13	40	35	2.2
P026	0+0.000	JCT FAP RTE 20	RICHLAND	4 36 36	.771	22	25	BST	2229	289	392	0	13	10	1	19	43	37	.4
P020	32+0.967	1.0 N SAVAGE	RICHLAND	4 34 57	9.053	20	24	RMS	1834	238	377	0	12	8	3	21	44	40	5.1
P025	44+0.761	1.8 S ROOSEVELT	MCCONE	4 37 37	1.744	20	25	RMS	709	92	126	0	13	6	1	19	39	41	1.1
P025	7+0.760	7.6 N CIRCLE	MCCONE	4 36 56	13.141	20	25	RMS	623	80	315	0	8	6	2	26	42	45	7.6
P025	0+0.054	CIRCLE	MCCONE	4 36 56	7.601	20	24	RMS	732	95	315	0	9	8	1	25	43	45	4.3
P025	35+0.506	11.0S ROOSEVELT CO	MCCONE	4 37 37	9.233	20	25	RMS	678	88	185	0	12	6	3	23	44	47	5.2
P062	20+0.286	4.6 N FAS 201	RICHLAND	4 40 49	4.651	24	26	RMS	813	121	255	0	11	8	4	23	46	48	2.5
P062	12+0.175	8.3 S RICHLAND CO	RICHLAND	4 40 49	8.089	24	26	RMS	729	109	255	0	12	8	2	24	46	48	4.4
P025	28+0.107	4.2 N FAS 254	MCCONE	4 40 40	7.404	20	24	RMS	550	71	357	0	10	7	2	27	46	50	4.0
P062	24+0.961	JCT FAS 201	RICHLAND	4 40 49	4.749	24	26	RMS	960	144	277	0	16	8	4	22	50	50	2.4
P025	20+0.909	20.7 N CIRCLE	MCCONE	4 35 40	7.203	20	24	RMS	522	67	238	0	11	7	2	26	46	51	3.9
P062	29+0.721	4.7 S JCT FAS 201	RICHLAND	4 38 49	3.628	24	26	RMS	922	138	387	0	14	8	3	25	50	51	1.8
P057	262+0.331	13.9 E FAP 42	MCCONE	4 47 47	5.189	24	24	BST	406	62	438	0	8	8	3	28	47	53	2.8
P057	256+0.590	8.0 E FAP 42	MCCONE	4 40 54	5.802	24	24	RMS	352	53	418	0	10	9	2	28	49	57	3.0
P057	248+0.630	JCT FAP 42	MCCONE	4 40 54	8.008	24	24	RMS	285	43	393	0	10	9	1	28	48	57	4.2
P020	23+0.110	RICHLAND CO	RICHLAND	4 54 54	5.787	28	28	RMS	1505	195	301	0	14	10	17	20	61	58	2.3
P020	13+0.048	11.3 N GLENDIVE	DAWSON	4 69 69	5.607	40	40	PMS	1434	186	184	6	22	10	9	15	62	60	2.1
P020	50+0.012	JCT FAP RTES 26 51	RICHLAND	4 73 73	1.750	83	83	PMS	7309	950	1700	7	24	10	9	22	72	60	.5
P020	42+0.055	7.9 S FA RTE 51	RICHLAND	4 73 73	7.955	40	40	PMS	2350	305	281	9	27	10	6	14	66	61	2.7
P020	1+0.761	GLENDIVE	DAWSON	4 64 64	4.376	40	40	PMS	2281	296	222	7	21	10	18	10	66	61	1.5
P020	18+0.596	4.2 S RICHLAND CO	DAWSON	4 54 54	4.170	28	28	RMS	1411	183	434	0	17	10	14	24	65	63	1.5
P020	31+0.497	SAVAGE	RICHLAND	4 74 74	1.484	40	40	PMS	1725	224	266	10	28	10	2	17	67	64	.5
P057	267+0.491	JCT FAS RTE 253	MCCONE	4 41 56	10.951	24	25	RMS	524	80	459	0	8	10	14	27	59	64	4.5
P020	63+0.922	FAIRVIEW	RICHLAND	4 56 56	.349	24	32	RMS	1701	221	963	7	23	10	1	27	68	65	.1
P057	330+0.554	0.3 W GLENDIVE	DAWSON	4 48 50	.222	24	34	PMS	2496	299	361	6	19	8	20	18	71	66	.1
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4 57 64	6.173	24	32	BST	106	16	724	0	8	10	5	30	53	69	2.9
P042	1+0.983	MCCONE CO	MCCONE	4 60 64	6.310	24	40	BST	114	18	411	0	11	10	4	29	54	70	2.9
P057	306+0.463	2 MI E LINOSAY	DAWSON	4 67 67	10.240	40	40	PMS	887	115	296	7	23	10	6	24	70	71	3.1
P027	73+0.386	5.7 S WIBAUX	WIBAUX	4 65 65	5.731	28	28	PMS	846	109	480	8	21	10	5	27	71	72	1.7
P027	54+0.746	WIBAUX CO	WIBAUX	4 65 65	11.265	28	28	PMS	418	54	486	7	19	10	3	28	67	73	3.7
P051	9+0.094	0.8 E DAWSON CO	DAWSON	4 59 59	9.669	28	28	PMS	249	34	371	0	13	10	12	29	64	73	3.5
P062	3+0.941	RICHLAND CO	RICHLAND	4 78 78	4.895	40	40	PMS	763	114	190	8	28	10	5	21	72	74	1.4
P027	66+0.022	10.3 N FAS 413	WIBAUX	4 65 65	5.304	28	28	PMS	511	66	504	8	22	10	3	28	71	75	1.5
P027	71+0.318	7.9 S WIBAUX	WIBAUX	4 65 65	2.083	28	28	PMS	514	66	312	8	24	10	2	27	71	75	.6
P051	18+0.776	10.5 E DAWSON CO	DAWSON	4 59 59	8.456	28	28	PMS	253	35	342	0	15	10	14	28	67	76	2.8
P057	316+0.709	12.0 E FAS 470	DAWSON	4 61 61	8.025	32	32	PMS	946	122	666	4	19	10	16	27	76	76	1.9
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4 56 64	5.463	24	34	BST	102	16	482	0	15	10	6	30	61	77	2.1
P051	3+0.340	3.3 E FAP RTE 57	MCCONE	4 60 61	5.001	30	30	PMS	289	40	414	4	17	10	11	29	71	78	1.5
P020	6+0.133	4.4 N GLENDIVE	DAWSON	4 67 67	6.856	40	40	PMS	1530	198	643	7	22	10	17	25	81	79	1.3
P020	28+0.894	5.8 N RICHLAND CO	RICHLAND	4 75 75	2.598	40	40	PMS	1656	215	296	9	27	10	17	19	82	80	.5
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4 63 64	11.418	24	42	BST	104	16	482	0	12	10	13	30	65	80	4.0
P057	287+0.710	7.0 E FAP 51	MCCONE	4 64 64	2.137	32	32	PMS	706	91	403	6	21	10	14	27	78	80	.5
P057	289+0.828	DAWSON CO	DAWSON	4 64 64	7.066	32	32	PMS	714	92	448	6	21	10	16	27	80	81	1.4
P057	330+0.191	GLENDIVE SPUR	DAWSON	4 60 60	.363	72	88	PMS	3236	388	1920	7	22	10	20	27	86	82	.1
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4 36 66	4.061	28	28	RMS	141	22	501	6	22	10	5	29	72	83	1.1
P057	280+0.776	JCT FAP RTE 51	MCCONE	4 66 66	6.934	32	32	PMS	719	93	621	6	22	10	17	28	83	84	1.2
P057	279+0.774	CIRCLE	MCCONE	4 66 66	1.035	32	32	PMS	1306	199	640	7	23	10	20	25	85	84	.2
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4 57 64	8.785	24	32	BST	102	16	482	0	12	10	20	30	72	85	2.5
P051	0+0.000	JCT FAP RTE 57	MCCONE	4 60 61	3.326	30	30	PMS	357	49	600	6	19	10	17	29	81	85	.6
P062	8+0.836	5.0 S RICHLAND CO	RICHLAND	4 70 70	3.328	34	34	PMS	749	112	360	7	22	10	20	25	84	85	.5
P057	330+0.776	0.5 W GLENDIVE	DAWSON	4 69 69	.405	24	24	PMS	1704	204	678	8	24	10	20	25	87	85	.1

FINANCIAL DISTRICT NUMBER 4

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P051	49+0.250	LAMBERT	RICHLAND	4	56	77	10.645	24	28	PMS	423	59	436	8	28	10	10	28	84	87	1.7
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4	62	71	12.052	30	30	PMS	102	16	434	3	19	10	13	29	74	87	3.1
P051	27+0.527	RICHEY	DAWSON	4	58	77	5.039	24	32	PMS	214	29	592	8	30	10	6	29	83	89	.9
P057	296+0.860	7.1 E DAWSON CO	DAWSON	4	76	76	9.622	32	32	PMS	769	99	666	7	27	10	17	28	89	89	1.1
P040	0+0.000	JCT FAI 94	PRAIRIE	4	72	72	.116	40	40	PMS	1065	138	326	9	27	10	20	24	90	90	
P051	59+0.918	10.6 E LAMBERT	RICHLAND	4	55	77	11.192	24	28	PMS	636	89	395	8	30	10	15	27	90	91	1.1
P051	8+0.342	DAWSON CO	DAWSON	4	60	61	.775	30	30	PMS	248	34	702	7	22	10	20	29	88	92	.1
P051	38+0.441	5.8 E RICHLAND CO	RICHLAND	4	57	77	10.781	24	28	PMS	225	31	524	8	30	10	14	29	91	94	1.0
P051	32+0.582	RICHLAND CO	RICHLAND	4	58	77	5.840	24	32	PMS	207	28	425	7	28	10	20	29	94	96	.4
		DISTRICT TOTAL					372.302													36	133.3

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1979

SUFFICIENCY RATING BY FINANCIAL DISTRICT 5

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P057	88+0.245	5.1 E LEWISTOWN	FERGUS	5	37	56	6.022	24	30	RMS	1752	227	261	2	13	8	1	17	41	37	3.6
P057	212+0.180	JCT FAP RTE 18	GARFIELD	5	37	47	.268	22	24	RMS	1458	223	235	0	13	8	5	16	42	39	.2
P057	94+0.341	11.1 E LEWISTOWN	FERGUS	5	37	57	8.960	24	30	RMS	1459	189	333	0	13	9	1	21	44	41	5.0
P063	36+0.345	FERGUS CO	FERGUS	5	46	60	3.235	24	24	RMS	1295	168	278	0	13	9	2	21	45	43	1.8
P057	103+0.269	9.6 W FAP 61	FERGUS	5	40	55	9.667	24	32	RMS	1050	160	526	0	12	9	4	25	50	50	4.8
P063	19+0.218	FERGUS CO	FERGUS	5	47	73	3.002	24	24	PMS	1179	153	384	0	13	10	4	24	51	50	1.5
P057	73+0.550	8.5 E FAP 63	FERGUS	5	47	54	3.350	24	31	PMS	1929	229	308	5	18	9	4	19	55	50	1.5
P057	218+0.065	JCT FAS RTE 341	GARFIELD	5	36	49	8.693	24	25	BST	419	64	418	0	8	8	1	28	45	51	4.8
P057	206+0.821	5.3 W FA RTE 18	GARFIELD	5	36	57	5.344	22	26	RMS	358	54	396	0	8	7	1	28	44	51	3.0
P075	0+0.000	JCT FAP RTE 57	FERGUS	5	49	61	1.680	24	28	RMS	1305	155	249	3	18	8	3	21	53	51	.8
P018	48+0.498	10.4 N GARFIELD CO	GARFIELD	5	31	35	4.902	20	24	BST	253	32	470	0	7	5	1	29	42	52	2.8
P057	171+0.261	8.1 W SAND SPRINGS	GARFIELD	5	48	52	8.146	22	24	RMS	305	46	449	0	8	7	1	28	44	52	4.6
P057	123+0.199	PETROLEUM CO	PETROLEUM	5	31	58	7.767	20	24	RMS	383	58	561	0	9	4	4	28	45	52	4.3
P018	38+0.093	GARFIELD CO	GARFIELD	5	31	35	10.392	20	24	BST	228	29	448	0	7	7	1	29	44	54	5.8
P057	213+0.087	JORDAN	GARFIELD	5	37	52	4.996	24	26	RMS	471	72	438	0	11	8	2	28	49	54	2.5
P057	83+0.165	LEWISTOWN	FERGUS	5	42	42	5.079	24	30	PMS	1752	227	377	4	16	10	7	21	58	54	2.1
P057	192+0.200	3.6 E EDWARDS	GARFIELD	5	36	53	6.889	24	24	RMS	333	50	441	0	8	9	1	28	46	54	3.7
P061	38+0.689	6.5 S FAP RTE 57	FERGUS	5	41	67	4.893	24	30	RMS	970	126	333	2	17	9	2	24	54	54	2.3
P063	26+0.629	1.2 N FERGUS CO	FERGUS	5	41	70	6.838	24	24	RMS	1301	169	278	6	17	10	2	21	56	54	3.0
P057	199+0.094	10.5 E EDWARDS	GARFIELD	5	36	53	7.662	24	24	RMS	346	52	441	0	9	9	1	28	47	55	4.1
P081	32+0.645	9.8 NW JCT FAP 43	FERGUS	5	51	51	9.827	24	24	BST	400	62	218	0	13	8	1	26	48	55	5.1
P057	226+0.736	8.7 E FAS 341	GARFIELD	5	37	54	12.201	24	24	RMS	389	59	393	0	10	8	2	28	48	55	6.3
P057	148+0.699	9.6 W GARFIELD CO	PETROLEUM	5	51	51	7.983	24	24	BST	399	61	299	0	12	8	1	27	48	55	4.2
P057	76+0.912	2.3 W FAP 75	FERGUS	5	47	54	2.366	24	31	PMS	2169	258	456	7	20	9	4	22	62	57	.9
P057	242+0.464	3.5 E FAS 462	GARFIELD	5	38	54	6.092	24	24	RMS	294	44	217	0	11	9	1	27	48	57	3.2
P057	238+0.926	JCT FAS 462	GARFIELD	5	38	54	2.536	24	24	RMS	339	51	278	0	12	9	1	27	49	57	1.3
P057	79+0.285	JCT FAP RTE 75	FERGUS	5	47	54	1.761	24	31	RMS	1834	212	592	7	17	9	3	25	61	57	.7
P063	22+0.899	FERGUS CO	FERGUS	5	47	62	1.926	24	24	RMS	1240	161	429	0	13	10	13	24	60	59	.8
P061	33+0.803	7.2 N FERGUS CO	FERGUS	5	52	52	4.896	24	28	RMS	952	123	333	2	14	10	9	24	59	59	2.0
P043	9+0.492	JCT FAP RTE 81	FERGUS	5	50	79	5.335	25	28	PMS	910	118	401	2	17	10	5	26	60	61	2.1
P043	1+0.366	0.7 N LEWISTOWN	FERGUS	5	77	77	1.652	44	44	PMS	2044	265	333	9	28	10	1	18	66	61	.6
P057	121+0.739	8.7 E FAP 61	FERGUS	5	31	58	1.467	20	24	RMS	425	65	392	0	7	5	15	28	55	61	.7
P081	29+0.558	12.9 NW JCT FAP 43	FERGUS	5	73	73	3.087	24	24	RMS	347	54	218	4	14	8	1	26	53	61	1.5
P061	45+0.150	JCT FAP RTE 57	FERGUS	5	62	62	9.658	30	30	PMS	452	75	485	0	15	10	3	28	56	62	4.2
P063	25+0.433	FERGUS CO	FERGUS	5	47	57	1.200	24	24	RMS	1301	169	237	2	14	9	20	19	64	62	.4
P061	54+0.837	9.7 N FAP RTE 57	FERGUS	5	61	61	11.832	30	30	PMS	385	64	510	0	12	10	6	28	56	63	5.2
P061	43+0.570	1.6 S FAP RTE 57	FERGUS	5	62	62	1.564	32	32	PMS	1002	168	500	5	19	10	5	25	64	64	.6
P061	26+0.604	FERGUS CO	FERGUS	5	63	63	1.120	30	30	PMS	805	104	333	7	19	10	1	25	62	64	.4
P080	46+0.112	CHOUTEAU-FERGUS CO	FERGUS	5	62	62	3.745	24	24	PMS	155	23	276	2	14	5	3	29	53	66	1.8
P057	66+0.986	2.0 E FAP 63	FERGUS	5	47	54	6.538	24	31	PMS	1911	227	456	6	18	9	15	23	71	67	1.9
P057	137+0.626	1.1 E WINNETT	PETROLEUM	5	54	54	11.000	24	24	RMS	429	65	442	0	13	10	10	28	61	67	4.3
P061	66+0.624	JCT FAP RTE 43	FERGUS	5	62	62	3.889	30	30	PMS	470	78	333	0	14	10	13	26	63	68	1.4
P061	70+0.499	3.9 N JCT FAP 43	FERGUS	5	59	63	12.938	28	28	PMS	431	72	792	0	9	10	14	29	62	68	4.9
P061	27+0.705	1.1 N FERGUS CO	FERGUS	5	65	65	6.059	30	30	PMS	865	112	355	6	20	10	6	25	67	68	2.0
P081	26+0.723	12.8 SE DENTON	FERGUS	5	73	73	2.835	24	24	RMS	333	51	400	4	17	10	2	28	61	69	1.1
P061	83+0.411	4.6 S PHILLIPS CO	FERGUS	5	60	60	4.583	28	28	PMS	390	65	584	0	7	10	20	28	65	71	1.6
P057	64+0.958	JCT FAP RTE 63	FERGUS	5	71	71	2.016	32	32	PMS	1813	215	546	8	25	10	10	24	77	74	.5
P043	29+0.037	FERGUS	FERGUS	5	63	63	6.226	28	30	PMS	360	46	600	5	18	10	6	29	68	74	2.0
P043	3+0.018	2.4 N LEWISTOWN	FERGUS	5	50	79	6.473	25	28	PMS	1549	201	424	9	30	10	5	23	77	75	1.5
P081	13+0.840	DENTON	FERGUS	5	73	73	12.883	24	24	PMS	307	47	353	6	23	10	1	28	68	75	4.1
P080	49+0.826	JCT FAP RTE 81	FERGUS	5	53	53	1.024	24	24	RMS	200	30	494	6	17	9	5	29	66	76	.3
P018	73+0.587	14.7 N COHAGEN	GARFIELD	5	58	65	9.391	28	28	PMS	295	38	427	6	20	10	5	29	70	77	2.8
P043	35+0.280	ROY	FERGUS	5	62	62	7.565	30	30	PMS	322	41	600	3	17	10	12	29	71	78	2.2
P043	25+0.294	10.5 N FAS 236	FERGUS	5	63	63	3.737	28	30	PMS	355	46	442	5	19	10	11	28	73	79	1.0
P081	0+0.000	JCT FAP RTE 80	FERGUS	5	59	59	12.943	24	24	PMS	223	34	386	7	22	10	2	29	70	79	3.9

FINANCIAL OISTRICT NUM8ER 5

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN OIST	YEARS 8T	YEARS 1M	SECTION LENGTH	WIOTH SRF	WIOTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	OEFIC MILES
P057	112+0.981	JCT FAP RTE 61	FERGUS	5	40	55	8.722	24	32	RMS	397	60	520	8	30	9	1	28	76	81	2.1
P061	21+0.885	PETROLEUM CO	PETROLEUM	5	63	63	4.713	30	30	PMS	767	99	485	6	18	10	20	27	81	82	.9
P043	14+0.838	JCT FAS RTE 236	FERGUS	5	63	63	10.463	28	30	PMS	347	45	414	3	17	10	20	28	78	83	2.3
P042	0+0.000	JCT FAP RTE 57	GARFIELO	5	60	64	1.990	24	40	8ST	119	19	662	0	11	10	20	30	71	84	.6
P043	0+0.633	LEWISTOWN LIMITS	FERGUS	5	77	77	.748	48	48	PMS	2279	296	1495	8	27	10	15	27	87	84	.1
P057	161+0.577	3.1 E GARFIELO CO	GARFIELO	5	68	68	9.598	36	36	PMS	292	44	476	4	18	10	20	29	81	86	1.8
P057	180+0.288	SANO SPRINGS	GARFIELO	5	73	73	11.848	32	32	PMS	320	48	448	6	21	10	18	28	83	87	2.0
P057	64+0.442	FERGUS CO	FERGUS	5	71	71	.516	32	32	PMS	2137	254	546	9	28	10	20	23	90	88	.1
P057	241+0.447	2.5 E FAS 462	GARFIELO	5	68	68	1.022	36	36	RMS	324	49	405	7	19	10	20	28	84	88	.2
P018	63+0.374	4.4 N COHAGEN	GARFIELO	5	67	67	10.222	30	30	PMS	243	31	663	7	19	10	20	29	85	90	1.5
P018	53+0.390	5.4 S COHAGEN	GARFIELO	5	77	77	5.433	30	30	PMS	269	34	549	9	28	10	11	29	87	91	.7
P057	130+1.042	7.8 E PETROLEUM CO	PETROLEUM	5	79	79	4.886	30	30	PMS	309	47	529	10	30	10	16	29	95	96	.2
P057	158+0.363	GARFIELO CO	GARFIELO	5	73	73	3.214	30	30	PMS	284	43	648	8	27	10	20	29	94	96	.2
P018	58+0.960	COHAGEN	GARFIELO	5	76	76	4.360	30	30	PMS	255	33	678	9	28	10	20	29	96	97	.2
P057	156+0.720	1.6 W GARFIELO CO	PETROLEUM	5	73	73	1.632	30	30	PMS	311	47	648	9	28	10	20	29	96	97	.1
P057	136+0.158	WINNETT	PETROLEUM	5	79	79	1.502	30	30	PMS	433	66	604	10	30	10	20	28	98	98	
		OISTRICT TOTAL					399.002													38	152.2

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1979

SUFFICIENCY RATING BY FINANCIAL DISTRICT 6

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 6

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P060	87+0.349	FAS RTES 227 & 228	CASCADE	6 39 71	.996	32	32	RMS	3800	494	240	3	16	10	2	0	31	23	.7
P003	0+0.000	I 15 VAUGHN	CASCADE	6 55 71	1.402	28	32	RMS	4207	546	264	5	18	10	7	0	40	30	.8
P060	81+0.469	7.0 N FAS 331	CASCADE	6 42 52	5.894	26	31	RMS	2634	342	308	0	14	10	3	13	40	33	3.5
P057	54+0.312	MOCCASIN	JUDITH BASIN	6 33 71	2.337	22	24	RMS	2000	238	264	2	14	7	1	16	40	35	1.4
P003	20+0.191	TETON CO	TETON	6 21 32	2.966	20	22	BST	1421	184	397	0	11	4	2	23	40	38	1.8
P003	68+0.264	PONDERA CO	PONDERA	6 32 32	6.905	20	24	BST	470	113	391	0	2	4	1	26	33	38	4.6
P003	23+1.038	FAIRFIELD	TETON	6 21 32	1.492	20	22	BST	1171	152	592	0	10	3	0	26	39	38	.9
P010	52+0.380	LOMA	CHOUTEAU	6 34 55	2.762	22	24	RMS	1312	170	307	0	8	8	2	22	40	38	1.7
P010	51+0.544	0.6 S LOMA	CHOUTEAU	6 36 36	.677	24	24	RMS	1330	172	264	0	12	8	1	20	41	39	.4
P024	116+0.832	CASCADE CO	CASCADE	6 52 52	10.632	24	26	RMS	1198	179	277	0	13	7	2	20	42	41	6.2
P060	71+0.018	JCT FAP RTE 57	CASCADE	6 55 55	3.606	40	40	RMS	1873	243	315	0	13	10	4	18	45	41	2.0
P003	41+0.952	CHOTEAU	TETON	6 21 61	12.944	20	22	RMS	843	203	397	0	13	5	1	22	41	42	7.6
P044	2+0.760	2.8 E JCT FAP 3	PONDERA	6 54 54	10.425	24	24	RMS	479	68	530	0	2	7	1	28	38	43	6.5
P057	41+0.824	5.2 E FAP 80	JUDITH BASIN	6 36 56	12.442	22	24	RMS	2029	241	597	0	11	6	7	24	48	43	6.5
P024	138+0.485	SUN RIVER	CASCADE	6 36 71	1.321	25	31	RMS	2166	303	396	3	16	9	2	19	49	44	.7
P068	0+0.000	JCT I 15	CASCADE	6 33 53	.174	24	28	RMS	698	212	368	0	12	8	0	21	41	44	.1
P063	24+0.837	JUDITH BASIN CO	JUDITH BASIN	6 47 62	.581	24	24	RMS	1301	169	360	0	12	10	1	23	46	44	.3
P003	25+0.541	1.5 N FAIRFIELD	TETON	6 21 32	2.698	20	22	BST	894	116	673	0	10	3	4	27	44	45	1.5
P003	59+0.625	4.6 N BYNUM	TETON	6 32 53	8.589	20	24	RMS	404	97	246	0	8	6	1	24	39	45	5.2
P010	63+0.940	11.6 N LOMA	CHOUTEAU	6 34 55	8.465	22	24	RMS	1303	169	333	0	15	8	2	22	47	45	4.5
P044	21+0.954	7.6 E VALIER	PONDERA	6 48 48	5.911	20	20	RMS	813	115	206	0	14	6	1	22	43	45	3.4
P057	26+0.568	4.7 E GEYSER	JUDITH BASIN	6 36 64	6.611	24	25	RMS	1514	180	418	0	10	6	8	24	48	45	3.4
P010	55+0.129	2.8 N LOMA	CHOUTEAU	6 34 55	8.768	22	24	RMS	1305	169	573	0	10	8	4	26	48	46	4.6
P044	14+0.299	VALIER	PONDERA	6 48 48	7.655	20	20	RMS	916	130	585	0	7	6	5	27	45	46	4.2
P057	33+0.206	11.3 E GEYSER	JUDITH BASIN	6 37 37	3.438	24	30	RMS	1515	180	737	0	9	9	5	26	49	46	1.8
P021	0+0.825	3.0 S CONRAD	PONDERA	6 34 64	2.792	24	26	RMS	1268	164	632	0	12	8	2	26	48	46	1.5
P060	88+0.360	2.0 E GREAT FALLS	CASCADE	6 39 71	2.019	32	32	RMS	3801	494	290	4	17	10	20	4	55	46	.9
P003	54+0.948	BYNUM	TETON	6 32 53	4.648	20	24	RMS	603	145	364	0	11	6	2	24	43	47	2.6
P003	75+0.208	DUPUYER	PONDERA	6 28 52	8.382	22	24	RMS	448	107	672	0	8	4	1	28	41	47	4.9
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	6 34 55	6.870	22	24	RMS	1279	166	573	0	10	8	6	26	50	48	3.4
P060	74+0.514	JCT FAS RTE 331	CASCADE	6 52 55	6.955	24	32	PMS	2632	342	340	3	14	10	13	15	55	48	3.1
P080	4+0.000	1.6 S FT BENTON	CHOUTEAU	6 56 56	1.116	25	25	BST	527	79	257	0	12	4	2	25	43	48	.6
P003	1+0.866	1.4 W VAUGHN	CASCADE	6 36 48	6.230	24	31	RMS	3734	485	631	3	18	8	11	18	58	49	2.6
P010	86+0.041	3.4 S HILL CO	CHOUTEAU	6 33 41	3.371	20	24	BST	1144	148	607	0	9	7	8	26	50	49	1.7
P057	36+0.651	JCT FAP RTE 80	JUDITH BASIN	6 37 37	5.169	24	30	RMS	2254	268	470	0	10	9	15	21	55	49	2.3
P057	21+0.889	GEYSER	JUDITH BASIN	6 36 64	4.692	24	25	RMS	1514	180	646	0	10	7	9	26	52	49	2.3
P009	43+0.146	TETON CO	TETON	6 35 35	2.847	20	24	RMS	413	66	205	0	11	8	1	25	45	51	1.6
P057	7+0.061	JUDITH BASIN CO	JUDITH BASIN	6 61 61	3.343	32	32	PMS	1606	191	362	4	16	10	2	22	54	51	1.5
P003	8+0.105	JCT FAP 24	CASCADE	6 36 61	7.139	24	31	RMS	964	125	469	0	12	8	6	26	52	52	3.4
P003	18+0.076	2.1 S TETON CO	CASCADE	6 21 32	2.110	22	22	BST	902	117	420	0	11	4	11	26	52	53	1.0
P010	3+0.534	GREAT FALLS	CASCADE	6 40 71	6.102	28	28	PMS	2429	315	480	5	23	9	3	20	60	54	2.4
P009	53+0.840	7.8 N FAS 408	TETON	6 36 36	6.133	22	25	RMS	343	54	226	0	12	8	1	26	47	55	3.3
P057	56+0.675	2.3 E MOCCASIN	JUDITH BASIN	6 55 55	1.137	24	32	RMS	1973	234	442	3	14	10	11	22	60	55	.5
P057	0+0.000	JCT FAP RTE 60	CASCADE	6 60 60	5.417	32	32	PMS	1618	192	1915	3	17	10	1	28	59	56	2.2
P009	46+0.001	JCT FAS 408	TETON	6 35 35	7.848	20	24	RMS	348	55	247	0	13	8	1	27	49	57	4.0
P010	9+0.609	6.1 N GR FALLS	CASCADE	6 51 57	6.489	30	30	PMS	1977	257	333	4	17	10	14	18	63	58	2.4
P010	80+0.000	BIG SANDY	CHOUTEAU	6 33 63	4.793	24	26	RMS	1380	179	723	0	8	7	19	26	60	58	1.9
P003	28+0.226	4.2 N FAIRFIELD	TETON	6 40 40	12.297	24	30	RMS	750	97	600	0	13	7	8	28	56	58	5.4
P057	10+0.428	JCT FAS RTE 427	JUDITH BASIN	6 64 64	7.500	32	32	PMS	1556	185	315	5	16	10	9	21	61	58	2.9
P024	133+0.232	5.7 E SIMMS	CASCADE	6 64 64	5.275	32	32	PMS	2146	300	494	5	21	10	8	21	65	60	1.8
P063	35+0.473	0.9 S FERGUS CO	JUDITH BASIN	6 46 59	.876	24	24	RMS	1295	168	450	0	12	8	18	24	62	60	.3
P080	0+0.000	JCT FAP 10	CHOUTEAU	6 53 53	1.596	24	24	RMS	625	94	217	6	16	10	2	24	58	61	.7
P060	53+0.694	4.2 N MONARCH	CASCADE	6 40 40	6.667	26	26	BST	405	60	369	0	13	9	5	28	55	61	3.0
P063	33+0.456	JUDITH BASIN CO	JUDITH BASIN	6 41 70	2.021	24	24	RMS	1298	168	360	4	14	10	13	23	64	62	.7
P060	38+0.998	NEIHART	CASCADE	6 52 52	10.527	22	26	PMS	423	63	288	5	14	8	2	27	56	62	4.6

FINANCIAL DISTRICT NUMBER 6

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	FIN YEARS ST	FIN YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P009	60+0.000	4.0 S CHOTEAU	TETON	6	36	36	4.013	22	25	RMS	464	74	453	0	14	8	8	28	58	63	1.7
P010	20+0.058	3.8 N CHOUTEAU CO	CHOUTEAU	6	63	63	9.726	32	32	PMS	1795	233	471	5	18	10	12	23	68	64	3.1
P080	2+0.366	FORT BENTON	CHOUTEAU	6	62	62	1.631	30	30	RMS	605	91	372	5	18	10	1	26	60	64	.7
P060	49+0.470	MONARCH	CASCADE	6	52	52	4.234	22	26	PMS	514	77	288	6	17	8	3	26	60	65	1.7
P024	127+0.466	SIMMS	CASCADE	6	59	59	5.720	32	32	PMS	2097	293	565	8	24	10	8	22	72	68	1.6
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	6	51	57	3.833	30	30	PMS	1744	226	456	3	16	10	20	23	72	69	1.1
P057	5+0.301	5.3 E FAP 60	CASCADE	6	61	61	1.769	32	32	PMS	1548	184	362	4	17	10	20	22	73	70	.5
P060	28+0.700	CASCADE CO	CASCADE	6	59	63	7.208	26	26	PMS	272	40	214	6	17	10	1	27	61	70	2.8
P003	16+0.870	8.8 N FAP 24	CASCADE	6	62	62	1.232	35	35	BST	847	110	616	4	17	10	12	27	70	71	.4
P003	15+0.375	7.3 N FAP 24	CASCADE	6	42	42	1.479	24	30	RMS	847	110	600	4	16	8	15	27	70	71	.4
P021	0+0.000	115 S CONRAD	PONDERA	6	73	73	.825	40	40	PMS	1017	132	662	7	26	10	1	27	71	71	.2
P080	59+0.331	6.7 N STANFORD	JUDITH BASIN	6	53	53	6.712	24	24	RMS	387	58	469	7	17	10	3	28	65	71	2.3
P063	22+0.221	JUDITH BASIN CO	JUDITH BASIN	6	47	73	.678	24	24	PMS	1179	153	450	3	14	10	20	25	72	71	.2
P080	50+0.880	FERGUS-J BASIN CO	JUDITH BASIN	6	53	53	8.418	24	24	RMS	294	44	469	6	17	9	2	29	63	71	3.1
P057	17+0.931	7.5 E FAS 427	JUDITH BASIN	6	64	64	3.967	32	32	PMS	1544	183	471	7	18	10	16	24	75	73	1.0
P080	67+0.052	STANFORD	JUDITH BASIN	6	27	27	.122	24	26	BST	861	130	728	6	17	3	20	27	73	74	
P003	84+0.363	JCT FAP 44	PONDERA	6	66	66	4.863	34	34	PMS	707	170	640	8	24	10	5	26	73	75	1.3
P044	0+0.000	JCT FAP 3	PONDERA	6	54	54	2.760	24	24	RMS	408	57	534	3	14	7	20	28	72	77	.8
P080	5+0.120	2.7 S FORT BENTON	CHOUTEAU	6	56	78	9.572	24	24	PMS	397	59	331	9	28	7	1	27	72	77	2.7
P080	45+0.606	0.5 N FERGUS CO	CHOUTEAU	6	62	62	.497	24	24	PMS	164	24	805	0	10	5	20	30	65	77	.2
P057	57+0.839	3.4 E MOCCASIN	JUDITH BASIN	6	71	71	6.520	32	32	PMS	2223	264	585	8	25	10	16	23	82	78	1.2
P010	29+0.728	13.5 N CHOUTEAU CO	CHOUTEAU	6	64	64	9.834	32	32	PMS	1952	253	585	7	21	10	20	24	82	79	1.8
P080	39+0.544	1.5 S SQUARE BUTTE	CHOUTEAU	6	64	64	6.073	28	28	PMS	181	27	377	0	16	10	13	29	68	79	1.9
P060	60+0.343	10.7 N MONARCH	CASCADE	6	69	69	1.923	48	48	PMS	405	60	520	9	27	10	2	28	76	81	.5
P010	84+0.818	4.8 N BIG SANDY	CHOUTEAU	6	70	70	1.223	32	32	PMS	1246	161	585	6	21	10	20	26	83	82	.2
P010	40+0.641	JCT FAP 80	CHOUTEAU	6	74	74	10.901	32	32	PMS	1322	171	546	8	26	10	17	25	86	85	1.5
P060	62+0.121	9.2 S FAP RTE 57	CASCADE	6	69	69	9.198	40	40	PMS	435	65	448	9	27	10	8	28	82	85	1.7
P080	14+0.671	12.2 S FT BENTON	CHOUTEAU	6	62	62	9.506	30	30	PMS	393	59	367	6	17	10	20	28	81	85	1.8
P080	29+0.129	GERALDINE	CHOUTEAU	6	64	64	5.317	28	28	PMS	240	36	600	5	21	10	15	29	80	86	1.1
P021	4+0.995	CONRAD	PONDERA	6	73	73	.178	40	40	PMS	1428	185	326	9	28	10	20	21	88	87	
P080	24+0.255	3.9 N GERALDINE	CHOUTEAU	6	64	64	3.984	30	30	PMS	422	63	522	6	20	10	20	28	84	87	.6
P068	1+0.259	CASCADE	CASCADE	6	63	63	.235	30	30	PMS	979	146	317	9	25	10	20	23	87	87	
P080	34+0.440	5.3 S GERALDINE	CHOUTEAU	6	65	65	5.097	28	28	PMS	212	32	586	4	19	10	20	29	82	88	.9
P003	83+0.648	8.4 N DUPUYER	PONDERA	6	66	66	.713	34	34	PMS	387	93	544	9	26	10	14	27	86	89	.1
P010	39+0.561	0.4 N FT BENTON	CHOUTEAU	6	74	74	1.138	32	32	PMS	1019	132	468	10	28	10	20	26	94	94	.1
P044	27+0.865	0.5 W JCT 115	PONDERA	6	72	72	.523	34	34	PMS	581	82	576	9	28	10	20	28	95	95	
		DISTRICT TOTAL					433.674													42	182.8

SUFFICIENCY RATING BY FINANCIAL DISTRICT 7

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 7

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P008	34+0.396	5.4 W HELENA	LEWIS AND CLARK	7 33 33	5.434	20	24	RMS	2241	291	492	0	10	8	3	21	42	36	3.2
P024	86+0.130	3.1 E FAS 279	LEWIS AND CLARK	7 57 64	5.093	28	30	PMS	1219	182	104	7	17	10	1	4	39	38	3.1
P024	100+0.420	JCT FAS RTE 434	LEWIS AND CLARK	7 51 51	8.627	25	25	BST	1243	186	217	0	11	8	6	17	42	41	5.0
P024	109+0.051	JCT FAP RTE 9	LEWIS AND CLARK	7 52 52	7.790	24	26	RMS	1127	169	277	0	11	8	2	21	42	41	4.5
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	7 48 63	3.400	25	25	RMS	1219	182	237	0	13	8	5	18	44	43	1.9
P024	91+0.218	8.2 E FAS 279	LEWIS AND CLARK	7 48 63	5.818	25	25	RMS	1219	182	240	2	14	8	2	19	45	44	3.2
P013	88+0.763	BROADWATER CO LINE	BROADWATER	7 32 61	4.247	20	24	RMS	532	69	180	0	12	7	1	24	44	49	2.4
P024	76+0.133	3.9 E LINCOLN	LEWIS AND CLARK	7 60 60	5.888	24	24	PMS	1410	211	258	5	17	10	2	18	52	50	2.8
P014	6+0.412	4.0 E FAS 284	BROADWATER	7 37 66	7.187	24	25	RMS	495	74	409	0	10	7	2	27	46	51	3.9
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	7 31 58	6.155	22	26	RMS	659	85	296	0	12	7	3	26	48	51	3.2
P029	59+0.893	JEFFERSON CO LINE	JEFFERSON	7 36 36	5.790	22	24	RMS	373	55	567	0	10	5	1	29	45	52	3.2
P009	20+0.875	0.8 N FAP 24	LEWIS AND CLARK	7 32 65	8.469	20	24	RMS	317	50	406	0	8	7	2	28	45	53	4.7
P009	38+0.547	AUGUSTA FAS 434	LEWIS AND CLARK	7 35 35	4.582	20	24	RMS	469	75	338	0	13	7	2	27	49	54	2.3
P014	13+0.545	11.2 E FAS 284	BROADWATER	7 51 51	9.901	20	26	RMS	464	69	252	0	13	5	4	26	48	54	5.1
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	7 31 40	2.000	24	31	RMS	606	78	248	0	13	10	2	25	50	54	1.0
P024	65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	7 60 60	6.787	24	24	PMS	1404	231	297	5	19	10	4	18	56	54	3.0
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	7 32 48	5.273	24	30	RMS	492	63	365	0	14	8	1	27	50	55	2.6
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	7 34 52	.908	22	24	RMS	402	62	386	0	11	8	1	28	48	55	.5
P013	93+0.363	JCT FAP 8	BROADWATER	7 68 68	.330	40	40	RMS	764	99	85	7	23	10	0	13	53	55	.2
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	7 32 65	9.092	20	24	RMS	317	50	387	0	10	7	2	28	47	55	4.8
P008	65+0.437	0.7 S WINSTON	BROADWATER	7 56 65	11.540	32	32	PMS	2292	297	648	5	17	10	6	23	61	55	4.5
P069	0+0.673	WHITEHALL	JEFFERSON	7 33 55	2.318	32	32	RMS	1064	159	629	2	14	10	3	26	55	55	1.0
P055	2+0.411	SIL BOW-JEFFERSON	JEFFERSON	7 53 53	9.717	24	24	RMS	1328	219	258	6	17	8	10	17	58	56	4.1
P029	67+0.995	7.0 E JEFF CO LINE	JEFFERSON	7 51 51	.888	34	34	RMS	614	79	243	0	12	10	6	25	53	57	.4
P069	31+0.026	6.0 S BOULDER	JEFFERSON	7 59 59	6.004	24	24	BST	753	112	312	4	16	7	3	25	55	57	2.7
P069	5+0.046	4.3 E WHITEHALL	JEFFERSON	7 68 68	1.060	30	30	PMS	871	130	554	0	16	8	7	26	57	58	.5
P008	49+0.577	EAST HELENA	LEWIS AND CLARK	7 78 78	3.266	44	44	PMS	3110	475	320	10	30	10	9	8	67	60	1.1
P024	72+0.242	LINCOLN	LEWIS AND CLARK	7 60 60	3.867	24	24	PMS	1384	207	450	4	17	10	9	23	63	61	1.4
P024	82+0.008	1.0 W JCT FAS 279	LEWIS AND CLARK	7 57 64	4.105	28	30	PMS	1220	183	333	6	16	10	8	22	62	61	1.6
P069	10+0.026	3.9 N FAS RTE 359	JEFFERSON	7 64 64	3.662	28	28	PMS	492	73	275	2	17	10	3	26	58	63	1.5
P008	54+0.482	JEFFERSON CO	JEFFERSON	7 69 69	1.515	40	40	PMS	2618	400	264	8	25	10	20	7	70	64	.5
P069	2+0.991	2.3 E WHITEHALL	JEFFERSON	7 68 68	2.055	30	30	PMS	952	142	367	4	24	10	2	24	64	64	.7
P069	28+0.186	8.8 S BOULDER	JEFFERSON	7 57 57	2.840	24	24	BST	447	67	266	5	18	7	3	26	59	65	1.2
P069	13+0.688	7.5 N FAS RTE 359	JEFFERSON	7 61 61	8.498	26	26	PMS	459	68	259	6	18	9	1	26	60	65	3.4
P008	98+0.994	0.8 E JCT FAS 437	BROADWATER	7 52 52	8.944	24	28	RMS	1477	192	401	2	13	10	20	23	68	66	2.9
P055	12+0.988	WHITEHALL	JEFFERSON	7 66 66	.090	32	32	PMS	1102	181	299	9	26	10	1	21	67	66	
P008	52+0.831	3.0 E EAST HELENA	LEWIS AND CLARK	7 69 69	1.669	40	40	PMS	2792	427	320	8	25	10	20	10	73	67	.5
P009	12+0.412	12.4 N FAI 15	LEWIS AND CLARK	7 63 63	7.749	32	32	PMS	243	38	352	2	15	10	5	28	60	70	3.1
P008	87+0.738	TOSTON APPR RD	BROADWATER	7 50 51	11.260	24	26	RMS	1502	195	507	4	14	10	20	24	72	70	3.2
P008	57+0.136	1.1 E BROADWATER	BROADWATER	7 72 72	8.302	34	34	PMS	2154	280	504	7	23	10	13	22	75	71	2.1
P008	108+0.854	1.0 S FAI 90	BROADWATER	7 68 68	.321	44	44	RMS	618	80	128	10	27	10	1	21	69	72	.1
P008	27+0.627	LEWIS & CLARK CO	LEWIS AND CLARK	7 77 77	2.263	56	56	PMS	1595	207	1248	8	27	10	3	28	76	73	.5
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	7 63 63	.726	32	32	PMS	321	51	324	7	18	10	5	28	68	75	.2
P014	0+0.886	TOWNSEND	BROADWATER	7 64 64	1.514	32	32	PMS	1165	174	569	9	22	10	10	25	76	75	.4
P008	55+0.996	BROADWATER CO	BROADWATER	7 69 69	1.139	40	40	PMS	2154	280	320	8	25	10	20	17	80	76	.2
P069	22+0.186	14.8 S BOULDER	JEFFERSON	7 57 71	6.000	24	24	PMS	442	66	512	7	22	10	5	28	72	77	1.7
P069	6+0.106	JCT FAS RTE 359	JEFFERSON	7 70 70	3.920	32	32	PMS	512	76	406	2	15	10	20	27	74	78	1.0
P014	2+0.399	JCT FAS RTE 284	BROADWATER	7 64 64	4.000	32	32	PMS	509	76	487	8	21	10	9	28	76	79	1.0
P008	78+0.114	TOWNSEND	BROADWATER	7 39 78	9.674	30	32	PMS	1993	259	720	8	27	10	14	25	84	81	1.5
P008	30+0.041	2.2E LEW & CL CO	LEWIS AND CLARK	7 78 78	4.151	56	56	PMS	1639	213	2080	10	30	10	6	28	84	82	.7
P009	0+0.000	JCT FAI 15	LEWIS AND CLARK	7 67 67	2.209	30	30	PMS	207	33	604	8	24	10	4	29	75	83	.6
P008	107+0.894	JCT FAI 90	BROADWATER	7 52 52	.961	24	28	RMS	618	80	503	7	18	10	19	28	82	84	.2
P013	93+0.067	0.3 W FAP 8	BROADWATER	7 68 68	.296	40	40	RMS	575	74	103	9	26	10	20	19	84	86	
P008	46+0.471	HELENA	LEWIS AND CLARK	7 78 78	2.077	88	88	PMS	9116	1093	2112	10	30	10	20	22	92	87	.2
P009	1+0.951	1.9 N FAI 15	LEWIS AND CLARK	7 59 59	10.453	32	32	PMS	211	33	324	6	20	10	20	28	84	90	1.7

FINANCIAL DISTRICT NUMBER 7

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P069	38+0.095	BOULDER	JEFFERSON	7	73	73	.303	40	40	PMS	1738	260	627	10	30	10	20	24	94	93	
		DISTRICT TOTAL					262.127													41	106.5



SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 8
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 1ST	8T	1M	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P070	0+0.000	FUT W SUPERIOR INT	MINERAL	8			.200	NON EXISTENT													.2
P007	49+0.362	1.3 N HAMILTON	RAVALLI	8	40	40	.370	24	30	RMS	5242	681	348	0	10	4	7	1	22	14	.3
P024	0+1.845	BONNER	MISSOULA	8	36	37	4.040	30	30	RMS	3671	605	234	3	15	4	1	0	23	16	3.1
P024	7+0.551	6.7 E BONNER	MISSOULA	8	40	42	4.668	20	24	RMS	2678	441	100	0	14	5	2	0	21	16	3.7
P005	0+0.622	0.2 N FAI 90	MISSOULA	8	34	55	3.086	24	24	RMS	4025	587	280	0	15	7	2	0	24	17	2.3
P024	22+0.635	6.6 E POTOMAC	MISSOULA	8	41	59	4.022	25	28	RMS	1681	277	100	0	12	7	3	0	22	19	3.1
P024	12+0.237	11.3 E BONNER	MISSOULA	8	41	63	3.821	24	24	RMS	2262	373	145	2	14	6	2	0	24	20	2.9
P007	44+0.578	2.0 S HAMILTON	RAVALLI	8	34	59	1.998	22	24	RMS	4229	549	610	0	9	4	2	17	32	23	1.4
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	8	48	54	1.536	24	32	RMS	4020	586	220	3	18	7	5	0	33	24	1.0
P006	76+0.641	JCT FAP 36	SANDERS	8	31	34	2.278	18	24	RMS	1243	185	170	0	10	3	0	14	27	26	1.7
P006	76+0.261	PLAINS	SANDERS	8	31	34	.380	18	24	RMS	2343	349	259	0	11	3	8	10	32	27	.3
P007	31+0.292	DARBY	RAVALLI	8	34	35	11.755	22	24	RMS	2288	297	252	0	12	6	2	12	32	27	8.0
P006	68+0.701	WEEKSVILLE	SANDERS	8	38	52	3.890	20	24	RMS	1390	207	201	0	11	4	3	15	33	31	2.6
P024	0+0.000	JCT FAI 90	MISSOULA	8	74	74	.975	44	44	PMS	6559	1082	344	8	25	10	1	0	44	31	.5
P007	82+0.745	LOLO	MISSOULA	8	68	68	.634	44	44	PMS	7167	931	199	10	26	10	1	0	47	33	.3
P024	55+0.670	JCT FAP 41	POWELL	8	61	61	9.806	24	26	PMS	1496	246	132	5	17	10	2	2	36	33	6.3
P007	26+0.490	JCT FAS 473	RAVALLI	8	36	59	4.000	22	26	RMS	2125	276	264	3	14	6	2	14	39	34	2.4
P006	105+0.123	1.4 W DIXON	SANDERS	8	22	34	1.062	22	24	RMS	982	146	201	0	11	3	1	19	34	34	.7
P006	56+0.095	JCT FAS 556	SANDERS	8	35	49	1.717	20	24	RMS	1178	175	159	0	11	5	6	13	35	34	1.1
P005	0+0.000	JCT FAI 90	MISSOULA	8	76	76	.622	64	64	PMS	4030	588	308	8	21	10	4	1	44	34	.3
P006	103+0.023	7.4 E PERMA	SANDERS	8	22	57	1.701	20	24	RMS	980	146	281	0	10	3	0	22	35	35	1.1
P006	72+0.578	3.1 W PLAINS	SANDERS	8	31	34	3.141	18	24	RMS	1822	271	377	0	12	6	2	19	39	35	1.9
P007	51+0.984	JCT FAS 373	RAVALLI	8	53	53	7.046	24	32	RMS	4156	540	599	2	11	10	8	16	47	37	3.7
P007	43+0.042	3.5 S HAMILTON	RAVALLI	8	49	49	1.525	28	28	RMS	2669	346	331	6	14	9	1	14	44	37	.9
P007	49+0.732	1.7 N HAMILTON	RAVALLI	8	53	53	2.249	24	32	RMS	4916	639	939	0	10	10	9	20	49	38	1.1
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	8	48	54	.787	24	28	PMS	2609	380	239	6	16	9	8	6	45	38	.4
P024	26+0.710	5.2 W FAP 83	MISSOULA	8	49	49	5.164	25	25	BST	1731	285	307	0	12	8	6	16	42	38	3.0
P024	4+0.910	4.1 E BONNER	MISSOULA	8	68	68	2.624	40	40	PMS	3041	501	425	5	16	10	3	12	46	38	1.4
P006	78+0.947	2.3 E JCT FAP 36	SANDERS	8	31	51	6.095	20	24	RMS	1133	168	364	0	10	5	2	23	40	39	3.7
P024	0+0.975	MILLTOWN	MISSOULA	8	74	74	.870	44	44	PMS	5235	863	442	10	28	10	2	1	51	39	.4
P083	14+0.735	SEELEY LAKE	MISSOULA	8	52	52	8.364	22	26	PMS	1015	178	192	0	14	7	2	16	39	39	5.1
P006	99+0.246	3.6 E PERMA	SANDERS	8	24	38	2.956	20	25	RMS	977	145	406	0	9	4	2	25	40	40	1.8
P006	108+0.148	DIXON	SANDERS	8	27	34	7.086	22	24	RMS	1040	154	449	0	10	4	1	25	40	40	4.3
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	8	64	76	9.496	36	36	PMS	4009	585	239	9	26	10	6	0	51	41	4.7
P008	13+0.008	JCT FAP RTE 41	POWELL	8	33	66	10.200	22	24	RMS	1471	191	573	0	9	6	4	25	44	41	5.7
P019	57+0.499	HALL FAS 512 & 513	GRANITE	8	25	52	5.079	20	22	RMS	809	117	471	0	10	3	1	26	40	42	3.0
P007	13+0.545	0.8 N SULA	RAVALLI	8	36	39	3.392	24	24	BST	906	117	235	0	11	7	1	23	42	43	2.0
P006	88+0.718	3.6 E JCT FAP 35	SANDERS	8	24	38	1.869	20	24	RMS	662	98	307	0	11	4	0	25	40	43	1.1
P006	85+0.033	JCT FAP 35	SANDERS	8	31	51	3.637	20	24	RMS	684	101	391	0	9	4	1	26	40	43	2.2
P006	94+0.088	1.1 W PERMA	SANDERS	8	24	38	1.276	20	24	RMS	662	98	201	0	13	3	1	23	40	43	.8
P007	23+0.549	2.9 S FAS 473	RAVALLI	8	36	36	2.932	22	25	RMS	1122	145	273	0	14	6	2	22	44	43	1.6
P006	64+0.701	8.6 E FAS 556	SANDERS	8	39	39	3.997	26	26	BST	1113	165	294	0	14	6	2	22	44	43	2.2
P036	7+0.436	7.5 N FAP 6	SANDERS	8	34	47	6.403	20	24	BST	508	76	93	0	13	6	1	18	38	43	4.0
P007	16+0.756	4.2 N SULA	RAVALLI	8	37	39	3.539	24	24	BST	1034	134	235	0	14	7	2	21	44	44	2.0
P007	0+0.000	IDAHO LINE	RAVALLI	8	40	40	.105	22	22	BST	869	112	329	0	13	5	0	25	43	44	.1
P007	0+0.105	JCT FAP 46	RAVALLI	8	40	40	7.430	22	22	BST	870	113	329	0	13	5	1	25	44	45	4.2
P083	0+0.000	JCT FAP 24	MISSOULA	8	52	52	14.761	24	24	RMS	1165	205	438	0	13	7	3	23	46	45	8.0
P019	48+0.325	MAXVILLE	GRANITE	8	31	52	9.137	20	24	RMS	492	71	683	0	8	3	2	28	41	46	5.4
P006	57+0.808	1.7 E FAS 556	SANDERS	8	34	49	6.899	20	24	RMS	1077	160	364	0	10	5	9	23	47	47	3.7
P019	27+0.690	GRANITE CO LINE	GRANITE	8	34	40	3.134	20	24	RMS	543	78	224	0	12	6	0	25	43	47	1.8
P036	13+0.871	13.9 N FAP 6	SANDERS	8	41	41	2.385	20	26	BST	541	81	226	0	9	6	3	25	43	47	1.4
P024	31+0.845	JCT FAP 83	MISSOULA	8	54	54	3.823	24	30	RMS	1578	260	499	0	10	10	8	22	50	47	1.9
P007	20+0.475	7.7 N SULA	RAVALLI	8	37	39	3.081	24	24	BST	1038	134	220	0	15	7	5	21	48	48	1.6
P008	11+0.262	AVON	POWELL	8	33	66	1.742	22	24	RMS	1262	164	620	0	9	8	7	26	50	48	.9
P083	23+0.113	8.3 N SEELEY LAKE	MISSOULA	8	52	52	7.694	22	26	PMS	800	140	175	3	17	7	1	18	46	48	4.2

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS 8T	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P006	51+0.570	THOMPSON FALLS	SANDERS	8	35	36	4.563	20	24	RMS	1556	231	387	0	10	6	15	21	52	49	2.2
P007	73+0.547	1.0 S FLORENCE	RAVALLI	8	74	76	.674	44	44	PMS	4230	549	296	9	25	10	13	2	59	49	.3
P007	76+0.872	MISSOULA CO	MISSOULA	8	74	76	6.045	38	38	PMS	6987	908	296	10	28	10	15	0	63	50	2.2
P083	30+0.815	15.9 N SEELEY LAKE	MISSOULA	8	59	59	11.071	24	24	PMS	678	119	221	2	14	6	3	22	47	50	5.9
P036	3+0.657	3.7 N FAP 6	SANDERS	8	41	47	3.802	20	25	BST	478	71	167	0	14	6	2	24	46	51	2.1
P093	16+0.488	16.0 W FAP RTE 7	MISSOULA	8	64	78	4.609	30	30	PMS	1535	245	155	9	28	10	1	6	54	51	2.1
P036	0+0.000	JCT FAP RTE 6	SANDERS	8	44	47	3.661	20	28	BST	468	70	234	0	10	7	4	26	47	52	1.9
P024	35+0.684	POWELL CO	POWELL	8	61	61	7.494	24	26	PMS	1461	241	277	6	18	10	5	17	56	53	3.3
P006	47+0.218	2.6 E BELKNAP	SANDERS	8	61	64	2.474	32	32	PMS	1406	205	268	6	18	10	3	19	56	54	1.1
P007	59+0.036	VICTOR	RAVALLI	8	56	61	7.721	32	32	PMS	3705	481	666	8	24	10	2	19	63	54	2.9
P036	26+0.128	7.1 N FAP 77	SANDERS	8	40	40	4.999	20	25	BST	460	69	463	0	8	7	5	28	48	54	2.6
P007	83+0.388	JCT FAP 93	MISSOULA	8	68	68	6.756	68	68	PMS	10174	1322	1920	9	25	10	5	20	69	55	2.1
P007	74+0.820	FLORENCE	RAVALLI	8	74	76	2.051	38	38	PMS	6987	908	296	10	27	10	20	0	67	55	.7
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	8	52	64	3.629	24	28	RMS	743	108	249	5	15	9	3	23	55	57	1.6
P024	43+0.145	7.5 E POWELL CO	POWELL	8	61	61	12.512	24	26	PMS	1507	248	299	6	17	10	9	18	60	57	5.0
P006	37+0.680	WHITE PINE	SANDERS	8	48	54	8.533	24	28	PMS	789	115	500	0	14	9	6	27	56	58	3.8
P007	7+0.530	7.4 N JCT FAP 46	RAVALLI	8	40	40	6.016	24	24	BST	865	112	289	0	13	6	15	24	58	59	2.5
P006	29+0.459	TROUT CREEK	SANDERS	8	48	54	8.234	24	28	PMS	879	128	531	2	12	9	9	26	58	59	3.5
P006	23+0.327	TUSCOR	SANDERS	8	59	64	6.097	32	32	PMS	872	127	569	2	16	10	4	27	59	60	2.5
P041	0+0.000	JCT FAP 8	POWELL	8	61	61	6.348	28	28	PMS	417	70	660	0	10	10	6	28	54	60	2.9
P070	0+0.200	1.0 W SUPERIOR	MINERAL	8	31	52	1.035	22	24	RMS	77	10	544	0	5	5	2	30	42	60	.6
P083	41+0.890	5.8 S LAKE CO LINE	MISSOULA	8	59	59	5.856	24	24	PMS	632	111	429	2	15	7	7	26	57	60	2.5
P006	12+0.353	1.0 E BULL RIVER	SANDERS	8	58	58	1.214	32	32	BST	797	116	235	6	18	10	2	23	59	61	.5
P006	104+0.678	4.5 W DIXON	SANDERS	8	69	69	.388	32	32	PMS	982	146	268	7	22	10	1	22	62	62	.1
P024	16+0.038	POTOMAC	MISSOULA	8	68	68	6.575	40	40	PMS	1947	321	385	7	17	10	15	17	66	62	2.2
P035	0+0.000	ST REGIS	MINERAL	8	60	60	3.381	24	24	PMS	621	102	333	5	19	7	3	25	59	62	1.4
P077	0+0.000	JCT FAP RTE 36	SANDERS	8	41	41	1.746	20	26	BST	655	98	749	0	8	6	17	28	59	62	.7
P007	74+0.249	0.4 S FLORENCE	RAVALLI	8	74	76	.571	64	64	PMS	4650	604	2040	8	24	10	4	26	72	63	.2
P006	106+0.153	2.0 W DIXON	SANDERS	8	44	44	1.991	24	24	BST	984	146	538	0	10	8	20	26	64	64	.7
P008	3+0.919	3.8 E GARRISON	POWELL	8	57	64	7.362	32	32	PMS	1262	164	456	7	16	10	7	25	65	64	2.6
P006	0+0.000	IDAHO LINE	SANDERS	8	52	65	2.260	24	28	RMS	675	98	327	6	17	8	4	26	61	64	.9
P041	6+0.348	6.3 N FAP 8	POWELL	8	62	62	5.406	28	28	PMS	298	50	660	0	8	10	8	29	55	64	2.4
P007	66+0.762	JCT FAS 269	RAVALLI	8	56	61	6.777	32	32	PMS	4230	549	621	8	24	10	15	17	74	66	1.8
P006	46+0.236	1.6 E BELKNAP	SANDERS	8	58	58	.985	32	32	BST	968	141	453	5	16	10	10	25	66	66	.3
P006	14+0.720	3.4 E BULL RIVER	SANDERS	8	59	64	8.606	32	32	PMS	797	116	324	6	19	10	4	25	64	66	3.1
P041	16+0.875	14.6 N FAP 8	POWELL	8	70	70	2.966	30	30	PMS	371	62	292	4	16	10	2	27	59	66	1.2
P036	18+0.961	JCT FAP 77	SANDERS	8	63	63	7.161	28	28	PMS	486	72	586	4	14	10	5	28	61	66	2.8
P088	0+0.000	W GARRISON INT I90	POWELL	8	79	79	.415	50	50	PMS	1998	259	380	10	30	10	0	20	70	66	.1
P006	8+0.252	8.2 E IDAHO LINE	SANDERS	8	63	63	2.158	28	28	RMS	781	114	327	8	18	10	4	25	65	67	.8
P006	11+0.402	BULL RIVER	SANDERS	8	63	63	.956	28	28	RMS	797	116	301	7	20	10	5	24	66	67	.3
P006	10+0.404	JCT FAP 56	SANDERS	8	52	52	.970	24	28	RMS	797	116	249	6	17	10	10	23	66	67	.3
P041	19+0.841	7.6 S FAS 271	POWELL	8	65	79	7.654	30	30	PMS	408	68	323	5	15	10	4	27	61	67	3.0
P056	0+0.000	JCT FAP RTE 6	SANDERS	8	57	57	8.170	24	24	PMS	349	52	327	4	18	8	2	28	60	67	3.3
P006	13+0.530	2.2 E BULL RIVER	SANDERS	8	63	63	1.194	28	28	RMS	797	116	442	7	19	10	6	26	68	69	.4
P056	8+0.170	8.1 N FAP RTE 6	SANDERS	8	63	63	8.370	28	28	PMS	281	42	318	6	17	8	2	28	61	70	3.3
P019	63+0.222	0.6 S ORUMMOND	GRANITE	8	66	66	.449	32	32	PMS	860	124	720	8	24	10	1	27	70	71	.1
P093	21+0.095	11.4 W FAP RTE 7	MISSOULA	8	64	78	11.465	30	30	PMS	2202	352	604	9	28	10	7	21	75	71	2.9
P041	27+0.495	JCT FAS 271	POWELL	8	57	72	5.017	24	24	PMS	422	70	301	7	20	10	2	27	66	72	1.7
P093	6+0.837	6.8 E IDAHO LINE	MISSOULA	8	64	79	9.654	30	30	PMS	967	154	270	10	30	10	1	21	72	72	2.7
P019	62+0.597	1.0 S ORUMMOND	GRANITE	8	66	66	.628	40	40	PMS	931	134	240	9	26	10	6	22	73	73	.2
P093	0+0.000	MONT-IDAHO LINE	MISSOULA	8	64	79	6.815	30	30	PMS	872	139	355	9	30	8	1	24	72	73	1.9
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	8	63	63	2.361	28	28	RMS	705	102	275	5	17	9	20	24	75	77	.6
P035	7+0.680	MINERAL-SANDERS CO	SANDERS	8	65	69	3.803	30	30	PMS	590	97	410	9	26	10	3	26	74	77	1.0
P088	0+0.415	JCT FAP 8	POWELL	8	79	79	1.007	50	50	PMS	1010	131	535	10	30	10	1	26	77	77	.2
P019	38+0.582	.4 N PHILIPSBURG	GRANITE	8	60	60	9.701	32	32	PMS	466	67	428	5	16	10	16	28	75	79	2.4

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY FND	SUFFICIENCY SRF	SUFFICIENCY DRN	SUFFICIENCY SAF	RATINGS CAP	RATINGS TDT	RATINGS ADJ	DEFIC MILES
P008	0+0.000	JCT FAI 9D	POWELL	8	78	78	3.789	40	40	PMS	1544	200	252	10	30	10	13	18	81	79	.7
P035	3+0.381	3.3 N ST REGIS	MINERAL	8	72	72	4.299	30	30	PMS	562	92	453	8	25	10	6	27	76	79	1.0
P036	16+0.265	0.1 SW FAS 382	SANDERS	8	63	63	2.732	28	28	PMS	763	114	558	5	16	10	20	27	78	79	.6
P006	102+0.193	6.6 E PERMA	SANDERS	8	69	69	.754	32	32	PMS	979	145	694	6	22	10	15	27	80	80	.2
P035	12+0.947	8.4 SW FAP 6	SANDERS	8	65	69	3.151	30	30	PMS	572	94	550	10	28	10	2	27	77	80	.7
P019	30+0.851	7.7 S PHILIPSBURG	GRANITE	8	57	76	7.703	32	32	PMS	641	92	504	8	26	10	8	27	79	81	1.6
P035	11+0.483	3.8 NE MINERAL CO	SANDERS	8	63	69	1.464	30	30	PMS	580	95	432	10	28	10	3	27	78	81	.3
P070	1+0.506	SUPERIOR	MINERAL	8	31	52	.062	22	24	RMS	133	17	716	0	14	5	20	30	69	81	
P008	25+0.582	1.9 W L & C CO	POWELL	8	73	73	1.668	56	56	PMS	1580	205	2080	8	27	10	11	29	85	83	.3
P041	11+0.754	11.7 N FAP 8	POWELL	8	77	77	5.121	28	28	PMS	260	43	377	8	26	10	4	28	76	83	1.2
P006	90+0.589	4.6 W PERMA	SANDERS	8	69	69	3.542	32	32	PMS	662	98	431	7	18	10	20	27	82	84	.6
P046	0+0.000	JCT FAP RTE 7	RAVALLI	8	60	63	.105	28	28	PMS	152	22	406	9	25	10	0	29	73	84	
P006	95+0.631	PERMA	SANDERS	8	57	76	3.633	30	30	PMS	948	141	432	7	26	8	20	25	86	86	.5
P008	27+0.319	0.3 W L & C CO	POWELL	8	77	77	.308	56	56	PMS	1580	205	1248	8	27	10	20	28	93	92	
P008	23+0.219	2.3 E ELLISTON	POWELL	8	73	73	2.363	56	56	PMS	1580	205	2080	8	26	10	20	29	93	92	.2
P035	16+0.098	5.3 SW FAP 6	SANDERS	8	68	69	5.348	30	30	PMS	546	90	367	10	28	10	20	26	94	95	.3
P007	48+0.000	HAMILTON	RAVALLI	8			1.348	UNDER CONSTRUCTION													
		DISTRICT TOTAL					532.225													45	241.4

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1979

SUFFICIENCY RATING BY FINANCIAL DISTRICT 9 RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 9

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P049	3+0.037	3.0 E FAI RTE 15	BEAVERHEAD	9	46	62	3.798	24	26	RMS	1418	184	255	0	13	8	2	19	42	40	2.2
P029	49+0.919	6.6 N TWIN BRIDGES	MADISON	9	36	63	7.355	22	24	RMS	1108	166	540	0	10	6	1	25	42	41	4.3
P019	10+0.110	ANACONDA	DEER LODGE	9	51	59	6.813	24	28	PMS	2339	339	454	2	14	8	8	19	51	45	3.3
P019	24+0.300	3.4 E GRANITE CO	DEER LODGE	9	34	54	3.379	22	24	RMS	627	90	197	0	11	7	2	23	43	46	1.9
P029	75+0.032	SILVER BOW CO LINE	SILVER BOW	9	34	62	2.823	24	30	RMS	729	94	302	0	14	7	0	25	46	48	1.5
P029	19+0.905	5.3 N VIRGINIA CTY	MADISON	9	42	42	5.254	20	24	RMS	841	176	390	0	12	8	5	23	48	49	2.7
P049	0+0.244	DILLON	BEAVERHEAD	9	46	62	2.421	24	26	RMS	1760	228	387	3	16	7	6	21	53	49	1.1
P013	47+0.144	9.3 N CAMERON	MADISON	9	36	58	1.492	22	25	RMS	1482	296	601	0	14	9	7	23	53	50	.7
P029	80+0.192	JCT FAS 375	SILVER BOW	9	28	71	3.277	24	30	RMS	1105	143	331	3	15	8	1	24	51	50	1.6
P013	61+0.592	3.7 S NORRIS	MADISON	9	34	34	3.713	20	24	RMS	788	122	240	3	15	8	1	22	49	51	1.9
P049	6+0.804	6.8 E FAI RTE 15	BEAVERHEAD	9	59	59	6.880	24	24	PMS	931	121	196	0	15	10	4	21	50	51	3.4
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	9	49	49	5.991	20	26	RMS	1300	182	535	0	11	8	9	25	53	51	2.8
P029	14+0.828	VIRGINIA CITY	MADISON	9	45	45	5.116	20	24	RMS	879	184	315	4	17	5	3	21	50	51	2.6
P013	49+0.247	ENNIS	MADISON	9	34	34	7.247	20	24	RMS	947	146	462	0	15	8	4	25	52	52	3.5
P013	37+0.869	CAMERON	MADISON	9	34	34	9.243	20	24	RMS	910	182	486	0	14	8	5	24	51	52	4.5
P029	77+0.863	2.3 E FAS 375	SILVER BOW	9	28	71	2.337	24	30	RMS	728	94	627	0	14	7	1	28	50	52	1.2
P029	57+0.250	JCT FAP 55	MADISON	9	36	63	1.155	22	24	RMS	272	40	222	0	12	4	0	27	43	52	.7
P029	58+0.396	SILVER BOW CO LINE	SILVER BOW	9	36	63	1.489	22	24	RMS	313	46	540	0	10	5	1	29	45	53	.8
P013	65+0.316	JCT FAP 84	MADISON	9	34	34	9.543	20	24	RMS	454	70	290	0	14	7	1	26	48	54	5.0
P046	65+0.263	0.4 E WISE RIVER	BEAVERHEAD	9	61	61	8.231	26	28	PMS	478	71	382	2	13	6	1	27	49	54	4.2
P013	56+0.524	MCALLISTER	MADISON	9	36	57	5.182	22	24	RMS	832	128	448	2	17	7	2	26	54	55	2.4
P029	25+0.175	1.9 N FAS RTE 357	MADISON	9	40	40	7.929	20	24	RMS	929	195	435	0	13	8	10	23	54	55	3.6
P049	13+0.697	MADISON CO LINE	MADISON	9	59	59	2.491	24	24	PMS	738	95	297	0	13	8	8	25	54	56	1.1
P055	0+0.000	JCT FAP 29	MADISON	9	53	53	2.142	24	24	RMS	822	135	297	6	16	8	3	23	56	57	.9
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	9	51	59	2.255	32	32	PMS	808	117	456	0	14	8	8	26	56	58	1.0
P046	58+0.864	.8 E BEAVERHEAD CO	BEAVERHEAD	9	61	61	6.050	26	28	PMS	358	53	371	0	13	8	2	28	51	58	3.0
P029	43+0.258	TWIN BRIDGES	MADISON	9	39	39	6.633	20	24	RMS	1060	159	450	0	13	5	15	25	58	58	2.8
P029	0+0.244	ENNIS LIMITS	MADISON	9	50	50	5.436	24	24	RMS	577	121	420	5	17	7	2	26	57	61	2.3
P029	34+0.189	SHERIDAN	MADISON	9	39	39	8.029	22	24	RMS	1169	245	812	0	10	8	20	25	63	62	3.0
P029	5+0.698	5.5 W ENNIS	MADISON	9	51	51	5.030	28	32	RMS	531	111	243	5	17	8	4	23	57	62	2.2
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	9	51	59	5.072	24	28	PMS	1236	179	501	0	13	10	17	25	65	64	1.8
P046	56+0.960	SILVER BOW CO LINE	SILVER BOW	9	61	61	1.055	26	28	PMS	219	32	427	0	14	10	2	29	55	66	.5
P046	51+0.396	DEER LODGE CO LINE	DEER LODGE	9	61	61	5.577	26	28	PMS	179	26	364	0	13	10	3	29	55	67	2.5
P084	6+0.425	6.4 E JCT FAP 13	MADISON	9	52	52	5.052	24	24	RMS	416	70	394	5	18	10	1	27	61	67	2.0
P049	0+0.000	DILLON	BEAVERHEAD	9	46	74	.102	40	40	RMS	2018	262	828	4	17	6	20	25	72	68	
P013	27+0.156	10.8 S CAMERON	MADISON	9	34	34	10.807	20	24	RMS	575	115	762	0	10	9	18	28	65	69	3.8
P047	5+0.988	JCT FORMER US 10	DEER LODGE	9	31	42	.802	24	30	RMS	1451	203	398	5	16	8	20	22	71	69	.2
P084	0+0.000	JCT FAP 13	MADISON	9	53	53	6.427	24	24	RMS	376	63	374	6	19	9	1	27	62	69	2.4
P046	64+0.920	WISE RIVER	BEAVERHEAD	9	70	70	.398	44	44	PMS	474	71	522	8	18	10	1	28	65	70	.1
P013	24+0.369	13.3 S CAMERON	MADISON	9	34	34	2.648	20	24	RMS	340	68	792	0	8	7	20	29	64	71	1.0
P029	10+0.756	2.3 E VIRGINIA CTY	MADISON	9	56	56	2.337	28	28	PMS	531	111	324	4	16	10	12	25	67	71	.8
P046	41+0.858	DEER LODGE CO LINE	DEER LODGE	9	61	61	9.356	26	28	PMS	131	19	312	4	14	9	2	29	58	72	3.9
P046	76+0.492	0.6 W DIVIDE	SILVER BOW	9	34	76	.490	32	32	PMS	478	71	683	5	15	10	10	28	68	73	.2
P055	2+0.123	MADISON-SILVER BOW	SILVER BOW	9	53	53	.288	24	24	RMS	822	135	348	6	17	8	20	24	75	76	.1
P087	1+0.460	1.3 E FAP 13	MADISON	9	72	72	1.586	30	30	PMS	391	84	434	7	25	10	1	27	70	76	.5
P046	75+0.066	SILVER BOW CO LINE	SILVER BOW	9	68	68	1.422	34	34	PMS	478	71	529	8	25	10	3	28	74	78	.4
P049	16+0.192	2.5 E MADISON CO	MADISON	9	53	79	10.659	26	26	PMS	1123	145	478	7	28	10	10	25	80	79	2.1
P046	36+0.881	4.9 W DEER LDGE CO	BEAVERHEAD	9	65	65	4.966	26	26	PMS	161	24	355	7	16	10	5	29	67	79	1.6
P046	26+0.350	WISDOM	BEAVERHEAD	9	65	65	5.256	28	28	PMS	161	24	531	7	17	10	4	29	67	79	1.7
P046	73+0.646	8.3 E WISE RIVER	BEAVERHEAD	9	68	68	1.323	34	34	PMS	478	71	515	7	23	10	9	28	77	81	.3
P087	3+0.037	6.7 E FAP 13	MADISON	9	63	63	3.728	30	30	PMS	416	89	408	7	26	10	7	27	77	81	.9
P019	0+0.000	JCT FAI RTE 90	DEER LODGE	9	64	64	2.889	76	76	PMS	2074	269	2208	8	25	10	14	28	85	82	.4
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	9	60	63	9.393	28	28	PMS	161	24	353	7	20	10	5	29	71	82	2.7
P019	2+0.896	OPPORTUNITY	DEER LODGE	9	61	61	2.670	76	76	PMS	3280	426	2208	8	24	10	18	27	87	83	.3
P019	5+0.559	JCT FAP RTE 47	DEER LODGE	9	61	61	1.543	76	76	PMS	5110	664	2208	9	25	10	20	25	89	84	.2

FINANCIAL DISTRICT NUMBER 9

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P013	0+0.000	IDAHO LINE	MADISON	9	62	76	8.564	34	34	BST	174	34	478	7	26	10	4	29	76	85	2.1
P046	58+0.032	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.832	30	33	PMS	234	35	535	4	15	10	20	29	78	85	.2
P047	6+0.790	WARM SPRINGS	DEER LODGE	9	78	78	.063	48	48	PMS	386	115	103	10	30	10	20	13	83	87	
P046	16+0.966	9.2 W WISDOM	BEAVERHEAD	9	62	62	9.226	30	30	PMS	178	26	554	5	17	10	20	29	81	88	1.8
P046	4+0.107	2.9 E IDAHO LINE	BEAVERHEAD	9	60	63	3.674	28	28	PMS	155	23	442	5	15	10	20	29	79	88	.8
P013	16+0.388	7.7 N FAP 87	MADISON	9	69	69	4.975	40	40	PMS	340	68	568	8	21	10	20	28	87	90	.6
P046	31+0.616	5.3 E WISDOM	BEAVERHEAD	9	65	65	5.283	26	26	PMS	161	24	552	8	16	10	20	29	83	90	.9
P046	1+0.166	IDAHO LINE	BEAVERHEAD	9	60	63	2.945	28	28	PMS	153	22	315	5	18	10	20	29	82	90	.5
P087	0+0.000	JCT FAP 13	MADISON	9	63	63	1.393	30	30	PMS	334	72	441	7	24	10	20	28	89	92	.2
P013	21+0.332	9.3 S FAS 357	MADISON	9	71	71	2.992	40	40	PMS	340	68	511	8	25	10	20	28	91	93	.3
P013	8+0.630	JCT FAP 87	MADISON	9	66	66	7.813	40	40	PMS	340	68	596	8	25	10	20	28	91	93	.7
P013	74+0.873	0.5 S HARRISON	MADISON	9	76	76	5.908	32	32	PMS	440	68	722	8	27	10	17	29	91	93	.5
P046	51+0.307	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.089	26	28	PMS	101	15	442	7	18	10	20	29	84	93	
P046	77+0.114	DIVIDE EAST	SILVER BOW	9	76	76	.784	34	34	PMS	384	57	381	10	30	10	20	28	98	98	
P064	7+0.180	MADISON CO LINE	MADISON	9			1.812	UNDER CONSTRUCTION													
		DISTRICT TOTAL					300.933													37	110.9

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1979

SUFFICIENCY RATING BY FINANCIAL DISTRICT 10 RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 10

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P086	16+0.328	15.3 N BOZEMAN	GALLATIN	10	48	48	2.465	20	20	GRV	424	84	345	0	0	3	3	26	32	37	1.7
P011	55+0.874	LIVINGSTON	PARK	10	34	34	2.078	20	24	PMS	2399	311	654	0	12	7	3	23	45	39	1.1
P050	81+0.910	JCT FAP 84 85	GALLATIN	10	60	60	5.208	36	36	PMS	5372	805	244	8	26	10	7	0	51	39	2.6
P086	0+0.962	BOZEMAN	GALLATIN	10	58	58	2.860	25	25	PMS	2544	508	661	5	19	4	2	18	48	41	1.5
P045	0+0.535	BIG TIMBER LIMITS	SWEET GRASS	10	35	56	6.788	22	24	RMS	594	77	176	0	11	5	1	23	40	44	4.1
P063	0+0.000	JCT. FAP RTE 14	WHEATLAND	10	49	54	3.758	24	24	PMS	1014	131	258	0	13	9	2	22	46	46	2.0
P086	18+0.793	12.7 S PARK CO	GALLATIN	10	45	45	12.699	20	20	GRV	171	25	262	0	0	2	4	29	35	47	8.3
P011	0+0.000	YELL PARK BORY	PARK	10	75	75	1.016	48	48	PMS	1351	290	568	9	8	10	1	22	50	48	.5
P063	18+0.463	JUDITH GAP	WHEATLAND	10	49	54	.733	24	24	PMS	1179	153	258	3	14	10	1	21	49	48	.4
P045	8+0.031	7.4 N BIG TIMBER	SWEET GRASS	10	42	42	7.744	20	24	RMS	387	50	387	0	8	4	1	28	41	48	4.6
P063	13+0.568	13.3 N HARLOWTON	WHEATLAND	10	49	54	4.288	24	24	PMS	900	117	297	0	12	10	2	24	48	49	2.2
P013	94+0.645	1.1 E GALLATIN CO	GALLATIN	10	38	38	1.106	24	28	RMS	827	107	432	3	13	8	1	26	51	52	.5
P063	4+0.083	3.8 N HARLOWTON	WHEATLAND	10	49	54	9.470	24	24	PMS	848	110	408	0	12	10	3	26	51	52	4.6
P050	47+0.941	JCT FAP RTE 64	GALLATIN	10	55	55	12.950	28	28	PMS	1335	209	283	5	19	9	2	19	54	52	6.0
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	10	34	64	2.049	22	24	RMS	353	45	573	0	10	6	2	29	47	54	1.1
P059	40+0.703	2.8 MEAGHER CO	MEAGHER	10	36	47	4.600	24	24	RMS	303	45	515	0	8	6	2	29	45	54	2.5
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	10	61	61	5.777	34	34	PMS	1532	353	552	4	14	10	10	20	58	55	2.4
P014	68+0.503	8.7 W WHEATLAND CO	MEAGHER	10	36	63	4.875	22	24	RMS	291	37	364	0	9	7	2	28	46	55	2.6
P028	0+0.000	SILVERGATE	PARK	10	36	72	8.703	22	22	BST	433	97	184	4	17	6	0	22	49	55	4.4
P059	4+0.559	4.1 N FAI 90	PARK	10	41	41	9.651	20	24	RMS	688	103	431	0	12	9	5	26	52	55	4.6
P014	77+0.214	WHEATLAND CO	WHEATLAND	10	34	64	10.825	22	24	RMS	398	51	524	0	9	7	4	29	49	56	5.5
P013	82+0.240	1.4 N GALLATIN CO	GALLATIN	10	50	50	.830	22	24	RMS	398	61	333	0	13	8	1	27	49	56	.4
P050	60+0.889	12.9 N FAP RTE 64	GALLATIN	10	67	67	9.312	28	28	PMS	1469	230	203	8	27	10	1	13	59	56	3.8
P045	33+0.365	5.1 N WHEATLAND CO	WHEATLAND	10	35	39	4.535	20	24	RMS	340	44	634	0	10	7	2	29	48	56	2.4
P012	0+0.000	IDAHO LINE	GALLATIN	10	61	61	2.272	34	34	PMS	1470	339	252	8	24	10	8	10	60	57	.9
P014	63+0.148	18.1 E FAP 60	MEAGHER	10	37	65	5.333	21	24	RMS	289	37	357	0	9	8	3	28	48	57	2.8
P059	49+0.499	JCT FAS RTE 294	MEAGHER	10	36	63	8.034	22	24	RMS	311	46	627	0	9	8	3	29	49	57	4.1
P059	45+0.327	0.3 N RINGLING	MEAGHER	10	36	47	4.192	24	24	RMS	302	45	744	0	9	8	2	29	48	57	2.2
P084	20+0.309	ANCENEY	GALLATIN	10	55	55	8.744	24	24	RMS	845	143	365	5	18	8	1	24	56	57	3.8
P085	0+0.000	JCT FAP 50 FAP 84	GALLATIN	10	53	53	6.708	24	24	RMS	2003	330	528	5	22	8	6	21	62	57	2.5
P014	33+0.493	JCT FAP 59	MEAGHER	10	33	66	8.182	21	24	RMS	769	115	660	0	10	8	12	27	57	59	3.5
P084	11+0.483	MADISON-GALLATIN	GALLATIN	10	55	55	8.808	24	24	RMS	511	86	243	4	15	9	1	25	54	59	4.1
P014	23+0.519	MEAGHER CO	MEAGHER	10	55	55	9.978	24	27	PMS	424	63	264	4	14	9	1	26	54	60	4.6
P050	8+0.524	0.2 N FAP RTE 87	GALLATIN	10	62	72	1.955	32	32	PMS	899	141	182	8	22	10	1	18	59	60	.8
P086	3+0.822	2.8 N BOZEMAN	GALLATIN	10	61	61	5.760	30	30	PMS	969	193	738	5	19	10	1	26	61	61	2.2
P011	49+0.902	JCT FAS 540	PARK	10	61	61	1.890	32	32	PMS	2778	597	748	8	24	10	8	18	68	62	.6
P050	76+0.436	5.4 S FAP 84 85	GALLATIN	10	64	64	5.455	32	32	PMS	2476	388	643	8	23	10	6	21	68	62	1.7
P013	96+0.554	THREE FORKS	GALLATIN	10	50	55	.555	32	32	RMS	2025	263	808	2	12	8	20	25	67	63	.2
P059	37+1.030	MEAGHER CO	MEAGHER	10	42	52	2.756	24	24	RMS	303	45	774	0	8	8	9	29	54	63	1.3
P045	28+0.272	WHEATLAND CO	WHEATLAND	10	46	55	5.074	24	26	RMS	253	32	573	0	9	10	5	29	53	63	2.4
P050	40+0.132	8.9 N PARK BOY	GALLATIN	10	60	60	7.823	28	28	PMS	1310	205	400	6	19	10	9	22	66	64	2.7
P050	31+0.181	YELL PARK BOY	GALLATIN	10	60	60	8.921	28	28	PMS	1185	186	436	6	21	10	4	24	65	64	3.1
P014	108+0.043	7.1 E FAP 63	WHEATLAND	10	53	53	8.427	24	28	RMS	930	120	558	4	15	10	9	27	65	65	2.9
P013	93+0.693	GALLATIN CO LINE	GALLATIN	10	49	49	1.107	28	28	RMS	827	107	680	2	14	10	11	28	65	66	.4
P050	8+0.373	JCT FAP RTE 87	GALLATIN	10	64	64	.151	52	52	PMS	955	149	296	8	23	10	3	22	66	66	.1
P011	40+0.712	9.1 S FAS 540	PARK	10	65	65	9.177	32	32	PMS	1471	316	748	8	21	10	6	24	69	67	2.8
P012	8+0.047	0.6 W WEST YELL	GALLATIN	10	30	78	.571	30	30	PMS	1726	398	705	8	27	3	11	22	71	68	.2
P086	9+0.582	8.6 N BOZEMAN	GALLATIN	10	73	73	6.746	31	31	PMS	513	102	469	4	21	10	2	27	64	68	2.4
P014	42+0.708	WHITE SULPHUR	MEAGHER	10	65	65	2.417	40	40	PMS	824	123	281	7	21	10	7	23	68	69	.8
P050	70+0.197	11.7 S FAP 84 85	GALLATIN	10	58	60	6.250	32	32	PMS	1998	313	643	8	25	10	7	23	73	69	1.7
P059	0+0.000	JCT FAI RTE 90	PARK	10	55	55	1.755	24	36	RMS	1078	161	580	7	17	10	9	26	69	69	.5
P014	55+0.917	10.8 E FAP 60	MEAGHER	10	56	58	7.271	28	28	PMS	286	37	289	3	16	10	4	28	61	70	2.8
P011	10+0.864	10.7 N GARDINER	PARK	10	69	69	5.766	32	32	BST	838	180	546	8	24	10	2	25	69	70	1.8
P050	16+0.625	8.3 N FAP RTE 87	GALLATIN	10	63	63	14.593	32	32	PMS	1014	159	569	5	17	10	12	26	70	70	4.4
P050	7+0.330	7.2 N WEST YELL	GALLATIN	10	64	64	1.047	34	34	PMS	1481	325	629	6	14	10	20	22	72	70	.3

FINANCIAL DISTRICT NUMBER 10

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P014	73+0.390	3.8 W WHEATLAND CO	MEAGHER	10	36	63	1.779	22	24	RMS	292	37	646	D	10	7	18	29	64	72	.6
P060	25+0.339	3.3 S CASCADE CO	MEAGHER	10	59	63	3.335	26	26	PMS	233	34	402	5	17	10	1	29	62	72	1.3
P087	6+0.719	MADISON-GALLATIN	GALLATIN	10	67	67	3.316	30	30	PMS	441	95	235	7	25	10	1	24	67	72	1.1
P087	10+0.026	3.3 E MADISON CO	GALLATIN	10	67	67	10.223	30	30	PMS	475	102	434	5	20	10	6	26	67	72	3.4
P060	9+0.718	9.5 N FAP 14	MEAGHER	10	59	63	7.386	26	26	PMS	336	50	333	6	18	10	4	28	66	73	2.5
P050	0+0.554	WEST YELLOWSTONE	GALLATIN	10	68	68	7.129	40	40	PMS	1668	366	569	7	19	10	20	20	76	73	1.7
P014	100+0.898	JCT FAP RTE 63	WHEATLAND	10	65	65	7.126	40	40	PMS	1062	138	599	7	20	10	10	27	74	74	1.9
P059	2+0.267	1.8 N FAI 90	PARK	10	41	41	2.293	20	24	RMS	925	138	453	3	17	9	20	25	74	74	.6
P059	20+0.487	5.1 N CLYDE PARK	PARK	10	73	73	4.228	32	32	PMS	608	91	643	7	23	10	3	28	71	74	1.2
P087	20+0.240	2.1 W JCT FAP 50	GALLATIN	10	67	67	2.194	30	30	PMS	492	106	697	7	22	10	3	28	70	74	.7
P011	19+0.339	0.4 S FAS 540	PARK	10	61	61	11.618	32	32	PMS	1175	252	748	8	25	10	8	25	76	75	2.8
P014	88+0.034	11.2 W HARLOWTON	WHEATLAND	10	66	66	4.784	40	40	PMS	515	66	552	7	18	10	8	28	71	75	1.4
P011	30+0.977	JCT COUNTY ROAD	PARK	10	61	61	9.708	32	32	PMS	1358	291	748	8	24	10	12	24	78	76	2.1
P045	7+0.339	6.7 N BIG TIMBER	SWEET GRASS	10	69	69	.695	30	30	RMS	448	58	486	7	23	10	3	28	71	76	.2
P014	116+0.456	6.1 W GOLD VAL	WHEATLAND	10	67	67	6.108	40	40	PMS	887	115	281	8	24	10	11	24	77	78	1.4
P060	0+0.000	JCT FAP RTE 14	MEAGHER	10	55	69	9.550	28	28	PMS	438	65	436	8	23	10	4	28	73	78	2.6
P014	45+0.138	JCT FAP RTE 60	MEAGHER	10	65	65	3.943	40	40	PMS	348	45	385	6	18	10	11	28	73	79	1.1
P050	10+0.485	2.4 N FAP RTE 87	GALLATIN	10	63	63	6.020	32	32	PMS	866	135	453	6	16	10	20	26	78	79	1.3
P086	31+0.492	GALLATIN-PARK CO	PARK	10	63	63	6.738	28	28	PMS	174	26	534	4	16	10	9	29	68	79	2.2
P011	1+0.365	1.3 N GARDINER	PARK	10	71	71	4.308	34	34	PMS	824	177	511	7	25	10	12	25	79	80	.9
P045	15+0.771	15.2 N BIG TIMBER	SWEET GRASS	10	48	78	7.041	24	24	PMS	255	33	349	7	26	10	1	29	73	81	1.9
P060	17+0.022	11.6 S CASCADE CO	MEAGHER	10	59	63	8.316	26	26	PMS	246	36	333	6	19	10	10	28	73	81	2.2
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	10	46	78	4.429	24	24	PMS	222	28	312	7	24	10	2	29	72	81	1.2
P064	0+0.000	JCT FAP RTE 50	GALLATIN	10	72	77	3.000	30	30	PMS	656	91	400	10	30	10	2	27	79	81	.6
P011	16+0.633	3.1 S FAS 540	PARK	10	61	61	2.712	32	32	PMS	865	185	748	8	24	10	14	26	82	82	.5
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	10	64	69	.217	32	32	PMS	2011	261	457	8	26	10	20	21	85	82	
P014	92+0.813	6.5 W HARLOWTON	WHEATLAND	10	68	68	6.513	40	40	PMS	600	78	552	7	19	10	16	28	80	82	1.3
PD11	5+0.566	5.0 N GARDINER	PARK	10	69	69	5.149	34	34	PMS	790	169	596	8	24	10	13	26	81	82	1.0
P014	100+0.394	HARLOWTON	WHEATLAND	10	65	65	.504	40	40	PMS	1584	205	872	8	21	10	20	26	85	83	.1
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	10	70	70	5.994	32	32	PMS	354	46	569	7	17	10	20	29	83	87	1.0
P059	24+0.884	JCT FAP RTE 86	PARK	10	73	73	4.765	32	32	PMS	273	40	666	7	22	10	16	25	84	89	.8
P011	1+0.019	GARDINER NO	PARK	10	75	75	.346	34	34	PMS	860	184	688	8	27	10	20	26	91	91	
P013	80+0.773	GALLATIN CO LINE	GALLATIN	10	76	76	1.444	32	32	PMS	390	60	568	8	28	10	20	28	94	95	.1
P045	22+0.797	5.4 S WHEATLAND CO	SWEET GRASS	10	69	69	1.029	30	30	RMS	229	29	291	9	25	10	20	29	93	95	.1
P059	29+0.649	8.3 S MEAGHER CO	PARK	10	73	73	8.379	32	32	PMS	291	43	643	9	27	10	19	29	94	96	.5
P014	48+0.995	3.9 E FAP 60	MEAGHER	10	76	76	6.934	36	36	PMS	301	39	180	9	30	10	20	27	96	97	.3
P064	3+0.000	3.0 W FAP RTE 50	GALLATIN	10			4.259	UNDER CONSTRUCTION													
P059	15+0.395	CLYDE PARK	PARK	10			5.138	UNDER CONSTRUCTION													
P059	14+0.318	0.6 S CLYDE PARK	PARK	10			.624	UNDER CONSTRUCTION													
		DISTRICT TOTAL					491.312													36	176.6



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1979

SUFFICIENCY RATING BY FINANCIAL DISTRICT II RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 11

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY FNO	SUFFICIENCY SRF	SUFFICIENCY ORN	SUFFICIENCY SAF	RATINGS CAP	RATINGS TOT	RATINGS ADJ	DEFIC MILES
P004	52+0.256	1.4 N YELLOWST CO	YELLOWSTONE	11	22	39	1.598	24	30	RMS	4822	626	577	3	14	7	1	14	39	28	1.0
P016	46+0.202	KLEIN	MUSSELSHELL	11	37	37	1.838	20	24	RMS	2019	262	283	0	13	8	1	16	38	33	1.1
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	11	33	56	.969	26	30	RMS	2551	331	720	0	12	6	1	23	42	36	.6
P078	29+0.991	JCT FAS RTE 419	STILLWATER	11	35	45	15.864	20	24	RMS	1154	190	450	0	9	5	1	24	39	38	9.7
P004	57+0.487	2.1 E LAUREL	YELLOWSTONE	11	36	64	.711	30	30	RMS	3038	394	248	8	24	8	1	6	47	39	.4
P016	25+0.140	MUSSELSHELL CO	MUSSELSHELL	11	34	34	4.505	20	24	RMS	1134	147	277	0	12	6	1	22	41	40	2.7
P016	11+0.880	7.0 N BILLINGS	YELLOWSTONE	11	34	51	9.638	20	24	RMS	1116	145	448	0	10	5	1	25	41	40	5.7
P016	23+0.243	1.8 S MUSSEL CO	YELLOWSTONE	11	34	58	1.815	22	24	RMS	1122	145	272	0	12	7	1	22	42	41	1.1
P004	55+0.309	LAUREL	YELLOWSTONE	11	23	68	2.178	55	55	RMS	3603	468	806	4	14	8	3	21	50	41	1.1
P004	50+0.814	YELLOWSTONE CO	YELLOWSTONE	11	49	65	1.390	28	32	RMS	4087	531	569	4	14	9	9	16	52	42	.7
P004	26+0.285	BRIDGER	CARBON	11	23	51	6.413	22	24	RMS	1968	255	711	0	10	6	6	25	47	42	3.4
P014	133+0.003	2.5 E RYEGATE	GOLDEN VALLEY	11	37	37	3.978	20	24	RMS	843	109	307	0	9	6	1	25	41	42	2.3
P053	32+0.044	BROADVIEW	YELLOWSTONE	11	48	48	2.171	20	24	RMS	866	112	220	0	13	7	1	22	43	44	1.2
P053	6+0.308	2.0 N BILLINGS	YELLOWSTONE	11	48	48	9.590	20	24	RMS	999	129	185	0	15	8	1	20	44	44	5.4
P037	0+0.000	JCT FAI RTE 90	BIG HORN	11	54	54	7.865	24	24	PMS	916	123	275	0	11	8	1	23	43	44	4.5
P028	82+0.066	ROBERTS	CARBON	11	36	36	8.931	21	24	RMS	1202	240	486	0	11	8	4	23	46	45	4.8
P061	13+0.075	12.0 N ROUNDUP	MUSSELSHELL	11	35	66	8.809	22	24	RMS	890	115	406	0	10	5	3	26	44	45	4.9
P028	70+0.311	REO LODGE	CARBON	11	21	54	11.712	22	24	RMS	1320	264	844	0	9	8	7	25	49	47	6.0
P053	34+0.273	GOLDEN VALLEY CO	GOLDEN VALLEY	11	48	57	6.295	22	28	RMS	866	112	438	0	10	8	3	26	47	48	3.3
P014	130+0.503	RYEGATE	GOLDEN VALLEY	11	37	37	2.478	20	24	RMS	864	112	608	0	10	6	5	27	48	49	1.3
P037	24+0.493	BUSBY	BIG HORN	11	54	54	2.712	24	24	PMS	1130	152	396	0	13	10	3	24	50	49	1.4
P014	160+0.456	7.1 W FAP RTE 16	MUSSELSHELL	11	36	50	7.063	20	24	RMS	551	71	377	0	11	6	2	27	46	50	3.8
P072	14+0.502	6.9 S JCT FAP 4	CARBON	11	48	48	6.987	24	24	RMS	855	136	396	2	14	6	2	25	49	50	3.6
P053	23+0.140	COMANCHE	YELLOWSTONE	11	48	48	8.421	20	24	RMS	851	110	561	0	10	7	5	27	49	50	4.3
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	11	37	37	3.424	20	24	RMS	331	43	201	0	11	4	1	27	43	51	2.0
P078	27+0.412	2.3 N CARBON CO	STILLWATER	11	35	35	2.579	20	20	RMS	339	55	391	0	8	6	1	28	43	51	1.5
P072	10+0.384	BELFRY	CARBON	11	49	49	1.126	24	24	BST	731	116	673	2	14	5	1	27	49	51	.6
P014	146+0.071	JCT FAP RTE 53	GOLDEN VALLEY	11	37	37	5.631	20	24	RMS	320	41	201	0	12	4	1	27	44	52	3.2
P004	42+0.925	0.2 N FAP 28	CARBON	11	49	70	7.959	28	32	RMS	4211	547	536	4	17	10	16	15	62	52	3.0
P061	1+0.021	ROUNDUP	MUSSELSHELL	11	50	54	5.953	24	30	PMS	991	128	308	0	13	10	5	24	52	52	2.9
P014	137+0.000	6.5 E RYEGATE	GOLDEN VALLEY	11	37	37	9.104	20	24	RMS	824	107	582	0	9	8	8	27	52	53	4.4
P014	182+0.021	11.9 E ROUNDUP	MUSSELSHELL	11	39	39	5.582	20	24	RMS	487	63	264	0	12	8	2	26	48	53	2.9
P037	17+0.211	17.2 E JCT FAI 90	BIG HORN	11	54	54	7.296	24	24	PMS	920	124	249	0	12	8	9	23	52	53	3.5
P072	11+0.754	0.5 N BELFRY	CARBON	11	49	49	2.812	20	24	RMS	755	120	431	0	12	4	9	26	51	53	1.4
P037	7+0.879	7.9 E JCT FAI 90	BIG HORN	11	54	54	9.343	24	24	PMS	894	120	530	0	10	8	7	27	52	53	4.5
P014	170+0.161	ROUNDUP	MUSSELSHELL	11	39	39	11.871	20	24	RMS	626	81	406	0	12	10	2	27	51	54	5.8
P004	53+0.841	3.0 N YELLOWST CO	YELLOWSTONE	11	64	64	.432	68	68	PMS	5324	692	1360	6	19	10	9	22	66	55	.1
P014	187+0.619	17.5 E ROUNDUP	MUSSELSHELL	11	39	39	4.478	20	24	RMS	464	60	431	0	11	8	3	28	50	56	2.2
P028	96+0.673	JOLIET	CARBON	11	74	74	4.685	44	44	PMS	1898	379	344	8	26	10	3	13	60	56	1.9
P078	6+0.052	5.5 W REO LODGE	CARBON	11	53	53	7.264	24	24	RMS	287	47	278	0	13	6	1	27	47	56	3.8
P053	40+0.546	6.3 N GOLD VAL CO	GOLDEN VALLEY	11	56	56	4.841	30	30	BST	866	112	573	0	10	10	9	27	56	57	2.1
P078	0+0.472	REO LODGE	CARBON	11	52	52	5.580	24	24	RMS	641	105	556	4	15	7	1	27	54	57	2.6
P004	42+0.765	JCT FAP 28	CARBON	11	68	68	.160	40	40	PMS	4685	609	399	7	24	10	20	7	68	58	.1
P053	15+0.901	ACTON	YELLOWSTONE	11	48	48	7.281	20	24	RMS	852	110	584	0	9	9	12	27	57	58	3.1
P048	0+2.507	HARDIN	BIG HORN	11	70	70	.192	40	40	PMS	4090	572	368	7	23	10	20	7	67	58	.1
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	11	39	39	8.309	20	24	RMS	525	68	431	0	11	9	6	28	54	59	3.8
P048	1+0.060	JCT FAI 90	BIG HORN	11	70	70	.284	40	40	RMS	928	129	151	7	23	10	1	17	58	59	.1
P014	205+0.177	MELSTONE	MUSSELSHELL	11	46	63	1.991	20	24	RMS	390	62	538	0	10	10	5	28	53	60	.9
P078	45+0.855	0.5 S COLUMBUS	STILLWATER	11	57	57	.591	28	28	RMS	1643	271	425	8	24	10	1	20	63	60	.2
P028	101+0.121	0.6 S FAP 4	CARBON	11	68	68	.587	40	40	PMS	2027	405	662	5	18	10	12	21	66	61	.2
P078	13+0.316	12.8 W REO LODGE	CARBON	11	57	57	6.370	24	24	PMS	253	41	591	0	13	6	3	29	51	61	3.1
P028	47+0.309	2.3 N WYO BORY	CARBON	11	65	65	6.415	28	28	PMS	433	97	291	5	17	10	0	25	57	63	2.8
P014	192+0.108	JCT FAS 310	MUSSELSHELL	11	39	39	3.283	20	24	RMS	510	66	448	0	9	8	13	28	58	63	1.4
P048	0+0.000	JCT FAI 90	BIG HORN	11	71	71	.294	40	40	PMS	3047	396	464	9	28	10	6	17	70	63	.1
P016	4+0.649	BILLINGS	YELLOWSTONE	11	77	77	7.049	40	40	PMS	1478	192	189	8	26	10	7	15	66	64	2.4

FINANCIAL DISTRICT NUMBER 11

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P048	1+0.344	0.8 N HARDIN	BIG HORN	11	41	63	5.459	21	24	RMS	490	68	453	3	16	8	4	28	59	64	2.2
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	11	56	56	2.482	24	28	RMS	434	56	586	0	13	10	7	29	59	65	1.0
P004	0+0.516	0.5 N WYO LINE	CARBON	11	56	63	12.924	32	32	PMS	946	122	569	0	17	10	11	27	65	65	4.5
P072	5+0.604	4.8 S BELFRY	CARBON	11	61	61	4.864	30	30	PMS	594	95	384	4	17	7	7	26	61	65	1.9
P053	4+0.315	BILLINGS	YELLOWSTONE	11	63	63	2.024	32	32	PMS	4467	580	817	8	24	10	13	19	74	66	.5
P004	33+0.798	0.6 N FROMBERG	CARBON	11	68	68	8.918	40	40	PMS	2103	273	643	7	19	10	11	24	71	67	2.6
P028	90+0.985	BOYD	CARBON	11	74	74	4.433	40	40	PMS	1413	282	309	9	28	10	6	16	69	67	1.4
P072	0+0.000	MONT-WYOMING LINE	CARBON	11	61	61	5.184	30	30	PMS	521	83	414	0	15	8	13	27	63	67	1.9
P037	33+0.061	5.6 W ROSEBUD CO	BIG HORN	11	74	74	5.621	40	40	PMS	1130	152	170	9	25	10	8	17	69	68	1.7
P048	6+0.777	6.1 N HARDIN	BIG HORN	11	45	45	4.865	20	24	RMS	460	64	406	3	16	9	7	28	63	68	1.8
P048	0+0.294	0.3 S FAI 90	BIG HORN	11	76	76	.897	44	44	PMS	3047	396	806	9	28	10	4	23	74	68	.2
P028	53+0.726	8.7 N WYO BORY	CARBON	11	65	65	6.274	28	28	PMS	433	97	437	7	18	10	1	27	63	69	2.3
P004	33+0.199	FROMBERG	CARBON	11	54	54	.599	24	32	RMS	1950	253	828	3	15	10	20	25	73	69	.2
P048	0+1.916	HARDIN	BIG HORN	11	76	76	.555	48	48	PMS	2043	286	872	9	28	10	1	25	73	69	.1
P028	45+0.000	MONT WYO BORY	CARBON	11	65	65	2.331	28	28	PMS	433	97	658	6	17	10	3	28	64	70	.8
P004	13+0.435	13.4 N WYO LINE	CARBON	11	59	59	5.773	32	32	PMS	996	129	599	0	14	10	20	27	71	71	1.7
P004	0+0.000	WYOMING LINE	CARBON	11	49	49	.516	24	30	RMS	918	119	648	8	21	10	5	27	71	71	.1
P053	46+0.272	LAVINA	GOLDEN VALLEY	11	56	56	.418	30	30	BST	968	125	535	2	13	10	20	26	71	71	.1
P004	54+0.307	JCT FAI 90	YELLOWSTONE	11	64	64	.109	68	68	PMS	7750	1007	3400	6	19	10	20	26	81	72	
P016	38+0.172	8.0 MI S KLEIN	MUSSELSHELL	11	65	65	8.038	32	32	PMS	1237	160	720	6	23	10	8	27	74	73	2.1
P004	23+0.235	1.5 S FAP 72	CARBON	11	72	72	1.501	40	40	PMS	1530	198	266	7	25	10	15	19	76	74	.4
P079	0+0.000	JCT FAI 94 HYSHAM	TREASURE	11	64	64	1.953	30	30	PMS	476	61	626	5	22	10	3	29	69	74	.6
P048	11+0.644	11.0 N HARDIN	BIG HORN	11	54	54	6.665	24	24	RMS	285	39	494	4	17	10	6	29	66	74	2.3
P004	19+0.206	6.5 S BRIDGER	CARBON	11	72	72	4.035	40	40	PMS	1281	166	448	3	19	10	20	24	76	75	1.0
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	11	56	56	2.851	24	28	RMS	386	50	301	0	12	9	20	28	69	75	.9
P014	124+0.946	2.4 E GOLD VAL CO	GOLDEN VALLEY	11	56	71	4.540	28	28	PMS	914	118	558	3	16	10	20	27	76	76	1.1
P016	29+0.682	4.5 N MUSSELSH CO	MUSSELSHELL	11	66	66	8.466	32	32	PMS	1162	151	548	7	24	10	11	26	78	77	1.9
P078	25+0.103	CARBON-STILLWATER	STILLWATER	11	60	60	2.309	24	24	PMS	331	54	348	8	26	9	1	28	72	78	.6
P072	5+0.118	5.1 N WYO-MONT	CARBON	11	70	70	.486	30	30	PMS	521	83	402	6	21	10	10	27	74	78	.1
P016	21+0.519	3.5 S MUSSEL CO	YELLOWSTONE	11	68	68	1.739	40	40	PMS	1114	144	403	7	21	10	17	25	80	79	.3
P028	60+0.000	8.7 S REO LODGE	CARBON	11	69	69	4.227	34	34	PMS	489	110	447	8	23	10	9	26	76	80	1.0
P014	122+0.568	GOLDEN VALLEY CO	GOLDEN VALLEY	11	67	67	2.375	40	40	PMS	890	115	296	7	23	10	16	24	80	80	.5
P078	19+0.686	ROSCOE	CARBON	11	60	60	4.234	24	24	PMS	253	41	440	7	26	9	3	29	74	82	1.1
P061	7+0.094	6.0 N ROUNDUP	MUSSELSHELL	11	77	77	6.000	40	40	PMS	914	118	200	9	28	10	15	21	83	83	1.0
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	11	74	74	.302	34	34	PMS	307	42	399	10	30	10	2	28	80	85	.1
P037	27+0.205	2.7 E BUSBY	BIG HORN	11	76	76	5.843	40	40	PMS	1130	152	320	7	27	10	19	23	86	85	.8
P004	24+0.737	JCT FAP 72	CARBON	11	72	72	.940	40	40	PMS	2701	351	828	9	27	10	20	24	90	87	.1
P048	18+0.321	4.4 S YELLOWSTONE	BIG HORN	11	63	63	4.388	28	28	PMS	225	31	353	9	27	10	6	29	81	87	.8
P078	47+0.250	COLUMBUS	STILLWATER	11	72	72	.433	44	44	PMS	1243	161	795	7	24	10	20	27	88	87	.1
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	11	63	63	3.682	28	28	PMS	242	33	332	8	25	10	15	29	87	91	.5
P078	24+0.317	STILLWATER-CARBON	CARBON	11	60	60	.786	24	24	PMS	327	53	522	9	27	10	20	28	94	95	
P078	23+0.920	CARBON-STILLWATER	STILLWATER	11	60	60	.397	24	24	PMS	290	47	394	9	26	10	20	28	93	95	
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	11	63	63	3.103	28	28	PMS	285	39	579	10	27	10	20	29	96	97	.1
P028	64+0.237	4.5 S REO LODGE	CARBON	11			4.158	UNDER CONSTRUCTION													
P028	68+0.615	REO LODGE	CARBON	11			.062	UNDER CONSTRUCTION													
		DISTRICT TOTAL					434.456													42	182.9



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1979

SUFFICIENCY RATING BY FINANCIAL DISTRICT 12

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 12

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY FNO	SUFFICIENCY SRF	SUFFICIENCY ORN	SUFFICIENCY SAF	RATINGS CAP	RATINGS TOT	RATINGS ADJ	DEFIC MILES
P037	46+0.552	4.2 E LAME DEER	ROSEBUD	12 54 54	7.110	24	24	PMS	1785	240	136	5	18	8	1	4	36	32	4.6
P023	2+0.111	MILES CITY LIMITS	CUSTER	12 20 36	.061	25	25	RMS	4043	525	243	0	15	8	20	0	43	33	
P023	77+0.811	1.5 S FAP 37	POWDER RIVER	12 28 36	1.305	20	22	BST	1359	197	250	0	12	4	1	18	35	33	.8
P023	2+0.172	JCT FAI RTE 94	CUSTER	12 20 36	3.282	25	25	RMS	1793	233	307	0	13	8	1	19	41	37	1.9
P023	5+0.440	3.3 S FAI RTE 94	CUSTER	12 36 36	9.137	22	25	RMS	1042	151	425	0	10	7	2	25	44	44	5.1
P023	44+0.152	6.4 N POWDER R CO	CUSTER	12 32 60	3.712	18	24	RMS	419	60	316	0	8	4	2	27	41	47	2.2
P023	79+0.965	BROADUS	POWDER RIVER	12 40 40	3.148	24	24	RMS	1204	174	278	0	13	9	6	21	49	48	1.6
P023	83+0.090	JCT FAP RTE 54	POWDER RIVER	12 31 56	2.448	20	24	RMS	683	99	203	0	13	7	3	23	46	49	1.3
P027	29+0.146	JCT FAS RTE 322	FALLON	12 48 48	5.510	25	25	BST	621	80	217	0	12	9	1	24	46	49	3.0
P037	42+0.082	LAME DEER FAP 39	ROSEBUD	12 54 54	4.469	24	24	PMS	1838	248	301	2	14	9	10	18	53	49	2.1
P039	42+0.430	8.8 SO JCT I 94	ROSEBUD	12 51 67	2.020	24	24	RMS	604	90	652	0	10	5	2	28	45	49	1.1
P023	33+0.176	17.2 N POWDER R CO	CUSTER	12 31 60	10.961	18	24	RMS	457	66	438	0	7	4	5	28	44	50	6.1
P002	6+0.885	0.7 E JCT FAI 94	CUSTER	12 50 50	6.326	20	24	RMS	683	88	228	0	13	9	2	24	48	51	3.3
P039	31+0.745	9.0 NO COLSTRIP	ROSEBUD	12 49 70	4.830	24	24	RMS	509	76	652	0	10	5	3	28	46	51	2.6
P039	36+0.575	13.8 NO COLSTRIP	ROSEBUD	12 53 67	5.855	24	24	RMS	524	78	612	0	10	8	1	28	47	52	3.1
P002	70+0.895	PLEVNA	FALLON	12 39 39	11.726	24	30	RMS	778	101	470	0	10	10	4	27	51	53	5.7
P023	85+0.569	2.4 S JCT FAP 54	POWDER RIVER	12 53 53	10.018	24	28	RMS	628	91	266	0	11	10	5	25	51	54	4.9
P037	53+0.681	11.3 E LAME DEER	ROSEBUD	12 54 54	8.693	24	24	PMS	1122	151	327	4	16	9	3	23	55	54	3.9
P018	34+0.903	JCT FAS RTE 462	ROSEBUD	12 31 56	3.183	20	24	BST	212	27	422	0	7	7	1	29	44	55	1.8
P027	22+0.502	JCT FAS RTE 494	FALLON	12 48 48	6.612	25	25	BST	413	53	237	0	12	9	1	27	49	55	3.4
P018	23+0.937	3.9 N ROSEBUD CO	ROSEBUD	12 31 35	10.946	20	24	BST	242	31	448	0	8	7	1	29	45	55	6.0
P023	72+0.957	3.4 N FAP 37	POWDER RIVER	12 28 41	3.379	24	24	BST	526	76	221	2	13	8	3	25	51	56	1.7
P023	55+0.758	COALWOOD	POWDER RIVER	12 49 55	8.797	24	24	RMS	281	40	393	0	10	9	1	28	48	57	4.6
P039	0+0.000	JCT 37 LAME DEER	ROSEBUD	12 64 64	4.230	24	24	PMS	637	95	564	3	17	7	0	27	54	57	1.9
P039	26+0.054	3.3 NO COLSTRIP	ROSEBUD	12 49 70	5.691	24	24	RMS	524	78	394	2	16	6	1	27	52	57	2.7
P002	84+0.000	BAKER	FALLON	12 68 68	5.059	40	40	PMS	1050	136	526	3	15	10	4	26	58	58	2.1
P002	4+0.822	MILES CITY	CUSTER	12 50 50	1.527	20	24	RMS	1558	202	551	3	13	10	10	25	61	58	.6
P027	12+0.063	FALLON CO	FALLON	12 50 50	10.442	22	24	PMS	292	37	220	0	11	10	1	27	49	58	5.3
P039	22+0.745	COLSTRIP	ROSEBUD	12 49 67	3.309	24	24	RMS	579	86	326	4	15	8	1	26	54	58	1.5
P018	20+0.059	ROSEBUD CO	ROSEBUD	12 28 35	3.899	20	24	BST	232	30	627	0	8	8	3	29	48	59	2.0
P018	1+0.000	MILES CITY LIMITS	CUSTER	12 57 57	1.135	32	32	BST	1512	196	456	6	20	10	2	24	62	59	.4
P037	64+0.304	POWDER RIVER CO	POWDER RIVER	12 57 57	5.314	24	28	PMS	595	80	371	0	13	10	5	27	55	59	2.4
P037	62+0.327	ASHLAND	ROSEBUD	12 57 57	1.966	24	28	PMS	963	130	536	4	16	10	4	26	60	60	.8
P027	7+0.242	6.9 N EKALAKA	CARTER	12 50 50	4.818	22	24	PMS	272	35	220	0	12	10	1	28	51	60	2.4
P023	47+0.867	2.7 N POWDER R CO	CUSTER	12 52 52	2.703	22	28	PMS	313	45	196	0	11	10	4	27	52	60	1.3
P054	0+0.000	WYOMING LINE	POWDER RIVER	12 59 66	9.121	24	24	BST	255	33	327	0	11	10	2	28	51	61	4.5
P023	50+0.580	POWDER RIVER CO	POWDER RIVER	12 52 60	5.179	24	28	RMS	267	38	642	0	10	10	4	29	53	62	2.4
P002	0+0.000	194 W MILES CITY	CUSTER	12 62 62	.908	32	32	PMS	904	102	488	6	16	10	2	27	61	62	.4
P027	0+0.355	EKALAKA	CARTER	12 50 50	6.902	22	24	PMS	321	41	377	0	13	10	3	28	54	62	3.2
P023	64+0.651	8.8 S COALWOOD	POWDER RIVER	12 29 41	8.397	24	24	BST	334	48	258	0	13	10	4	27	54	62	3.9
P014	224+0.418	5.1 W INGOMAR	ROSEBUD	12 48 63	5.122	25	25	RMS	284	45	258	0	14	10	2	27	53	62	2.4
P014	229+0.532	INGOMAR	ROSEBUD	12 55 63	12.892	20	20	RMS	264	41	290	0	14	9	4	28	55	65	5.8
P039	21+0.410	1.3 SO COLSTRIP	ROSEBUD	12 49 67	1.335	24	24	RMS	355	53	285	5	17	8	1	27	58	65	.6
P037	69+0.625	6.3 E POWDER R CO	POWDER RIVER	12 67 67	9.659	28	28	PMS	413	55	536	3	13	10	6	28	60	66	3.9
P014	259+0.489	7.2 E VANADA	ROSEBUD	12 54 54	5.579	24	24	RMS	295	46	450	0	15	10	4	28	57	66	2.4
P014	212+0.433	5.3 E ROSEBUD CO	ROSEBUD	12 46 57	4.717	20	24	RMS	288	45	357	0	10	10	10	28	58	67	2.0
P018	13+0.047	7.0 S ROSEBUD CO	CUSTER	12 63 63	5.000	30	30	PMS	264	34	663	2	13	10	4	29	58	67	2.1
P014	217+0.153	10.0 E ROSEBUD CO	ROSEBUD	12 48 63	7.269	25	25	RMS	259	41	408	0	15	10	5	28	58	67	3.1
P023	95+0.564	6.0 N CARTER CO	POWDER RIVER	12 54 54	6.028	24	28	RMS	509	73	732	0	10	10	13	29	62	67	2.3
P014	252+0.337	VANADA	ROSEBUD	12 54 54	7.162	24	24	RMS	250	39	258	2	15	10	3	28	58	68	3.0
P018	18+0.057	2.0 S ROSEBUD CO	CUSTER	12 28 35	2.023	20	24	BST	237	30	655	0	9	8	13	29	59	69	.8
P027	35+0.755	BAKER	FALLON	12 57 60	8.648	28	28	RMS	644	83	492	0	10	10	19	27	66	69	2.9
P023	108+0.475	HAMMOND	CARTER	12 55 73	11.000	28	28	PMS	478	69	486	0	13	10	13	28	64	69	4.0
P002	89+0.046	5.1 E BAKER	FALLON	12 68 68	6.442	40	40	PMS	571	74	552	2	15	10	11	28	66	70	2.2
P018	2+0.123	1.1 N MILES CITY	CUSTER	12 64 64	10.937	32	32	PMS	355	46	580	4	14	10	7	29	64	71	3.9

FINANCIAL DISTRICT NUMBER 12

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FND	SRF	ORN	SAF	CAP	TDT	ADJ	DEFIC MILES
P023	101+0.585	CARTER CO	CARTER	12	54	54	6.878	24	28	RMS	473	68	462	2	11	10	15	28	66	71	2.3
P023	76+0.303	JCT FAP RTE 37	POWDER RIVER	12	69	69	1.530	28	28	PMS	1262	182	276	8	26	10	10	20	74	73	.4
P002	6+0.197	I 94 E MILES CITY	CUSTER	12	62	62	.688	32	32	PMS	747	97	235	6	18	10	14	24	72	74	.2
P002	34+0.095	2.6 E LOCATE	CUSTER	12	65	65	11.760	40	40	PMS	468	60	500	5	17	10	10	28	70	75	3.5
P014	242+0.413	AHLES	ROSEBUD	12	50	63	9.949	20	24	RMS	230	36	354	0	14	9	17	28	68	77	3.2
P037	95+0.715	EPSIE	POWDER RIVER	12	60	69	7.908	28	28	PMS	617	83	472	7	25	10	7	27	76	78	1.9
P014	207+0.150	ROSEBUD CO	ROSEBUD	12	46	57	5.287	20	24	RMS	322	51	368	6	24	10	3	28	71	78	1.5
P014	270+0.888	FORSYTH SPUR	ROSEBUD	12	77	77	.332	28	28	PMS	1797	233	349	8	24	10	20	20	82	79	.1
P037	84+0.754	2.1 E FOR BDRY	POWDER RIVER	12	58	69	10.979	28	28	PMS	506	68	536	5	18	10	16	28	77	80	2.5
P014	265+0.114	12.6 E VANADA	ROSEBUD	12	57	75	5.387	32	32	PMS	604	96	546	10	27	10	5	27	79	81	1.1
P054	9+0.128	BIDDLE	POWDER RIVER	12	68	68	8.767	30	32	PMS	296	38	529	7	22	10	6	29	74	81	2.3
P014	270+0.819	FORSYTH	ROSEBUD	12	77	77	.068	40	40	PMS	1589	252	230	10	30	10	20	14	84	82	
P039	13+0.279	9.5 SO COLSTRIP	ROSEBUD	12	58	78	.664	26	26	PMS	338	50	350	9	28	10	1	28	76	82	.2
P037	82+0.471	CUSTER FDR BDRY	POWDER RIVER	12	67	67	2.271	28	28	PMS	373	50	371	4	15	10	20	28	77	82	.5
P002	51+0.731	FALLON CO	FALLON	12	67	67	6.054	40	40	PMS	396	51	385	6	16	10	20	28	80	84	1.2
P037	79+0.284	15.0 E POWDER R CO	POWDER RIVER	12	67	67	3.193	28	28	PMS	339	45	387	5	16	10	20	28	79	84	.7
P037	38+0.689	ROSEBUD CO	ROSEBUD	12	75	75	.873	40	40	PMS	1133	152	189	10	27	10	20	18	85	84	.1
P002	45+0.879	5.9 W FALLON CO	CUSTER	12	67	67	5.873	40	40	PMS	461	59	362	6	18	10	20	28	82	85	1.1
P039	4+0.230	NO CHEYENNE INO R	ROSEBUD	12	64	78	9.049	26	26	PMS	338	50	554	8	28	10	5	29	80	85	1.8
P037	41+0.208	0.8 W LAME DEER	ROSEBUD	12	75	75	.872	48	48	PMS	1162	156	272	10	28	10	17	21	86	85	.1
P002	57+0.772	JCT. FAS RTE. 320	FALLON	12	58	72	12.362	32	32	PMS	392	50	520	6	21	10	16	29	82	86	2.2
P027	44+0.455	8.6 N BAKER	FALLON	12	58	78	10.261	28	28	PMS	368	47	368	9	27	10	9	28	83	87	1.7
P002	13+0.171	7.0 E JCT FAI 94	CUSTER	12	70	70	7.734	34	34	PMS	550	71	448	7	21	10	20	28	86	88	1.1
P023	14+0.655	12.4 S FAI RTE 94	CUSTER	12	62	76	13.187	28	28	PMS	526	76	522	8	27	10	13	28	86	88	1.8
P039	13+0.943	8.8 SD COLSTRIP	ROSEBUD	12	58	77	7.467	26	26	PMS	338	50	525	9	30	10	7	29	85	89	1.1
P037	39+0.577	0.8 E ROSEBUD CO	ROSEBUD	12	75	75	1.113	48	48	PMS	1133	152	272	9	30	10	20	22	91	90	.1
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	12	76	76	5.516	30	30	PMS	416	54	512	9	27	10	16	28	90	92	.6
P054	17+0.695	8.8 N BIDDLE	POWDER RIVER	12	74	75	5.910	30	30	PMS	347	45	530	8	27	10	15	29	89	92	.7
P023	27+0.820	22.7 N POWDER R CO	CUSTER	12	77	77	5.365	34	34	PMS	460	66	585	9	26	10	20	28	93	94	.4
P023	119+0.471	20.4 N WYO LINE	CARTER	12	55	78	10.845	26	26	PMS	479	69	513	8	28	10	20	28	94	95	.7
P023	130+0.301	9.6 N WYO LINE	CARTER	12	65	78	9.551	34	34	PMS	525	78	585	9	30	10	17	28	94	95	.6
P002	20+0.912	10.6 W LOCATE	CUSTER	12	75	75	6.532	34	34	PMS	493	64	380	9	28	10	20	27	94	95	.4
P039	44+0.450	6.8 SO JCT 1 94	ROSEBUD	12	79	79	6.767	36	36	PMS	719	107	357	10	30	10	20	26	96	96	.3
P037	40+0.709	1.3 W LAME DEER	ROSEBUD	12	75	75	.522	56	56	PMS	1133	152	1632	10	28	10	20	29	97	96	
P002	27+0.464	4.1 W LOCATE	CUSTER	12	73	73	6.279	34	34	PMS	492	63	400	9	30	10	20	28	97	97	.2
		DISTRICT TOTAL					525.734													35	186.2
		SYSTEM TOTAL					5266.473														402D82.4

Urban Deficiency Ratings

by

Federal Aid Route And City

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+ •					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	13 • 947	1	TROY	1.33	2	24	30	3	6	2200	24	44	3	12	0	0	0	133	200	32	36.5	0.48
1	31 • 889	1	LIBBY	0.29	4	68	68	3	12	8060	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	32 • 180	1	LIBBY	0.13	4	68	68	3	12	8760	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	32 • 313	1	LIBBY	0.43	2	68	68	3	12	8670	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	119 • 622	1	KALISPELL	0.57	4	48	48	3	12	5620	48	68	3	12	0	0	0	0	0	29	2.9	0.01
1	120 • 185	1	KALISPELL	0.21	4	80	80	3	12	11640	80	80	3	12	0	0	0	0	0	0	0.0	0.00
1	120 • 397	1	KALISPELL	0.51	4	45	61	3	12	12920	48	68	3	12	0	0	0	19	0	10	2.9	0.01
1	120 • 903	1	KALISPELL	0.64	4	45	61	3	12	15050	48	68	3	12	0	0	0	19	0	10	2.9	0.01
1	121 • 631	1	KALISPELL	0.18	4	52	52	3	12	18380	52	68	3	12	0	0	0	0	0	24	2.4	0.00
1	121 • 813	1	KALISPELL	0.70	4	66	66	3	12	18300	66	68	3	12	0	0	0	0	0	3	0.3	0.00
1	122 • 354	1	KALISPELL	0.56	4	64	64	3	12	13270	64	68	3	12	0	0	0	0	0	6	0.6	0.00
1	122 • 916	1	KALISPELL	0.30	2	44	44	3	12	8000	48	68	3	12	0	0	0	25	0	35	6.0	0.01
1	221 • 881	2	BROWNING	0.48	4	64	64	3	12	7440	64	68	3	12	0	0	0	0	0	6	0.6	0.00
1	221 • 1362	2	BROWNING	0.24	4	68	68	3	12	5830	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	254 • 524	2	CUT BANK	0.05	3	42	42	3	10	2695	42	56	3	12	0	0	0	50	50	25	12.5	0.00
1	254 • 807	2	CUT BANK	0.28	2	60	60	3	10	4615	60	60	3	12	0	0	0	50	50	0	10.0	0.02
1	255 • 134	2	CUT BANK	0.61	2	50	50	3	10	5740	50	68	3	12	0	0	0	50	50	26	12.6	0.07
1	255 • 741	2	CUT BANK	0.29	2	48	48	3	12	3760	48	48	3	12	0	0	0	0	0	0	0.0	0.00
1	279 • 228	2	SHELBY	0.21	2	57	60	3	12	3360	57	68	3	12	0	0	0	50	0	12	6.2	0.01

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	279.437	2	SHELBY	0.27	2	52	52	3	12	4750	52	68	3	12	0	0	0	50	0	24	7.4	0.02
1	279.709	2	SHELBY	0.07	2	24	44	3	12	4750	48	68	3	12	0	0	0	175	0	35	21.0	0.01
1	279.778	2	SHELBY	0.18	2	24	31	3	12	3085	24	44	3	12	0	0	0	50	0	30	8.0	0.01
1	279.958	2	SHELBY	0.15	2	32	32	3	12	1470	32	44	3	12	0	0	0	0	0	27	2.7	0.00
1	321.778	2	CHESTER	0.87	2	46	46	3	12	2180	46	48	3	12	0	0	0	0	0	4	0.4	0.00
1	347.718	2	HINGHAM	0.50	2	32	32	3	12	1250	32	44	3	12	0	0	0	0	0	27	2.7	0.01
1	380.679	2	HAVRE	0.64	3	40	40	2	12	6150	40	56	3	12	0	0	0	167	100	29	29.6	0.18
1	381.318	2	HAVRE	0.18	4	70	70	3	12	6150	70	70	3	12	0	0	0	0	0	0	0.0	0.00
1	381.503	2	HAVRE	1.14	4	70	70	3	12	8150	70	70	3	12	0	0	0	0	0	0	0.0	0.00
1	382.640	2	HAVRE	0.43	4	67	67	3	12	11120	67	68	3	12	0	0	0	0	0	1	0.1	0.00
1	383.68	2	HAVRE	0.60	4	67	67	3	12	9190	67	68	3	12	0	0	0	0	0	1	0.1	0.00
1	383.665	2	HAVRE	0.15	2	24	30	3	12	6090	48	68	3	12	0	0	0	175	0	56	23.1	0.03
1	403.595	2	CHINOOK	0.50	2	48	48	3	12	4030	48	48	3	12	0	0	0	0	0	0	0.0	0.00
1	424.649	2	HARLEM	0.06	2	40	40	3	12	1750	40	44	3	12	0	0	0	0	0	9	0.9	0.00
1	453.691	3	DOOSON	0.33	2	40	40	3	12	1450	40	48	3	12	0	0	0	0	0	17	1.7	0.00
1	454.146	3	DODSON	0.30	2	24	30	2	6	1640	24	44	3	12	0	0	0	167	200	32	39.9	0.11
1	471.689	3	MALTA	0.08	2	24	42	2	12	1410	24	44	3	12	0	0	0	167	100	5	27.2	0.02
1	471.769	3	MALTA	0.11	2	30	30	2	8	3990	30	44	3	12	0	0	0	167	167	32	36.6	0.04
1	471.884	3	MALTA	0.48	2	41	41	3	12	3810	41	44	3	12	0	0	0	0	0	7	0.7	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	499	130	3	SACO	0.18	2	24	32	3	8	1580	24	44	3	12	0	0	0	133	167	27	32.7	0.05
1	499	313	3	SACO	0.74	2	24	28	2	12	1440	24	44	3	12	0	0	0	167	100	36	30.3	0.22
1	540	985	3	GLASGOW	0.11	2	24	26	3	12	4480	24	44	3	12	0	0	0	50	0	41	9.1	0.01
1	541	427	3	GLASGOW	0.21	2	24	32	3	12	8630	48	68	3	12	0	0	0	217	100	53	37.0	0.07
1	541	639	3	GLASGOW	0.08	4	48	68	3	12	10350	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	541	718	3	GLASGOW	0.80	4	48	68	3	12	8000	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	555	152	3	NASHUA	0.75	2	32	32	3	12	1370	32	44	3	12	0	0	0	0	0	27	2.7	0.02
1	555	994	3	NASHUA	0.14	2	32	32	3	12	1480	32	44	3	12	0	0	0	0	0	27	2.7	0.00
1	590	383	3	WLF POINT	0.22	4	68	84	3	12	4180	68	84	3	12	0	0	0	0	0	0	0.0	0.00
1	590	602	3	WLF POINT	0.36	4	68	84	3	12	6300	68	84	3	12	0	0	0	0	0	0	0.0	0.00
1	590	960	3	WLF POINT	0.45	4	48	68	3	12	5460	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	611	551	3	POPLAR	0.08	2	34	60	3	12	4170	34	60	3	12	0	0	0	0	0	0	0.0	0.00
1	611	636	3	POPLAR	0.29	2	62	62	3	12	4650	62	62	3	12	0	0	0	0	0	0	0.0	0.00
1	625	605	3	BROCKTON	0.53	2	42	42	3	7	1400	42	44	3	12	0	0	0	0	125	5	13.0	0.06
1	644	245	3	CLBERTSON	0.30	2	32	44	3	12	1280	32	44	3	12	0	0	0	0	0	0	0.0	0.00
1	644	550	3	CLBERTSON	0.46	2	32	44	3	12	2760	32	44	3	12	0	0	0	0	0	0	0.0	0.00
			T	OTAL FAP 1	20.75																	7.1	1.48
2	0	908	12	MILES CITY	0.63	2	24	30	3	11	2500	24	24	3	12	0	0	0	50	25	0	7.5	0.04
2	1	543	12	MILES CITY	0.69	2	22	28	3	11	3470	24	44	3	12	0	0	0	147	117	36	30.0	0.20

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
2	2 + 230	12	MILES CITY	0.33	2	20	24	3	11	6140	24	44	3	12	0	0	0	161	117	45	32.3	0.10
2	2 + 562	12	MILES CITY	0.19	2	54	54	3	5	9130	54	68	3	12	0	0	0	100	217	21	33.8	0.06
2	2 + 756	12	MILES CITY	0.44	2	54	54	3	6	11380	54	68	3	12	0	0	0	133	200	21	35.4	0.15
2	3 + 194	12	MILES CITY	0.55	2	22	36	3	8	5270	48	68	3	12	0	0	0	224	167	47	43.8	0.24
2	3 + 745	12	MILES CITY	1.08	2	24	32	2	12	4300	24	44	3	12	0	0	0	167	100	27	29.4	0.31
2	70 + 138	12	PLEVNA	0.35	2	24	30	1	6	550	24	44	3	12	0	0	0	267	200	32	49.9	0.17
2	70 + 493	12	PLEVNA	0.40	2	22	30	1	6	820	24	44	3	12	0	0	0	269	200	32	50.1	0.20
2	82 + 616	12	BAKER	0.44	2	43	43	3	12	3440	43	44	3	12	0	0	0	0	0	2	0.2	0.00
2	83 + 54	12	BAKER	0.71	2	43	43	3	12	3350	43	44	3	12	0	0	0	0	0	2	0.2	0.00
2	83 + 762	12	BAKER	0.22	2	44	44	3	12	1800	44	44	3	12	0	0	0	100	100	0	20.0	0.04
			TOTAL FAP 2	6.03																	25.0	1.51
3	23 + 172	6	FAIRFIELD	0.11	2	20	22	3	6	2110	24	44	3	12	0	0	0	133	200	50	38.3	0.04
3	23 + 283	6	FAIRFIELD	0.19	2	22	40	3	6	2160	24	44	3	12	0	0	0	117	200	9	32.6	0.06
3	23 + 475	6	FAIRFIELD	0.23	2	72	72	3	6	2330	72	72	3	12	0	0	0	100	200	0	30.0	0.06
3	23 + 704	6	FAIRFIELD	0.15	2	22	32	3	6	1580	24	44	3	12	0	0	0	117	200	27	34.4	0.05
3	23 + 856	6	FAIRFIELD	0.18	2	20	22	3	6	1270	24	44	3	12	0	0	0	133	200	50	38.3	0.06
3	40 + 483	6	CHOTEAU	0.61	2	24	36	3	9	1460	24	44	3	12	0	0	0	133	150	18	30.1	0.18
3	41 + 94	6	CHOTEAU	0.12	2	48	48	3	9	2750	48	48	3	12	0	0	0	133	150	0	28.3	0.03
3	41 + 214	6	CHOTEAU	0.46	2	70	70	3	3	4450	70	70	3	12	0	0	0	100	250	0	35.0	0.16

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID RDUTE	MILEPOST +	•	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						ND. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
3	41	676	6	CHOTEAU	0.28	2	24	30	3	4	4490	24	44	3	12	0	0	0	100	233	32	36.5	0.10
				TOTAL FAP 3	2.33																	31.8	0.74
4	25	676	11	BRIDGER	0.07	2	40	40	3	12	2800	40	44	3	12	0	0	0	0	0	9	0.9	0.00
4	25	748	11	8RIOGER	0.47	4	80	80	3	12	3240	80	80	3	12	0	0	0	0	0	0	0.0	0.00
4	26	215	11	8RIOGER	0.07	2	24	30	3	4	2810	24	44	3	12	0	0	0	100	233	32	36.5	0.02
4	32	773	11	FROM8ERG	0.20	2	24	32	2	12	2590	24	44	3	12	0	0	0	100	0	27	12.7	0.02
4	32	973	11	FROM8ERG	0.23	2	24	44	2	12	2680	24	44	3	12	0	0	0	100	0	0	10.0	0.02
4	54	416	11	LAUREL	0.12	4	68	68	3	12	7750	68	68	3	12	0	0	0	0	0	0	0.0	0.00
4	54	536	11	LAUREL	0.25	2	28	28	3	5	7450	28	44	3	12	0	0	0	100	217	36	35.3	0.08
4	54	783	11	LAUREL	0.52	2	60	83	3	4	5720	60	83	3	12	0	0	0	100	233	0	33.3	0.17
				TOTAL FAP 4	1.93																	16.1	0.31
5	32	613	1	ST IGNATS	0.15	2	32	32	3	12	3030	32	44	3	12	0	0	0	0	0	27	2.7	0.00
5	46	48	1	RONAN	1.29	2	44	44	3	12	7310	44	44	3	12	0	0	0	0	0	0	0.0	0.00
5	59	335	1	POLSON	0.98	2	40	40	3	12	6210	48	68	3	12	0	0	0	50	0	41	9.1	0.08
5	60	330	1	POLSON	0.39	2	40	40	3	12	8860	48	68	3	12	0	0	0	50	0	41	9.1	0.03
5	60	719	1	POLSON	0.29	2	40	40	3	12	4020	40	44	3	12	0	0	0	0	0	9	0.9	0.00
5	109	612	1	KALISPELL	1.37	2	38	38	2	12	6380	48	68	3	12	0	0	0	142	0	44	18.6	0.25
5	110	965	1	KALISPELL	0.61	2	38	38	2	12	9990	48	68	3	12	0	0	0	142	0	44	18.6	0.11
5	111	584	1	KALISPELL	0.41	4	48	60	3	12	12030	48	68	3	12	0	0	0	0	0	12	1.2	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
5	112 + 14	1	KALISPELL	0.67	4	48	60	3	12	15280	48	68	3	12	0	0	0	100	100	12	21.2	0.14
5	112 687	1	KALISPELL	0.39	4	64	70	3	12	10550	64	70	3	12	0	0	0	100	100	0	20.0	0.07
5	113 46	1	KALISPELL	0.78	4	48	64	3	12	9450	48	68	3	12	0	0	0	0	0	6	0.6	0.00
5	114 124	1	KALISPELL	0.74	2	80	80	3	12	8100	80	80	3	12	0	0	0	0	0	0	0.0	0.00
5	126 948	1	WHITEFISH	0.47	2	24	36	3	12	10270	48	68	3	12	0	0	0	150	0	47	19.7	0.09
5	127 433	1	WHITEFISH	0.28	2	40	40	3	12	9360	48	68	3	12	0	0	0	50	0	41	9.1	0.02
5	127 710	1	WHITEFISH	0.20	2	46	46	3	5	7720	48	68	3	12	0	0	0	108	217	32	35.7	0.07
5	127 909	1	WHITEFISH	0.16	2	22	30	3	5	5290	24	44	3	12	0	0	0	117	217	32	36.6	0.05
5	128 78	1	WHITEFISH	0.41	2	22	23	3	6	4800	24	44	3	12	0	0	0	208	250	48	50.6	0.20
5	178 89	1	EUREKA	0.48	2	22	24	2	5	1450	24	44	3	12	0	0	0	178	217	45	44.0	0.20
5	178 566	1	EUREKA	0.56	2	24	30	3	5	2260	24	44	3	12	0	0	0	133	217	32	38.2	0.21
5	179 175	1	EUREKA	0.19	2	24	50	3	6	3990	24	50	3	12	0	0	0	100	200	0	30.0	0.05
5	179 361	1	EUREKA	0.33	2	24	30	3	5	3570	24	44	3	12	0	0	0	100	217	32	34.9	0.11
			TOTAL FAP 5	11.15																	15.1	1.68
6	50 498	8	THMPSN FL	0.40	2	24	32	2	12	3350	24	44	3	12	0	0	0	167	100	27	29.4	0.11
6	50 901	8	THMPSN FL	0.65	2	40	40	3	5	3350	40	44	3	12	0	0	0	133	217	9	35.9	0.23
6	75 707	8	PLAINS	0.45	2	40	40	3	5	2930	40	44	3	12	0	0	0	0	175	9	18.4	0.08
6	76 158	8	PLAINS	0.10	2	20	30	3	3	3650	24	44	3	12	0	0	0	133	250	32	41.5	0.04
			TOTAL FAP 6	1.60																	28.8	0.46

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
7	30	484	8	DARBY	0.12	2	22	26	2	6	2370	24	44	3	12	0	0	0	208	200	41	44.9	0.05
7	30	603	8	DARBY	0.28	2	22	42	3	4	2360	24	44	3	12	0	0	0	117	233	5	35.5	0.10
7	30	887	8	DARBY	0.40	2	22	36	3	4	2190	24	44	3	12	0	0	0	224	267	18	50.9	0.20
7	46	619	8	HAMILTON	0.70	2	24	36	3	12	8080	48	68	3	12	0	0	0	200	100	47	34.7	0.24
7	47	307	8	HAMILTON	0.02	2	60	60	3	6	10280	60	68	3	12	0	0	0	100	200	12	31.2	0.00
7	47	325	8	HAMILTON	0.28	2	24	36	3	10	8460	48	68	3	12	0	0	0	200	133	47	38.0	0.10
7	47	621	8	HAMILTON	0.39	4	64	64	3	12	9580	64	64	3	12	0	0	0	0	0	0	0.0	0.00
7	90	152	8	MISSOULA	0.10	4	48	68	3	12	9010	48	68	3	12	0	0	0	0	0	0	0.0	0.00
7	90	250	8	MISSOULA	0.38	4	88	88	3	12	10760	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	90	627	8	MISSOULA	0.79	4	88	88	3	12	10287	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	91	411	8	MISSOULA	0.50	4	40	54	3	2	15930	48	68	3	12	0	0	0	133	267	21	42.1	0.20
7	91	909	8	MISSOULA	0.66	4	40	54	3	2	19600	48	68	3	12	0	0	0	133	267	21	42.1	0.27
7	92	832	8	MISSOULA	0.40	4	48	56	3	2	16960	48	68	3	12	0	0	0	100	267	18	38.5	0.15
7	93	218	8	MISSOULA	0.65	2	40	40	1	4	14690	48	68	3	12	0	0	0	272	233	41	54.6	0.35
7	93	868	8	MISSOULA	0.08	4	48	55	2	6	18480	48	68	3	12	0	0	0	100	150	19	26.9	0.02
7	94	41	8	MISSOULA	0.07	2	40	40	3	8	22860	40	44	3	12	0	0	0	50	100	9	15.9	0.01
7	94	110	8	MISSOULA	1.14	4	88	88	3	12	14110	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	95	250	8	MISSOULA	0.19	4	56	60	3	12	16490	56	60	3	12	0	0	0	0	0	0	0.0	0.00
7	95	438	8	MISSOULA	0.07	4	56	76	3	12	18870	56	76	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST + .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
			TOTAL FAP 7	7.22																	23.4	1.69
8	39 654	7	HELENA	0.93	2	20	30	2	2	3730	24	44	3	12	0	0	0	189	267	32	48.8	0.45
8	40 550	7	HELENA	0.14	4	72	72	3	12	5170	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	40 691	7	HELENA	1.29	4	72	72	3	12	7870	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	41 429	7	HELENA	1.11	4	72	72	3	12	18185	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	43 57	7	HELENA	0.45	4	74	74	3	12	17130	74	74	3	12	0	0	0	0	0	0	0.0	0.00
8	43 503	7	HELENA	0.53	4	60	60	3	12	12660	60	68	3	12	0	0	0	50	0	12	6.2	0.03
8	44 29	7	HELENA	0.57	4	64	64	3	12	18160	64	68	3	12	0	0	0	50	0	6	5.6	0.03
8	44 597	7	HELENA	0.63	4	48	72	3	12	19740	48	72	3	12	0	0	0	0	0	0	0.0	0.00
8	44 1223	7	HELENA	0.19	4	48	80	3	12	18010	48	80	3	12	0	0	0	0	0	0	0.0	0.00
8	45 140	7	HELENA	0.79	4	48	72	3	12	16330	48	72	3	12	0	0	0	0	0	0	0.0	0.00
8	45 931	7	HELENA	0.21	4	48	80	3	12	11720	48	80	3	12	0	0	0	0	0	0	0.0	0.00
8	45 1140	7	HELENA	0.33	4	60	76	3	12	14500	60	76	3	12	0	0	0	0	0	0	0.0	0.00
8	45 1471	7	HELENA	0.68	4	95	95	3	12	10930	95	95	3	12	0	0	0	0	0	0	0.0	0.00
8	48 536	7	E HELENA	1.03	4	88	88	3	12	5150	88	88	3	12	0	0	0	0	0	0	0.0	0.00
8	76 981	7	TOWNSENO	0.56	2	32	32	3	10	4930	32	44	3	12	0	0	0	0	50	27	7.7	0.04
8	77 531	7	TOWNSENO	0.55	2	24	32	3	11	3330	24	44	3	12	0	0	0	50	25	27	10.2	0.05
			TOTAL FAP 8	9.99																	6.0	0.60
9	64 40	6	CHOTEAU	0.44	2	22	24	2	4	1280	24	44	3	12	0	0	0	208	233	45	48.6	0.21

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						ND LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+	•					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
9	64	476	6	CHOTEAU	0.12	2	24	36	2	4	1400	24	44	3	12	0	0	0	200	233	18	45.1	0.05
9	64	596	6	CHOTEAU	0.16	2	34	34	2	4	1540	34	44	3	12	0	0	0	200	233	23	45.6	0.07
9	64	756	6	CHOTEAU	0.03	2	34	48	2	4	1990	34	48	3	12	0	0	0	200	233	0	43.3	0.01
				TOTAL FAP 9	0.75																	45.3	0.34
10	0	0	6	GT FALLS	2.74	4	70	70	3	8	15210	70	70	3	12	0	0	0	0	100	0	10.0	0.27
10	1	83	6	GT FALLS	0.45	4	88	88	3	12	14690	88	88	3	12	0	0	0	0	0	0	0.0	0.00
10	1	533	6	GT FALLS	0.24	4	68	68	3	12	14420	68	68	3	12	0	0	0	0	0	0	0.0	0.00
10	1	777	6	GT FALLS	1.09	4	62	62	3	12	8500	62	68	3	12	0	0	0	0	0	9	0.7	0.00
10	3	276	6	GT FALLS	0.26	4	48	64	3	12	4020	48	68	3	12	0	0	0	0	0	6	0.6	0.00
10	79	360	6	BIG SANDY	0.22	2	22	24	1	5	2050	24	44	3	12	0	0	0	269	217	45	53.1	0.11
10	79	580	6	BIG SANDY	0.42	2	24	26	2	9	1690	24	44	3	12	0	0	0	200	150	41	39.1	0.16
				TOTAL FAP 10	5.42																	10.0	0.54
11	51	812	10	LVNGSTN	1.10	2	32	32	3	12	3060	32	44	3	12	0	0	0	0	0	27	2.7	0.02
11	52	915	10	LVNGSTN	0.14	4	68	68	3	12	4840	68	68	3	12	0	0	0	0	0	0	0.0	0.00
11	53	68	10	LVNGSTN	0.17	4	68	68	3	12	7600	68	68	3	12	0	0	0	0	0	0	0.0	0.00
11	53	242	10	LVNGSTN	0.51	2	24	42	3	12	7600	48	68	3	12	0	0	0	150	0	38	18.8	0.09
11	53	757	10	LVNGSTN	0.41	2	44	44	3	12	8630	48	68	3	12	0	0	0	25	0	35	6.0	0.02
11	54	122	10	LVNGSTN	0.26	2	46	46	3	12	10460	48	68	3	12	0	0	0	108	100	32	24.0	0.06
11	54	380	10	LVNGSTN	0.11	2	36	46	3	5	8280	48	68	3	12	0	0	0	150	217	32	39.9	0.04

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS					AVERAGE DAILY TRAFFIC	DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT OEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH			WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT OISTANCE	SURFACE	BASE	ROAOWAY	TOTAL	
	+	.					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
11	54	495	10	LVNGSTN	0.51	2	36	42	3	6	6900	48	68	3	12	0	0	0	150	200	38	38.8	0.19
11	55	9	10	LVNGSTN	0.36	2	24	40	3	6	6740	24	44	3	12	0	0	0	100	200	9	30.9	0.11
11	55	366	10	LVNGSTN	0.51	2	20	24	3	3	2820	48	68	3	12	0	0	0	217	250	65	53.2	0.27
				TOTAL FAP 11	4.08																	19.6	0.80
12	8	618	10	W YLWSTN	0.67	2	18	50	3	2	3050	24	50	3	12	0	0	0	238	283	0	52.1	0.35
				TOTAL FAP 12	0.67																	52.2	0.35
13	48	642	9	ENNIS	0.55	2	70	70	2	4	2570	70	70	3	12	0	0	0	200	233	0	43.3	0.23
13	49	180	9	ENNIS	0.07	2	22	30	2	4	1630	24	44	3	12	0	0	0	208	233	32	47.3	0.03
13	95	730	10	TH FORKS	0.36	2	22	34	3	3	1770	24	44	3	12	0	0	0	117	250	23	39.0	0.14
13	96	91	10	TH FORKS	0.46	2	72	72	3	5	3870	72	72	3	12	0	0	0	100	217	0	31.7	0.14
				TOTAL FAP 13	1.44																	37.5	0.54
14	0	0	7	TOWNSENO	0.34	2	56	56	3	12	4550	56	68	3	12	0	0	0	0	0	18	1.8	0.00
14	0	346	7	TOWNSEND	0.26	2	51	51	3	12	5790	51	68	3	12	0	0	0	0	0	25	2.5	0.00
14	0	605	7	TOWNSEND	0.28	2	32	32	3	12	4630	32	44	3	12	0	0	0	0	0	27	2.7	0.00
14	41	678	10	W SUL SPG	0.47	2	40	40	3	12	2220	40	40	3	12	0	0	0	0	0	0	0.0	0.00
14	42	183	10	W SUL SPG	0.52	2	55	55	3	12	3330	55	55	3	12	0	0	0	0	0	0	0.0	0.00
14	99	338	10	HARLOWTON	0.11	2	45	45	3	12	1650	45	45	3	12	0	0	0	0	0	0	0.0	0.00
14	99	450	10	HARLOWTON	0.89	2	45	45	3	12	3250	45	45	3	12	0	0	0	0	0	0	0.0	0.00
14	129	506	11	RYEGATE	1.00	2	28	30	1	12	930	28	44	3	12	0	0	0	230	0	32	26.2	0.26

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
14	168.500	11	ROUNDUP	0.39	2	45	45	2	6	4220	45	45	3	12	0	0	0	200	200	0	40.0	0.15
14	168.895	11	ROUNOUP	0.28	2	66	66	3	6	5210	66	68	3	12	0	0	0	100	200	3	30.3	0.08
14	169.175	11	ROUNDUP	0.28	2	77	77	3	6	6110	77	77	3	12	0	0	0	133	200	0	33.3	0.09
14	169.452	11	ROUNOUP	0.71	2	21	26	3	9	1040	24	24	3	12	0	0	0	154	150	0	30.4	0.21
14	203.707	11	MELSTONE	0.40	2	24	26	2	11	540	24	44	3	12	0	0	0	153	117	41	31.1	0.12
14	204.111	11	MELSTONE	0.50	2	24	40	1	12	680	24	44	3	12	0	0	0	267	100	9	37.6	0.18
14	204.611	11	MELSTONE	0.55	2	24	30	1	12	680	24	44	3	12	0	0	0	267	100	32	39.9	0.22
14	270.503	12	FORSYTH	0.32	2	84	84	1	12	970	84	84	3	12	0	0	0	230	0	0	23.0	0.07
14	271.217	12	FORSYTH	1.19	2	48	48	2	12	2340	48	48	3	12	0	0	0	100	0	0	10.0	0.11
14	272.407	12	FORSYTH	0.09	2	28	28	3	12	2110	28	28	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 14	8.58																	17.4	1.49
16	0.0	11	BILLINGS	0.24	4	64	80	3	12	12400	64	80	3	12	0	0	0	0	0	0	0.0	0.00
16	0.245	11	BILLINGS	0.19	2	36	36	3	12	12400	48	68	3	12	0	0	0	75	0	47	12.2	0.02
16	0.440	11	BILLINGS	0.83	2	28	40	2	6	13090	48	68	3	12	0	0	0	222	200	41	46.3	0.38
16	1.255	11	BILLINGS	0.28	4	44	46	3	12	19910	48	68	3	12	0	0	0	117	100	32	24.9	0.06
16	1.534	11	BILLINGS	0.06	4	61	61	3	12	22070	61	68	3	12	0	0	0	0	0	10	1.0	0.00
16	1.593	11	BILLINGS	2.06	4	56	56	3	12	27580	56	68	3	12	0	0	0	0	0	18	1.8	0.03
16	3.659	11	BILLINGS	1.08	2	32	32	2	11	5340	48	68	3	12	0	0	0	167	25	53	24.5	0.26
			TOTAL FAP 16	4.74																	15.8	0.75

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS					DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
17	12	23	3	NASHUA	1.00	2	24	28	2	12	880	24	44	3	12	0	0	0	167	100	36	30.3	0.30
				TOTAL FAP 17	1.00																	30.0	0.30
18	0	0	12	MILES CITY	0.33	2	54	54	3	5	5810	54	68	3	12	0	0	0	100	217	21	33.8	0.11
18	0	339	12	MILES CITY	0.27	2	48	48	2	30	5590	48	48	3	12	0	0	0	200	0	0	20.0	0.05
18	0	611	12	MILES CITY	0.37	2	46	46	1	12	2820	46	46	3	12	0	0	0	230	0	0	23.0	0.08
				TOTAL FAP 18	0.97																	24.7	0.24
19	7	0	9	ANACONDA	0.10	4	68	68	3	12	5580	76	76	3	12	0	0	0	32	0	11	4.3	0.00
19	7	103	9	ANACONDA	3.63	4	48	68	3	12	8480	48	68	3	12	0	0	0	0	0	0	0.0	0.00
19	9	0	9	ANACONDA	0.49	4	72	72	3	12	6570	72	72	3	12	0	0	0	0	0	0	0.0	0.00
19	9	495	9	ANACONDA	0.51	4	93	93	2	10	7200	93	93	3	12	0	0	0	100	50	0	15.0	0.07
19	10	0	9	ANACONDA	0.11	2	24	28	3	12	5730	48	68	3	12	0	0	0	150	0	59	20.9	0.02
19	63	671	8	DRUMMOND	0.29	2	32	32	3	12	920	32	44	3	12	0	0	0	0	0	27	2.7	0.00
19	63	962	8	DRUMMOND	0.04	2	32	32	3	12	1600	32	44	3	12	0	0	0	0	0	27	2.7	0.00
19	64	0	8	DRUMMOND	0.24	2	28	28	3	12	1420	28	44	3	12	0	0	0	0	0	36	3.6	0.00
19	64	236	8	DRUMMOND	0.71	2	24	46	3	5	1860	24	46	3	12	0	0	0	100	217	0	31.7	0.22
19	64	943	8	DRUMMOND	0.04	2	32	32	3	12	1050	32	44	3	12	0	0	0	0	0	27	2.7	0.00
				TOTAL FAP 19	6.16																	5.0	0.31
20	0	0	4	GLENDIVE	0.60	2	24	40	3	12	4260	24	44	3	12	0	0	0	0	0	9	0.9	0.00
20	0	605	4	GLENDIVE	0.25	2	24	40	3	12	3900	24	44	3	12	0	0	0	0	0	9	0.9	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
20	0	856	4	GLENDIVE	0.90	2	40	44	3	12	2920	24	44	3	12	0	0	0	0	0	0	0.0	0.00
20	51	761	4	SIDNEY	0.48	4	60	60	3	12	10170	60	68	3	12	0	0	0	0	0	12	1.2	0.00
20	52	225	4	SIDNEY	0.21	4	58	58	3	6	12640	58	68	3	12	0	0	0	0	150	15	16.5	0.03
20	52	435	4	SIDNEY	0.13	4	44	60	3	6	4730	48	68	3	12	0	0	0	117	200	12	32.9	0.04
20	62	525	4	FAIRVIEW	0.28	2	20	24	3	8	2330	24	44	3	12	0	0	0	161	167	45	37.3	0.10
20	62	807	4	FAIRVIEW	0.36	2	20	26	3	8	2580	24	44	3	12	0	0	0	161	167	41	36.9	0.13
20	63	204	4	FAIRVIEW	0.29	2	20	24	3	6	3800	24	44	3	12	0	0	0	161	200	45	40.6	0.11
20	63	494	4	FAIRVIEW	0.21	2	64	64	3	7	2400	64	64	3	12	0	0	0	50	125	0	17.5	0.03
20	63	708	4	FAIRVIEW	0.21	2	63	63	2	12	1960	63	63	3	12	0	0	0	100	0	0	10.0	0.02
				TOTAL FAP 20	3.92																	11.7	0.46
21	3	746	6	CONRAD	0.37	2	44	44	3	12	4730	48	68	3	12	0	0	0	25	0	35	6.0	0.02
21	4	119	6	CONRAD	0.38	2	56	56	3	12	6610	56	68	3	12	0	0	0	0	0	18	1.8	0.00
21	4	498	6	CONRAD	0.33	2	53	53	3	12	2660	53	53	3	12	0	0	0	0	0	0	0.0	0.00
21	4	833	6	CONRAD	0.16	2	40	40	3	12	1600	40	48	3	12	0	0	0	0	0	17	1.7	0.00
				TOTAL FAP 21	1.24																	1.6	0.02
22	0	0	3	SCOBEY	0.35	2	46	46	3	12	1770	46	46	3	12	0	0	0	0	0	0	0.0	0.00
22	0	348	3	SCOBEY	0.17	2	32	32	3	12	990	32	44	3	12	0	0	0	0	0	27	2.7	0.00
22	41	167	3	PLENTYWD	1.19	2	47	47	3	12	4090	48	68	3	12	0	0	0	6	0	31	3.7	0.04
22	63	746	3	MEDICNE LK	0.06	2	32	36	3	12	910	32	44	3	12	0	0	0	0	0	18	1.8	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+	•					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
22	64	75	3	MEDICNE LK	0.13	2	32	36	3	12	850	32	44	3	12	0	0	0	0	0	18	1.8	0.00
22	64	205	3	MEOICNE LK	0.14	2	32	32	3	12	850	32	32	3	12	0	0	0	0	0	0	0.0	0.00
22	75	857	3	FROID	0.02	2	32	32	3	12	830	32	44	3	12	0	0	0	0	0	27	2.7	0.00
22	88	489	3	CUL8ERTSON	0.13	2	40	40	3	12	1040	40	48	3	12	0	0	0	0	0	17	1.7	0.00
				TOTAL FAP 22	2.19																	1.8	0.04
23	0	0	12	MILES CITY	0.48	2	48	48	3	6	7480	48	68	3	12	0	0	0	100	200	29	32.9	0.15
23	0	489	12	MILES CITY	0.28	2	22	26	2	8	7120	24	44	3	12	0	0	0	208	167	41	41.6	0.11
23	1	135	12	MILES CITY	0.59	2	22	25	2	5	5350	24	44	3	12	0	0	0	208	217	43	46.8	0.27
23	1	722	12	MILES CITY	0.25	2	24	26	2	5	4130	24	44	3	12	0	0	0	200	217	41	45.8	0.11
23	1	972	12	MILES CITY	0.14	2	22	25	2	5	4130	24	44	3	12	0	0	0	208	217	43	46.8	0.06
23	79	165	12	8ROAOUS	0.23	2	20	24	1	2	2260	24	44	3	12	0	0	0	272	267	45	58.4	0.13
23	79	394	12	8ROAOUS	0.57	2	24	42	3	7	1910	24	44	3	12	0	0	0	100	183	5	28.8	0.16
				TOTAL FAP 23	2.54																	39.0	0.99
25	0	0	4	CIRCLE	0.05	2	30	30	3	12	850	30	44	3	12	0	0	0	0	0	32	3.2	0.00
25	52	380	3	WLF POINT	0.45	2	44	44	3	12	3590	44	44	3	12	0	0	0	50	0	0	5.0	0.02
25	52	833	3	WLF POINT	0.07	4	68	68	3	12	10230	68	68	3	12	0	0	0	50	0	0	5.0	0.00
25	52	908	3	WLF POINT	0.02	2	40	40	3	12	11620	40	48	3	12	0	0	0	0	0	17	1.7	0.00
25	52	925	3	WLF POINT	0.06	2	30	30	3	12	9940	30	44	3	12	0	0	0	0	0	32	3.2	0.00
25	52	988	3	WLF POINT	0.10	2	51	51	3	8	8250	51	51	3	12	0	0	0	0	100	0	10.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
				TOTAL FAP 25	0.75																	2.7	0.02
27	0	0	12	EKALAKA	0.35	2	22	24	2	12	370	24	44	3	12	0	0	0	178	100	45	32.3	0.11
27	34	643	12	BAKER	0.60	2	24	32	1	4	1530	24	44	3	12	0	0	0	253	233	27	51.3	0.30
27	35	236	12	BAKER	0.14	2	24	30	2	4	3960	24	44	3	12	0	0	0	167	233	32	43.2	0.06
27	35	380	12	BAKER	0.06	2	74	74	3	5	4790	74	74	3	12	0	0	0	133	217	0	35.0	0.02
27	35	445	12	BAKER	0.06	2	74	74	3	5	3720	74	74	3	12	0	0	0	133	217	0	35.0	0.02
27	35	510	12	BAKER	0.24	2	78	78	3	12	2120	78	78	3	12	0	0	0	100	100	0	20.0	0.04
27	79	102	12	WIBAUX	0.66	2	22	26	2	12	1430	24	44	3	12	0	0	0	178	100	41	31.9	0.21
27	79	767	12	WIBAUX	0.31	2	22	40	3	7	2650	24	44	3	12	0	0	0	147	183	9	33.9	0.10
27	80	77	4	WIBAUX	0.40	2	24	30	2	12	1760	24	44	3	12	0	0	0	167	100	32	29.9	0.11
27	80	473	4	WIBAUX	0.13	2	24	44	3	12	1060	24	44	3	12	0	0	0	0	0	0	0.0	0.00
27	80	601	4	WIBAUX	0.17	2	24	44	3	11	1740	24	44	3	12	0	0	0	133	117	0	25.0	0.04
27	80	774	4	WIBAUX	0.17	2	24	44	3	12	1300	24	44	3	12	0	0	0	50	0	0	5.0	0.00
				TOTAL FAP 27	3.29																	30.7	1.01
28	68	346	11	RED LODGE	0.23	2	22	24	2	5	1550	24	44	3	12	0	0	0	208	217	45	47.0	0.10
28	68	690	11	RED LODGE	0.63	2	22	26	3	4	1920	24	44	3	12	0	0	0	117	233	41	39.1	0.24
28	69	303	11	RED LODGE	0.48	2	50	50	3	5	3050	50	50	3	12	0	0	0	0	175	0	17.5	0.08
28	69	782	11	RED LODGE	0.47	2	22	26	2	8	2930	24	44	3	12	0	0	0	208	167	41	41.6	0.19
28	95	389	11	JOLIET	1.05	2	44	44	3	12	1780	44	44	3	12	0	0	0	50	0	0	5.0	0.05

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+	•					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
				TOTAL FAP 28	2.86																	23.1	0.66
29	0	0	9	ENNIS	0.08	2	22	26	2	4	1580	24	44	3	12	0	0	0	208	233	41	48.2	0.04
29	0	103	9	ENNIS	0.14	2	24	26	2	3	810	24	44	3	12	0	0	0	167	250	41	45.8	0.06
29	13	54	9	VRGNA CY	0.84	2	24	28	2	10	630	24	44	3	12	0	0	0	100	50	36	18.6	0.15
29	13	891	9	VRGNA CY	0.60	2	24	30	3	8	1150	24	44	3	12	0	0	0	133	167	32	33.2	0.19
29	14	495	9	VRGNA CY	0.33	2	20	24	3	8	930	24	44	3	12	0	0	0	161	167	45	37.3	0.12
29	33	97	9	SHERIDAN	0.38	2	78	78	3	11	1390	78	78	3	12	0	0	0	133	117	0	25.0	0.09
29	33	479	9	SHERIDAN	0.72	2	20	24	3	7	1970	24	44	3	12	0	0	0	133	183	45	36.1	0.26
29	42	237	9	TWN 8RDGES	0.21	2	24	44	3	12	1110	24	44	3	12	0	0	0	0	0	0	0.0	0.00
29	42	452	9	TWN 8RDGES	0.39	4	52	72	3	12	1400	52	72	3	12	0	0	0	0	0	0	0.0	0.00
29	42	844	9	TWN 8RDGES	0.41	4	52	72	3	12	2930	52	72	3	12	0	0	0	0	0	0	0.0	0.00
29	83	474	9	8UTTE	0.28	2	28	54	3	6	3390	28	54	3	12	0	0	0	133	200	0	33.3	0.09
29	83	757	9	8UTTE	2.00	2	28	54	2	12	8880	28	54	3	12	0	0	0	167	100	0	26.7	0.53
29	85	757	9	8UTTE	0.40	2	28	54	3	12	13730	28	54	3	12	0	0	0	0	0	0	0.0	0.00
29	86	159	9	8UTTE	0.24	4	70	90	3	12	12670	70	90	3	12	0	0	0	0	0	0	0.0	0.00
29	86	397	9	8UTTE	0.25	4	70	90	3	12	16550	70	90	3	12	0	0	0	0	0	0	0.0	0.00
29	86	652	9	8UTTE	0.60	4	70	70	2	5	16950	70	70	3	12	0	0	0	233	258	0	49.1	0.29
29	87	257	9	8UTTE	0.28	4	64	64	3	12	16750	64	68	3	12	0	0	0	0	0	6	0.6	0.00
29	87	538	9	8UTTE	0.48	4	70	70	2	5	18150	70	70	3	12	0	0	0	233	258	0	49.1	0.23

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO. LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT DISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
29	88	18	9	BUTTE	0.79	2	44	44	2	11	18150	48	68	3	12	0	0	0	178	117	35	33.0	0.26
29	88	813	9	BUTTE	0.73	2	56	56	3	5	6610	56	68	3	12	0	0	0	100	217	18	33.5	0.24
29	89	545	9	BUTTE	0.55	4	70	70	3	12	1260	70	70	3	12	0	0	0	50	0	0	5.0	0.02
29	90	430	9	BUTTE	0.53	4	66	72	3	12	3090	66	72	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 29	11.23																	22.9	2.57
30	23	396	3	WEST BY	0.47	2	20	26	2	7	420	24	40	3	12	0	0	0	217	183	35	43.5	0.20
30	23	870	3	WEST BY	0.19	2	69	69	2	7	420	69	69	3	12	0	0	0	200	183	0	38.3	0.07
30	24	72	3	WEST BY	0.15	2	22	26	2	6	420	24	44	3	12	0	0	0	208	200	41	44.9	0.06
				TOTAL FAP 30	0.81																	40.7	0.33
31	50	397	3	OPHEIM	0.44	2	28	28	2	12	290	28	44	3	12	0	0	0	60	0	36	9.6	0.04
				TOTAL FAP 31	0.44																	9.1	0.04
32	50	788	3	SCOBEY	0.53	2	56	56	3	12	360	56	68	3	12	0	0	0	0	0	18	1.8	0.00
32	51	317	3	SCOBEY	0.08	2	56	56	3	12	2250	56	56	3	12	0	0	0	0	0	0	0.0	0.00
32	51	393	3	SCOBEY	0.13	2	26	30	2	10	1750	26	44	3	12	0	0	0	167	133	32	33.2	0.04
32	51	521	3	SCOBEY	0.21	2	24	26	3	12	490	24	44	3	12	0	0	0	0	0	41	4.1	0.00
				TOTAL FAP 32	0.95																	4.2	0.04
33	0	0	1	LIBBY	0.45	2	44	44	3	12	5350	48	68	3	12	0	0	0	25	0	35	6.0	0.02
33	0	453	1	LIBBY	0.20	2	37	37	3	8	5490	48	68	3	12	0	0	0	172	167	46	38.5	0.07
				TOTAL FAP 33	0.65																	13.8	0.09

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS					AVERAGE DAILY TRAFFIC	DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH			WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+	•					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
38	6	405	1	CLM8A FLS	0.72	2	24	34	3	7	9080	48	68	3	12	0	0	0	217	183	50	45.0	0.32
38	7	125	1	CLM8A FLS	0.26	2	24	28	3	5	7720	24	44	3	12	0	0	0	133	217	36	38.6	0.10
				TOTAL FAP 38	0.98																	42.9	0.42
40	0	116	4	TERRY	0.29	2	40	40	3	12	1070	40	44	3	12	0	0	0	0	0	9	0.9	0.00
				TOTAL FAP 40	0.29																	0.0	0.00
42	75	417	3	GLASGOW	0.23	2	36	40	3	6	2630	36	44	3	12	0	0	0	100	200	9	30.9	0.07
42	75	646	3	GLASGOW	0.35	4	50	50	3	12	3080	50	68	3	12	0	0	0	133	100	26	25.9	0.09
42	76	0	3	GLASGOW	0.14	2	30	30	3	12	6970	48	68	3	12	0	0	0	175	100	56	33.1	0.04
				TOTAL FAP 42	0.72																	27.8	0.20
43	0	0	5	LEWISTOWN	0.30	4	50	50	3	12	8230	50	68	3	12	0	0	0	0	0	26	2.6	0.00
43	0	312	5	LEWISTOWN	0.21	4	50	50	3	12	3420	50	50	3	12	0	0	0	0	0	0	0.0	0.00
43	0	529	5	LEWISTOWN	0.10	4	50	50	3	12	2290	50	50	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 43	0.61																	0.0	0.00
44	13	185	6	VALIER	0.55	2	20	20	2	11	690	24	44	3	12	0	0	0	217	117	55	38.9	0.21
44	13	738	6	VALIER	0.35	2	66	66	2	10	2550	66	66	3	12	0	0	0	100	50	0	15.0	0.05
44	14	90	6	VALIER	0.21	2	20	20	2	11	1410	24	44	3	12	0	0	0	217	117	55	38.9	0.08
				TOTAL FAP 44	1.11																	30.6	0.34
45	0	0	10	BIG TMBR	0.51	2	20	24	3	4	1500	24	44	3	12	0	0	0	231	267	45	54.3	0.27
45	43	874	10	HARLOWTON	0.06	2	12	44	4	30	620	2	44	4	30	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
				TOTAL FAP 45	0.57																	47.4	0.27
48	0	1191	11	HARDIN	0.22	2	44	44	3	12	3110	44	44	3	12	0	0	0	0	0	0	0.0	0.00
48	0	1409	11	HARDIN	0.51	2	68	68	3	12	5570	68	68	3	12	0	0	0	0	0	0	0.0	0.00
48	0	2471	11	HARDIN	0.04	2	40	40	3	12	3790	40	44	3	12	0	0	0	0	0	9	0.9	0.00
				TOTAL FAP 48	0.77																	0.0	0.00
49	0	102	9	DILLON	0.14	2	40	40	3	12	2330	40	44	3	12	0	0	0	0	0	9	0.9	0.00
49	26	873	9	TWN 8RDGS	0.29	2	20	24	3	10	1480	24	44	3	12	0	0	0	133	133	45	31.1	0.09
49	27	161	9	TWN 8RDGS	0.31	2	32	32	3	10	1740	32	32	3	12	0	0	0	100	133	0	23.3	0.07
49	27	473	9	TWN 8RDGS	0.13	2	46	46	3	10	1740	46	46	3	12	0	0	0	100	133	0	23.3	0.03
				TOTAL FAP 49	0.87																	21.8	0.19
50	0	0	10	W YLOWSTON	0.37	4	70	70	3	12	3270	48	68	3	12	0	0	0	0	0	0	0.0	0.00
50	0	366	10	W YLOWSTON	0.19	4	70	70	3	12	4400	48	68	3	12	0	0	0	0	0	0	0.0	0.00
50	87	95	10	BOZEMAN	0.12	4	52	52	3	12	7940	52	68	3	12	0	0	0	0	0	24	2.4	0.00
50	87	216	10	BOZEMAN	0.56	2	36	36	3	12	11110	48	68	3	12	0	0	0	75	0	47	12.2	0.06
50	87	781	10	BOZEMAN	0.54	4	90	90	3	12	11110	90	90	3	12	0	0	0	0	0	0	0.0	0.00
50	88	315	10	BOZEMAN	0.52	4	59	59	3	12	20286	59	59	3	12	0	0	0	0	0	0	0.0	0.00
50	88	833	10	BOZEMAN	0.70	4	52	72	3	12	21411	52	72	3	12	0	0	0	0	0	0	0.0	0.00
50	89	529	10	BOZEMAN	0.40	4	62	62	3	12	18130	62	68	3	12	0	0	0	0	0	9	0.9	0.00
50	90	101	10	BOZEMAN	0.53	4	68	82	3	12	10150	68	82	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
50	90 + 630	10	BOZEMAN	0.17	3	56	76	3	12	10150	56	76	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 50	4.10																	1.5	0.06
51	27 212	4	RICHEY	0.31	2	28	28	3	7	230	28	44	3	12	0	0	0	0	125	36	16.1	0.05
			TOTAL FAP 51	0.31																	16.1	0.05
53	0 0	11	BILLINGS	0.60	4	72	72	3	12	8050	72	72	3	12	0	0	0	0	0	0	0.0	0.00
53	0 600	11	BILLINGS	1.68	4	72	72	3	12	10890	72	73	3	12	0	0	0	0	0	1	0.1	0.00
53	0 2278	11	BILLINGS	0.46	4	50	50	3	5	11880	50	68	3	12	0	0	0	100	217	26	34.3	0.15
53	0 2736	11	BILLINGS	1.16	4	50	50	5	5	10840	50	68	3	12	0	0	0	0	217	26	24.3	0.28
53	1 1158	11	BILLINGS	1.14	4	50	50	2	8	15100	50	68	3	12	0	0	0	167	167	26	36.0	0.41
53	2 238	11	BILLINGS	0.84	4	48	64	3	12	13930	48	68	3	12	0	0	0	0	0	6	0.6	0.00
53	3 78	11	BILLINGS	1.31	2	32	32	3	12	7901	32	44	3	12	0	0	0	0	0	27	2.7	0.03
53	31 557	11	BROADVIEW	0.48	2	22	24	2	8	870	24	44	3	12	0	0	0	208	167	45	42.0	0.20
53	45 390	11	LAVINA	0.87	2	26	30	1	12	1150	26	44	3	12	0	0	0	253	100	32	38.5	0.33
			TOTAL FAP 53	8.54																	16.4	1.40
55	12 176	7	WHITEHALL	0.35	4	62	62	3	12	1780	62	68	3	12	0	0	0	0	0	9	0.9	0.00
55	12 523	7	WHITEHALL	0.42	2	40	40	3	12	2670	40	44	3	12	0	0	0	0	0	9	0.9	0.00
55	12 939	7	WHITEHALL	0.05	2	32	32	3	12	2080	32	44	3	12	0	0	0	0	0	27	2.7	0.00
			TOTAL FAP 55	0.82																	0.0	0.00
57	80 823	5	LEWISTOWN	0.13	2	24	32	3	12	1830	24	44	3	12	0	0	0	50	0	27	7.7	0.01

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT OEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIOTH SURFACE	WIOTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
57	80	956	5	LEWISTOWN	1.11	2	53	53	3	12	5870	53	53	3	12	0	0	0	0	0	0	0.0	0.00
57	82	56	5	LEWISTOWN	0.13	2	33	33	3	12	7920	48	68	3	12	0	0	0	94	0	51	14.5	0.01
57	82	187	5	LEWISTOWN	0.73	2	49	49	3	9	7920	49	68	3	12	0	0	0	0	75	28	10.3	0.07
57	135	826	5	WINNETT	0.29	2	30	30	3	12	290	24	44	3	12	0	0	0	0	0	32	3.2	0.00
57	212	448	5	JOROAN	0.48	2	52	52	3	5	1590	52	52	3	12	0	0	0	100	217	0	31.7	0.15
57	212	932	5	JOROAN	0.15	2	22	24	3	5	1360	24	44	3	12	0	0	0	117	217	45	37.9	0.05
57	278	394	4	CIRCLE	0.33	2	24	24	2	6	800	24	44	3	12	0	0	0	187	200	45	43.2	0.14
57	278	726	4	CIRCLE	0.27	2	46	46	3	12	2360	46	46	3	12	0	0	0	0	0	0	0.0	0.00
57	278	998	4	CIRCLE	0.54	2	44	44	3	12	1970	44	44	3	12	0	0	0	0	0	0	0.0	0.00
57	279	534	4	CIRCLE	0.26	2	40	40	3	12	2760	40	44	3	12	0	0	0	0	0	9	0.9	0.00
57	324	644	4	GLENOIVE	1.33	2	32	36	3	12	5040	32	44	3	12	0	0	0	0	0	18	1.8	0.02
57	325	992	4	GLENDIVE	0.68	4	72	72	3	12	7950	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	326	665	4	GLENOIVE	0.05	4	72	72	3	12	9240	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	326	718	4	GLENDIVE	0.38	4	72	72	3	12	10420	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	327	100	4	GLENDIVE	0.67	2	56	56	3	12	10420	56	68	3	12	0	0	0	0	0	18	1.8	0.01
57	327	766	4	GLENDIVE	0.65	4	60	60	3	6	11390	60	68	3	12	0	0	0	0	150	12	16.2	0.10
57	328	439	4	GLENOIVE	0.90	4	56	56	3	12	10880	56	68	3	12	0	0	0	0	0	18	1.8	0.01
57	329	339	4	GLENOIVE	0.85	4	72	88	3	12	4320	72	88	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 57	9.93																	5.7	0.57

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+ .					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
59	14 905	10	CLYO PARK	0.17	2	20	30	2	5	820	24	44	3	12	0	0	0	217	217	32	46.6	0.07
59	15 24	10	CLYD PARK	0.27	2	20	40	2	5	1130	24	44	3	12	0	0	0	217	217	9	44.3	0.12
59	15 296	10	CLYD PARK	0.04	2	20	24	3	6	1070	24	44	3	12	0	0	0	161	200	45	40.6	0.01
			TOTAL FAP 59	0.48																	41.7	0.20
60	35 842	6	NEIHART	0.64	2	28	28	1	12	320	28	44	3	12	0	0	0	230	0	36	26.6	0.17
60	36 480	6	NEIHART	0.98	2	20	24	2	5	1190	24	44	3	12	0	0	0	217	217	45	47.9	0.46
60	37 460	6	NEIHART	1.53	2	22	26	2	4	350	24	44	3	12	0	0	0	117	200	41	35.8	0.54
60	90 366	6	GT FALLS	0.08	2	48	62	3	12	9690	48	38	3	12	0	0	0	50	0	0	5.0	0.00
60	90 442	6	GT FALLS	1.15	4	48	62	3	12	9690	48	48	3	12	0	0	0	0	0	0	0.0	0.00
60	91 597	6	GT FALLS	1.37	4	48	62	3	12	20400	48	68	3	12	0	0	0	0	0	9	0.9	0.01
60	92 966	6	GT FALLS	0.50	4	61	76	3	12	30980	61	76	3	12	0	0	0	50	0	0	5.0	0.02
60	93 464	6	GT FALLS	0.82	4	64	80	3	12	30980	64	80	3	12	0	0	0	50	0	0	5.0	0.04
60	94 280	6	GT FALLS	0.18	4	48	70	2	12	28610	48	70	3	12	0	0	0	100	0	0	10.0	0.01
60	94 457	6	GT FALLS	0.40	2	28	28	2	12	24120	48	68	3	12	0	0	0	183	0	59	24.2	0.09
60	94 853	6	GT FALLS	0.45	4	48	68	2	12	24120	48	68	3	12	0	0	0	100	0	0	10.0	0.04
60	95 301	6	GT FALLS	0.22	4	48	68	2	12	24120	48	68	3	12	0	0	0	100	0	0	10.0	0.02
60	95 525	6	GT FALLS	0.10	4	48	70	2	12	21400	48	70	3	12	0	0	0	100	0	0	10.0	0.00
60	95 625	6	GT FALLS	0.09	4	48	68	2	12	8920	48	68	3	12	0	0	0	100	0	0	10.0	0.00
			TOTAL FAP 60	8.51																	16.5	1.40

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
61	0	0	11	ROUNDUP	0.25	2	69	69	3	7	6370	69	69	3	12	0	0	0	133	183	0	31.6	0.07
61	0	250	11	ROUNDUP	0.26	2	22	36	3	7	3640	24	44	3	12	0	0	0	147	183	18	34.8	0.09
61	0	512	11	ROUNDUP	0.15	2	24	30	3	12	1040	24	44	3	12	0	0	0	133	100	32	26.5	0.04
61	156	919	3	MALTA	0.43	4	48	48	2	7	3060	48	48	3	12	0	0	0	167	183	0	35.0	0.15
61	157	360	3	MALTA	0.16	4	54	54	1	3	4650	54	54	3	12	0	0	0	267	250	0	51.7	0.08
61	157	522	3	MALTA	0.09	2	30	30	2	12	4880	30	44	3	12	0	0	0	100	0	32	13.2	0.01
				TOTAL FAP 61	1.34																	32.8	0.44
62	0	0	3	CLBERTSON	0.55	2	44	44	3	12	1950	44	44	3	12	0	0	0	0	0	0	0.0	0.00
62	1	200	3	CLBERTSON	0.32	2	32	32	3	12	1910	32	44	3	12	0	0	0	0	0	27	2.7	0.00
62	37	0	4	SIDNEY	0.68	2	24	36	3	6	6100	24	44	3	12	0	0	0	120	200	18	33.8	0.23
62	37	685	4	SIDNEY	0.35	2	48	48	3	11	6150	48	68	3	12	0	0	0	120	117	29	26.6	0.09
				TOTAL FAP 62	1.90																	16.8	0.32
63	17	860	10	JUDTH GAP	0.62	2	24	36	3	12	900	24	44	3	12	0	0	0	50	0	18	6.8	0.04
				TOTAL FAP 63	0.62																	6.5	0.04
67	0	0	2	SHELBY	0.46	2	24	30	3	7	4750	24	44	3	12	0	0	0	133	183	32	34.8	0.16
67	0	466	2	SHELBY	0.25	2	22	30	3	5	3620	24	44	3	12	0	0	0	147	217	32	39.6	0.09
				TOTAL FAP 67	0.71																	35.2	0.25
68	0	174	6	CASCADE	0.47	2	20	24	3	3	700	24	44	3	12	0	0	0	133	250	45	42.8	0.20
68	0	646	6	CASCADE	0.19	2	34	34	3	3	1320	34	44	3	12	0	0	0	100	250	23	37.3	0.06

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
68	0	833	6	CASCADE	0.10	2	50	50	3	3	2140	50	50	3	12	0	0	0	100	250	0	35.0	0.03
68	0	933	6	CASCAOE	0.25	2	34	34	3	3	1440	34	44	3	12	0	0	0	100	250	23	37.3	0.09
68	1	180	6	CASCAOE	0.08	2	24	24	3	12	1170	24	44	3	12	0	0	0	0	0	45	4.5	0.00
				TOTAL FAP 68	1.09																	34.9	0.38
69	0	0	7	WHITEHALL	0.67	4	62	62	3	12	2950	62	68	3	12	0	0	0	0	0	9	0.9	0.00
69	37	30	7	8OULOER	0.28	2	24	24	1	9	1110	24	44	3	12	0	0	0	253	150	45	44.8	0.12
69	37	351	7	8OULDER	0.28	2	24	24	1	9	1110	24	44	3	12	0	0	0	253	150	45	44.8	0.12
69	37	636	7	8OULOER	0.23	2	24	24	0	6	2060	24	44	3	12	0	0	0	280	200	45	52.5	0.12
69	37	868	7	8OULOER	0.23	2	40	40	3	12	2060	40	44	3	12	0	0	0	0	0	9	0.9	0.00
				TOTAL FAP 69	1.69																	21.3	0.36
70	1	235	8	SUPERIOR	0.27	2	22	24	2	5	130	24	44	3	12	0	0	0	254	258	45	55.7	0.15
70	1	568	8	SUPERIOR	0.84	2	22	24	3	5	130	24	44	3	12	0	0	0	224	258	45	52.7	0.44
70	2	405	8	SUPERIOR	0.16	2	30	30	3	12	2960	30	44	3	12	0	0	0	0	0	32	3.2	0.00
70	2	564	8	SUPERIOR	0.20	2	48	48	3	12	2960	48	48	3	12	0	0	0	0	0	0	0.0	0.00
70	2	765	8	SUPERIOR	0.03	2	24	24	3	12	3210	24	44	3	12	0	0	0	0	0	45	4.5	0.00
				TOTAL FAP 70	1.50																	39.3	0.59
71	0	0	8	MISSOULA	0.95	2	42	42	3	12	5420	42	44	3	12	0	0	0	0	0	5	0.5	0.00
71	0	951	8	MISSOULA	0.07	2	30	30	3	12	5420	30	44	3	12	0	0	0	0	0	32	3.2	0.00
71	1	17	8	MISSOULA	0.19	4	72	88	3	12	12840	72	88	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
71	2.208	8	MISSOULA	0.76	4	68	72	3	12	14110	68	72	3	12	0	0	0	0	0	0	0.0	0.00
71	2.968	8	MISSOULA	0.86	4	62	62	3	8	17780	62	68	3	12	0	0	0	50	100	9	15.9	0.13
71	3.827	8	MISSOULA	0.59	4	62	62	3	8	11070	62	68	3	12	0	0	0	50	100	9	15.9	0.09
71	4.417	8	MISSOULA	0.21	4	72	72	3	12	14400	72	72	3	12	0	0	0	0	0	0	0.0	0.00
71	4.632	8	MISSOULA	0.14	4	48	68	3	12	1440	48	68	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 71	3.77																	5.8	0.22
75	1.680	5	LEWISTOWN	0.50	2	24	28	3	12	1310	24	44	3	12	0	0	0	0	0	36	3.6	0.01
75	2.184	5	LEWISTOWN	0.25	2	24	30	3	12	3540	24	44	3	12	0	0	0	0	0	32	3.2	0.00
75	2.434	5	LEWISTOWN	0.26	2	24	28	3	12	3540	24	44	3	12	0	0	0	100	100	36	23.6	0.06
75	2.695	5	LEWISTOWN	0.25	2	24	36	3	12	3540	24	44	3	12	0	0	0	100	100	18	21.8	0.05
			TOTAL FAP 75	1.26																	9.5	0.12
77	1.746	8	HOT SPRGS	0.25	2	24	46	1	9	660	24	44	3	12	0	0	0	250	75	0	32.5	0.08
			TOTAL FAP 77	0.25																	32.0	0.08
78	0.0	11	RED LODGE	0.47	2	24	24	2	10	840	24	44	3	12	0	0	0	167	133	45	34.5	0.16
78	46.446	11	COLUMBUS	0.30	2	28	28	2	6	2753	28	44	3	12	0	0	0	167	200	36	40.3	0.12
78	46.744	11	COLUMBUS	0.06	2	28	28	2	6	2890	28	44	3	12	0	0	0	233	250	36	51.9	0.03
78	46.808	11	COLUMBUS	0.15	2	28	40	3	8	2580	28	44	3	12	0	0	0	100	167	9	27.6	0.04
78	46.959	11	COLUMBUS	0.29	2	44	44	3	12	1640	44	44	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 78	1.27																	27.6	0.35

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID RDUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					ND LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
79	2 + 294	11	HYSHAM	0.56	2	30	30	3	12	380	30	44	3	12	0	0	0	0	0	32	3.2	0.01
			TOTAL FAP 79	0.56																	1.8	0.01
80	1 594	6	FT BENTON	0.10	2	24	24	2	11	600	24	44	3	12	0	0	0	167	117	45	32.9	0.03
80	1 694	6	FT BENTON	0.30	2	20	20	2	4	2630	24	44	3	12	0	0	0	217	233	55	50.5	0.15
80	1 996	6	FT BENTON	0.37	2	48	48	2	7	1540	48	48	3	12	0	0	0	167	183	0	35.0	0.12
80	28 186	6	GERALDINE	0.95	2	30	30	3	12	430	30	44	3	12	0	0	0	0	0	32	3.2	0.03
80	66 59	6	STANFORD	0.55	2	24	24	3	12	430	24	44	3	12	0	0	0	100	100	45	24.5	0.13
80	66 614	6	STANFORD	0.44	2	24	26	1	7	860	24	44	3	12	0	0	0	277	242	41	56.0	0.24
			TOTAL FAP 80	2.71																	25.8	0.70
81	12 943	5	DENTON	0.90	2	76	76	3	12	590	76	76	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 81	0.90																	0.0	0.00
86	0 0	10	BOZEMAN	0.15	2	40	40	2	6	9550	40	44	3	12	0	0	0	167	200	9	37.6	0.05
86	0 150	10	BOZEMAN	0.78	2	28	28	2	12	6870	28	44	3	12	0	0	0	167	100	36	30.3	0.23
86	0 932	10	BOZEMAN	0.03	2	24	24	3	12	5760	24	44	3	12	0	0	0	0	0	45	4.5	0.00
			TOTAL FAP 86	0.96																	29.2	0.28
	GRAND TOTAL FAP			184.83																		29.64

Sufficiency Ratings
by
Section - Statewide

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P070	0+0.000	FUT W SUPERIOR INT	MINERAL	8			.200	NON EXISTENT													.2
P052	33+0.584	JCT FAP RTE 83	FLATHEAD	1	35	57	.344	22	22	RMS	4359	645	132	0	13	5	0	0	18	12	.3
P005	128+0.492	WHITEFISH	FLATHEAD	1	34	54	6.201	22	23	RMS	2580	335	150	0	11	4	1	0	16	12	5.2
P038	4+0.354	0.3 W FAS 206	FLATHEAD	1	39	53	2.055	24	24	RMS	8894	1245	759	0	8	8	4	5	25	13	1.5
P007	49+0.362	1.3 N HAMILTON	RAVALLI	8	40	40	.370	24	30	RMS	5242	681	348	0	10	4	7	1	22	14	.3
P052	0+0.000	JCT FAP RTE 5	LAKE	1	40	50	7.134	21	24	8ST	2595	384	184	0	12	7	1	0	20	15	5.7
P038	8+0.079	0.6 E COL FALLS	FLATHEAD	1	37	55	.576	22	24	RMS	4929	690	280	0	13	6	6	0	25	16	.4
P001	15+0.265	TROY	LINCOLN	1	37	38	1.655	20	24	RMS	2041	265	132	0	13	5	1	0	19	16	1.3
P024	0+1.845	BONNER	MISSOULA	8	36	37	4.040	30	30	RMS	3671	605	234	3	15	4	1	0	23	16	3.1
P024	7+0.551	6.7 E BONNER	MISSOULA	8	40	42	4.668	20	24	RMS	2678	441	100	0	14	5	2	0	21	16	3.7
P038	7+0.387	COLUMBIA FALLS	FLATHEAD	1	37	55	.373	22	24	RMS	5422	759	243	0	13	7	7	0	27	17	.3
P001	138+0.380	JCT FAP RTE 38	FLATHEAD	1	34	66	1.705	24	30	RMS	4553	728	365	0	13	8	4	0	25	17	1.3
P005	0+0.622	0.2 N FAI 90	MISSOULA	8	34	55	3.086	24	24	RMS	4025	587	280	0	15	7	2	0	24	17	2.3
P052	28+0.294	FLATHEAD CO	FLATHEAD	1	36	64	2.004	24	24	RMS	2322	343	187	0	13	5	2	2	22	18	1.6
P052	30+0.238	2.0 N FLATHEAD CO	FLATHEAD	1	56	56	1.975	24	28	RMS	3188	471	177	0	12	10	3	0	25	19	1.5
P024	22+0.635	6.6 E POTOMAC	MISSOULA	8	41	59	4.022	25	28	RMS	1681	277	100	0	12	7	3	0	22	19	3.1
P001	124+0.638	0.7 E KALISPELL	FLATHEAD	1	40	64	3.634	30	30	RMS	4328	519	348	0	11	8	2	8	29	20	2.6
P024	12+0.237	11.3 E BONNER	MISSOULA	8	41	63	3.821	24	24	RMS	2262	373	145	2	14	6	2	0	24	20	2.9
P052	26+0.286	2.0 S FLATHEAD CO	LAKE	1	36	59	1.995	24	24	RMS	2147	317	174	0	12	5	5	3	25	21	1.5
P052	32+0.237	1.3 S FAP RTE 83	FLATHEAD	1	22	49	1.347	24	24	RMS	3614	534	374	0	14	6	2	9	31	23	.9
P007	44+0.578	2.0 S HAMILTON	RAVALLI	8	34	59	1.998	22	24	RMS	4229	549	610	0	9	4	2	17	32	23	1.4
P060	87+0.349	FAS RTES 227 & 228	CASCADE	6	39	71	.996	32	32	RMS	3800	494	240	3	16	10	2	0	31	23	.7
P001	25+0.405	6.4 W LIBBY	LINCOLN	1	38	52	4.437	24	24	RMS	2159	280	249	0	12	3	1	13	29	24	3.2
P032	48+0.193	2.6 S SCOBEY	DANIELS	3	33	45	2.587	20	24	RMS	2252	315	203	0	13	8	1	7	29	24	1.8
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	8	48	54	1.536	24	32	RMS	4020	586	220	3	18	7	5	0	33	24	1.0
P001	16+0.932	JCT FAP 56	LINCOLN	1	34	38	4.574	20	24	RMS	1955	254	211	0	11	3	3	12	29	25	3.2
P001	140+0.073	1.7 E FAP 38	FLATHEAD	1	29	65	2.443	24	24	RMS	4039	626	469	0	13	10	1	10	34	25	1.6
P001	142+0.567	1.0 W HUNGRY HORSE	FLATHEAD	1	31	34	10.727	20	24	RMS	2658	425	415	0	11	5	1	15	32	26	7.3
P006	76+0.641	JCT FAP 36	SANDERS	8	31	34	2.278	18	24	RMS	1243	185	170	0	10	3	0	14	27	26	1.7
P005	57+0.826	1.1 S FAP 52	LAKE	1	58	58	1.188	32	32	PMS	6041	881	403	6	17	10	6	0	39	27	.7
P005	24+0.366	9.3 N LAKE CO	LAKE	1	55	60	3.147	32	32	PMS	3949	576	302	4	17	10	4	1	36	27	2.0
P006	76+0.261	PLAINS	SANDERS	8	31	34	.380	18	24	RMS	2343	349	259	0	11	3	8	10	32	27	.3
P007	31+0.292	DARBY	RAVALLI	8	34	35	11.755	22	24	RMS	2288	297	252	0	12	6	2	12	32	27	8.0
P001	221+1.600	BROWNING	GLACIER	2	32	70	2.814	22	24	RMS	3017	588	423	3	13	9	1	9	35	28	1.8
P004	52+0.256	1.4 N YELLOWST CO	YELLOWSTONE	11	22	39	1.598	24	30	RMS	4822	626	577	3	14	7	1	14	39	28	1.0
P005	104+0.255	JCT FAP 82	FLATHEAD	1	49	61	5.341	38	38	RMS	6103	732	340	5	17	10	10	0	42	29	3.1
P033	0+0.658	LIBBY	LINCOLN	1	59	59	.558	26	37	8ST	4487	583	352	6	18	10	1	5	40	30	.3
P005	15+0.054	LAKE CO	LAKE	1	40	40	3.437	24	30	RMS	4038	589	507	0	15	8	4	13	40	30	2.1
P052	7+0.124	7.1 N FAP 5	LAKE	1	47	47	3.214	24	24	8ST	1633	241	187	0	14	6	2	11	33	30	2.2
P026	0+0.771	0.8 E JCT FAP 20	RICHLAND	4	33	36	6.762	20	24	8ST	1927	250	364	0	7	5	2	20	34	30	4.5
P003	0+0.000	I 15 VAUGHN	CASCADE	6	55	71	1.402	28	32	RMS	4207	546	264	5	18	10	7	0	40	30	.8
P005	56+0.943	2.0 S FAP 52	LAKE	1	73	73	.882	40	40	PMS	5754	840	308	6	21	10	6	0	43	31	.5
P001	106+0.450	12.9 W KALISPELL	FLATHEAD	1	49	63	6.886	24	27	RMS	1605	208	176	0	11	8	3	12	34	31	4.5
P006	68+0.701	WEEKSVILLE	SANDERS	8	38	52	3.890	20	24	RMS	1390	207	201	0	11	4	3	15	33	31	2.6
P024	0+0.000	JCT FAI 90	MISSOULA	8	74	74	.975	44	44	PMS	6559	1082	344	8	25	10	1	0	44	31	.5
P005	86+0.330	2.0 S ROLLINS	LAKE	1	33	65	6.417	24	24	RMS	1656	223	335	0	10	4	1	20	35	32	4.2
P005	59+0.004	JCT FAP 52	LAKE	1	58	58	.331	40	40	PMS	8859	1293	289	8	22	10	7	0	47	32	.2
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1	72	72	5.797	32	32	PMS	4266	622	504	2	17	8	4	11	42	32	3.4
P037	46+0.552	4.2 E LAME DEER	ROSEBUD	12	54	54	7.110	24	24	PMS	1785	240	136	5	18	8	1	4	36	32	4.6
P001	180+0.514	16.2 W GLACIER CO	FLATHEAD	1	33	35	3.632	18	20	RMS	1257	175	259	0	11	3	0	20	34	33	2.4
P061	155+0.525	JCT FAS RTE 363	PHILLIPS	3	38	42	1.398	24	26	RMS	2095	351	259	0	13	8	7	10	38	33	.9
P007	82+0.745	LOLO	MISSOULA	8	68	68	.634	44	44	PMS	7167	931	199	10	26	10	1	0	47	33	.3
P020	58+0.614	6.1 N SIDNEY	RICHLAND	4	35	35	3.906	20	24	RMS	2207	286	324	0	12	5	4	17	38	33	2.4
P020	52+0.569	SIDNEY	RICHLAND	4	35	35	6.066	20	24	RMS	3136	407	486	0	12	5	7	17	41	33	3.6
P024	55+0.670	JCT FAP 41	POWELL	8	61	61	9.806	24	26	PMS	1496	246	132	5	17	10	2	2	36	33	6.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P060	81+0.469	7.0 N FAS 331	CASCADE	6	42	52	5.894	26	31	RMS	2634	342	308	0	14	10	3	13	40	33	3.5
P016	46+0.202	KLEIN	MUSSELSHELL	11	37	37	1.838	20	24	RMS	2019	262	283	0	13	8	1	16	38	33	1.1
P023	77+0.811	1.5 S FAP 37	POWDER RIVER	12	28	36	1.305	20	22	BST	1359	197	250	0	12	4	1	18	35	33	.8
P023	2+0.111	MILES CITY LIMITS	CUSTER	12	20	36	.061	25	25	RMS	4043	525	243	0	15	8	20	0	43	33	
P005	61+0.013	POLSON	LAKE	1	66	66	.587	40	40	PMS	4019	542	289	7	24	10	1	2	44	34	.3
P001	128+0.337	JCT FAP RTE 52	FLATHEAD	1	34	51	10.056	22	24	RMS	2969	415	716	0	9	8	4	21	42	34	5.8
P001	379+0.167	JCT FAP RTE 10	HILL	2	52	52	1.516	40	40	RMS	5668	606	654	0	12	10	8	16	46	34	.8
P058	17+0.315	5.2 N KIOWA JCT	GLACIER	2	28	40	8.213	20	24	RMS	960	187	302	0	9	4	0	21	34	34	5.4
P007	26+0.490	JCT FAS 473	RAVALLI	8	36	59	4.000	22	26	RMS	2125	276	264	3	14	6	2	14	39	34	2.4
P005	0+0.000	JCT FAI 90	MISSOULA	8	76	76	.622	64	64	PMS	4030	588	308	8	21	10	4	1	44	34	.3
P006	105+0.123	1.4 W DIXON	SANDERS	8	22	34	1.062	22	24	RMS	982	146	201	0	11	3	1	19	34	34	.7
P006	56+0.095	JCT FAS 556	SANDERS	8	35	49	1.717	20	24	RMS	1178	175	159	0	11	5	6	13	35	34	1.1
P058	12+0.053	KIOWA JCT	GLACIER	2	28	40	5.269	20	24	RMS	960	187	302	0	10	4	0	21	35	35	3.4
P005	168+0.284	FORTINE	LINCOLN	1	31	52	9.654	22	22	RMS	1333	173	180	0	15	5	1	16	37	35	6.1
P062	33+0.331	3.6 N SIONEY	RICHLAND	4	37	49	3.662	24	26	RMS	2150	322	277	0	14	9	4	13	40	35	2.2
P006	72+0.578	3.1 W PLAINS	SANDERS	8	31	34	3.141	18	24	RMS	1822	271	377	0	12	6	2	19	39	35	1.9
P057	54+0.312	MOCCASIN	JUDITH BASIN	6	33	71	2.337	22	24	RMS	980	146	281	0	10	3	0	22	35	35	1.1
P005	79+0.397	1.8 N JCT FAP 36	LAKE	1	32	52	6.932	22	24	RMS	2000	238	264	2	14	7	1	16	40	35	1.4
P005	179+0.692	EUREKA	LINCOLN	1	43	57	1.370	22	24	RMS	1614	217	390	0	12	4	1	22	39	36	4.2
P006	115+0.193	LAKE CO	LAKE	1	34	52	.936	20	24	RMS	2092	271	357	0	13	8	1	19	41	36	.8
P008	34+0.396	5.4 W HELENA	LEWIS AND CLARK	7	33	33	5.434	20	24	RMS	1223	182	211	0	11	8	1	17	37	36	.6
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	11	33	56	.969	26	30	RMS	2241	291	492	0	10	8	3	21	42	36	3.2
P005	159+0.617	STRYKER	LINCOLN	1	31	63	8.683	22	24	RMS	2551	331	720	0	12	6	1	23	42	36	.6
P052	18+0.000	YELLOW BAY	LAKE	1	37	65	5.585	24	24	RMS	1105	143	159	0	16	4	1	17	38	37	5.4
P052	41+0.541	CRESTON	FLATHEAD	1	34	55	3.975	22	24	RMS	1676	248	301	0	15	7	1	18	41	37	3.3
P007	43+0.042	3.5 S HAMILTON	RAVALLI	8	49	49	1.525	28	28	RMS	1685	249	390	0	15	4	2	20	41	37	2.3
P026	0+0.000	JCT FAP RTE 20	RICHLAND	4	36	36	.771	22	25	BST	2669	346	331	6	14	9	1	14	44	37	.9
P007	51+0.984	JCT FAS 373	RAVALLI	8	53	53	7.046	24	32	RMS	2229	289	392	0	13	10	1	19	43	37	.4
P057	88+0.245	5.1 E LEWISTOWN	FERGUS	5	37	56	6.022	24	30	RMS	4156	540	599	2	11	10	8	16	47	37	3.7
P086	16+0.328	15.3 N BOZEMAN	GALLATIN	10	48	48	2.465	20	20	GRV	1752	227	261	2	13	8	1	17	41	37	3.6
P023	2+0.172	JCT FAI RTE 94	CUSTER	12	20	36	3.282	25	25	RMS	424	84	345	0	0	3	3	26	32	37	1.7
P001	218+0.818	2.9 W BROWNING	GLACIER	2	39	63	1.575	26	30	RMS	1793	233	307	0	13	8	1	19	41	37	1.9
P001	220+0.489	1.3 W BROWNING	GLACIER	2	45	45	1.390	24	24	RMS	1297	181	289	0	11	7	1	21	40	38	.9
P052	23+0.600	4.7 S FLATHEAD CO	LAKE	1	36	60	2.661	24	25	RMS	1383	193	278	0	11	7	2	20	40	38	.8
P052	33+0.928	JCT FAP RTE 82	FLATHEAD	1	34	55	7.644	22	24	RMS	1926	285	431	0	12	6	5	20	43	38	1.5
P005	27+0.503	JCT FAP 6	LAKE	1	56	60	2.550	44	44	PMS	1600	236	390	0	15	4	1	21	41	38	4.5
P001	21+0.505	4.6 E FAP 56	LINCOLN	1	37	70	3.927	24	26	RMS	3786	552	578	3	15	10	3	16	47	38	1.4
P005	61+0.600	0.6 N POLSON	LAKE	1	54	54	2.852	24	32	PMS	2057	267	528	0	10	4	7	22	43	38	2.2
P001	113+0.334	6.0 W KALISPELL	FLATHEAD	1	49	79	6.278	24	32	PMS	3797	512	544	0	17	10	4	16	47	38	1.5
P001	103+0.175	3.8 E MARION	FLATHEAD	1	40	63	3.262	24	24	RMS	2818	357	429	3	13	8	3	18	45	38	3.5
P001	89+0.548	9.2 E FLATHEAD CO	FLATHEAD	1	36	57	9.847	24	25	RMS	1557	202	220	0	13	8	4	16	41	38	1.9
P024	26+0.710	5.2 W FAP 83	MISSOULA	8	49	49	5.164	25	25	BST	1174	152	220	0	12	6	1	20	39	38	6.0
P003	68+0.264	PONDERA CO	PONDERA	6	32	32	6.905	20	24	BST	1731	285	307	0	12	8	6	16	42	38	3.0
P003	23+1.038	FAIRFIELD	TETON	6	21	32	1.492	20	22	BST	470	113	391	0	2	4	1	26	33	38	4.6
P010	52+0.380	LOMA	CHOUTEAU	6	34	55	2.762	22	24	RMS	1171	152	592	0	10	3	0	26	39	38	.9
P024	86+0.130	3.1 E FAS 279	LEWIS AND CLARK	7	57	64	5.093	28	30	PMS	1312	170	307	0	8	8	2	22	40	38	1.7
P003	20+0.191	TETON CO	TETON	6	21	32	2.966	20	22	BST	1219	182	104	7	17	10	1	4	39	38	3.1
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	8	48	54	.787	24	28	PMS	1421	184	397	0	11	4	2	23	40	38	1.8
P007	49+0.732	1.7 N HAMILTON	RAVALLI	8	53	53	2.249	24	32	RMS	2609	380	239	6	16	9	8	6	45	38	.4
P024	4+0.910	4.1 E BONNER	MISSOULA	8	68	68	2.624	40	40	PMS	4916	639	939	0	10	10	9	20	49	38	1.1
P078	29+0.991	JCT FAS RTE 419	STILLWATER	11	35	45	15.864	20	24	RMS	3041	501	425	5	16	10	3	12	46	38	1.4
P038	7+0.760	0.3 E COL FALLS	FLATHEAD	1	77	77	.303	36	36	PMS	1154	190	450	0	9	5	1	24	39	38	9.7
P006	78+0.947	2.3 E JCT FAP 36	SANDERS	8	31	51	6.095	20	24	RMS	5207	728	376	9	28	10	3	1	51	39	.1
P010	51+0.544	0.6 S LOMA	CHOUTEAU	6	36	36	.677	24	24	RMS	1133	168	364	0	10	5	2	23	40	39	3.7
											1330	172	264	0	12	8	1	20	41	39	.4

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P057	212+0.180	JCT FAP RTE 18	GARFIELD	5	37	47	.268	22	24	RMS	1458	223	235	0	13	8	5	16	42	39	.2
P024	0+0.975	MILLTOWN	MISSOULA	8	74	74	.870	44	44	PMS	5235	863	442	10	28	10	2	1	51	39	.4
P083	14+0.735	SEELEY LAKE	MISSOULA	8	52	52	8.364	22	26	PMS	1015	178	192	0	14	7	2	16	39	39	5.1
P011	55+0.874	LIVINGSTON	PARK	10	34	34	2.078	20	24	PMS	2399	311	654	0	12	7	3	23	45	39	1.1
P050	81+0.910	JCT FAP 84 85	GALLATIN	10	60	60	5.208	36	36	PMS	5372	805	244	8	26	10	7	0	51	39	2.6
P004	57+0.487	2.1 E LAUREL	YELLOWSTONE	11	36	64	.711	30	30	RMS	3038	394	248	8	24	8	1	6	47	39	.4
P005	125+0.445	JCT FAP 38	FLATHEAD	1	60	60	1.488	36	36	PMS	8182	981	937	5	16	10	10	14	55	40	.7
P001	49+0.289	13.5 E FAS 482	LINCOLN	1	35	39	6.869	20	24	RMS	1014	131	228	0	13	4	2	21	40	40	4.1
P005	47+0.372	RONAN	LAKE	1	70	70	6.021	40	40	PMS	5167	754	288	9	23	10	10	0	52	40	2.9
P025	46+0.499	ROOSEVELT CO	ROOSEVELT	3	37	37	.503	20	25	RMS	1011	131	147	0	12	10	1	17	40	40	.3
P006	99+0.246	3.6 E PERMA	SANDERS	8	24	38	2.956	20	25	RMS	977	145	406	0	9	4	2	25	40	40	1.8
P006	108+0.148	DIXON	SANDERS	8	27	34	7.086	22	24	RMS	1040	154	449	0	10	4	1	25	40	40	4.3
P020	32+0.967	1.0 N SAVAGE	RICHLAND	4	34	57	9.053	20	24	RMS	1834	238	377	0	12	8	3	21	44	40	5.1
P016	11+0.880	7.0 N BILLINGS	YELLOWSTONE	11	34	51	9.638	20	24	RMS	1116	145	448	0	10	5	1	25	41	40	5.7
P016	25+0.140	MUSSELSHELL CO	MUSSELSHELL	11	34	34	4.505	20	24	RMS	1134	147	277	0	12	6	1	22	41	40	2.7
P049	3+0.037	3.0 E FAI RTE 15	BEAVERHEAD	9	46	62	3.798	24	26	RMS	1418	184	255	0	13	8	2	19	42	40	2.2
P082	5+0.451	1.4 W FAP 52	FLATHEAD	1	55	55	1.472	24	24	RMS	2389	346	243	4	14	10	10	9	47	41	.8
P001	37+0.882	5.1 E LIBBY	LINCOLN	1	36	51	6.395	24	24	RMS	1832	238	582	0	10	7	4	24	45	41	3.5
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1	37	53	2.143	22	24	RMS	989	128	187	0	14	6	1	20	41	41	1.3
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	2	25	63	2.119	24	24	RMS	1205	192	772	0	10	5	1	26	42	41	1.2
P025	44+0.761	1.8 S ROOSEVELT	MCCONE	4	37	37	1.744	20	25	RMS	709	92	126	0	13	6	1	19	39	41	1.1
P024	100+0.420	JCT FAS RTE 434	LEWIS AND CLARK	7	51	51	8.627	25	25	BST	1243	186	217	0	11	8	6	17	42	41	5.0
P024	109+0.051	JCT FAP RTE 9	LEWIS AND CLARK	7	52	52	7.790	24	26	RMS	1127	169	277	0	11	8	2	21	42	41	4.5
P060	71+0.018	JCT FAP RTE 57	CASCADE	6	55	55	3.606	40	40	RMS	1873	243	315	0	13	10	4	18	45	41	2.0
P024	116+0.832	CASCADE CO	CASCADE	6	52	52	10.632	24	26	RMS	1198	179	277	0	13	7	2	20	42	41	6.2
P008	13+0.008	JCT FAP RTE 41	POWELL	8	33	66	10.200	22	24	RMS	1471	191	573	0	9	6	4	25	44	41	5.7
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	8	64	76	9.496	36	36	PMS	4009	585	239	9	26	10	6	0	51	41	4.7
P057	94+0.341	11.1 E LEWISTOWN	FERGUS	5	37	57	8.960	24	30	RMS	1459	189	333	0	13	9	1	21	44	41	5.0
P086	0+0.962	BOZEMAN	GALLATIN	10	58	58	2.860	25	25	PMS	2544	508	661	5	19	4	2	18	48	41	1.5
P016	23+0.243	1.8 S MUSSEL CO	YELLOWSTONE	11	34	58	1.815	22	24	RMS	1122	145	272	0	12	7	1	22	42	41	1.1
P029	49+0.919	6.6 N TWIN BRIDGES	MADISON	9	36	63	7.355	22	24	RMS	1108	166	540	0	10	6	1	25	42	41	4.3
P004	55+0.309	LAUREL	YELLOWSTONE	11	23	68	2.178	55	55	RMS	3603	468	806	4	14	8	3	21	50	41	1.1
P001	224+0.000	JCT FAP RTE 3	GLACIER	2	35	61	4.927	22	24	RMS	1276	204	642	0	8	8	3	25	44	42	2.8
P005	93+0.536	FLATHEAD CO	FLATHEAD	1	64	64	5.181	32	32	PMS	1801	243	243	0	11	10	10	15	46	42	2.8
P005	30+0.048	2.5 N JCT FAP 6	LAKE	1	56	60	2.564	32	32	PMS	3640	531	544	3	16	10	7	15	51	42	1.3
P005	98+0.643	5.2 NLFLATHEADCO	FLATHEAD	1	63	63	5.548	32	32	PMS	2767	373	522	3	13	10	4	19	49	42	2.8
P003	41+0.952	CHOTEAU	TETON	6	21	61	12.944	20	22	RMS	843	203	397	0	13	5	1	22	41	42	7.6
P019	57+0.499	HALL FAS 512 & 513	GRANITE	8	25	52	5.079	20	22	RMS	809	117	471	0	10	3	1	26	40	42	3.0
P004	26+0.285	BRIDGER	CARBON	11	23	51	6.413	22	24	RMS	1968	255	711	0	10	6	6	25	47	42	3.4
P004	50+0.814	YELLOWSTONE CO	YELLOWSTONE	11	49	65	1.390	28	32	RMS	4087	531	569	4	14	9	9	16	52	42	.7
P014	133+0.003	2.5 E RYEGATE	GOLDEN VALLEY	11	37	37	3.978	20	24	RMS	843	109	307	0	9	6	1	25	41	42	2.3
P001	99+0.410	MARION	FLATHEAD	1	47	61	3.779	24	30	RMS	1489	193	259	0	14	7	6	19	46	43	2.0
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1	52	52	9.172	28	28	RMS	1045	135	187	0	12	7	5	19	43	43	5.2
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1	75	75	4.368	44	44	PMS	4328	601	170	10	28	10	5	0	53	43	2.1
P001	71+0.596	8.7 W FLATHEAD CO	LINCOLN	1	37	53	6.645	22	24	RMS	943	122	243	0	14	5	2	22	43	43	3.8
P001	240+0.263	4.8 E FAS 444	GLACIER	2	27	60	6.784	24	24	RMS	1093	163	838	0	10	4	3	27	44	43	3.8
P001	210+0.124	0.9 E EAST GLAC	GLACIER	2	43	62	1.211	26	30	RMS	1297	181	400	0	12	9	1	23	45	43	.7
P057	41+0.824	5.2 E FAP 80	JUDITH BASIN	6	36	56	12.442	22	24	RMS	2029	241	597	0	11	6	7	24	48	43	6.5
P006	85+0.033	JCT FAP 35	SANDERS	8	31	51	3.637	20	24	RMS	684	101	391	0	9	4	1	26	40	43	2.2
P006	94+0.088	1.1 W PERMA	SANDERS	8	24	38	1.276	20	24	RMS	662	98	201	0	13	3	1	23	40	43	.8
P007	13+0.545	0.8 N SULA	RAVALLI	8	36	39	3.392	24	24	BST	906	117	235	0	11	7	1	23	42	43	2.0
P006	88+0.718	3.6 E JCT FAP 35	SANDERS	8	24	38	1.869	20	24	RMS	662	98	307	0	11	4	0	25	40	43	1.1
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	7	48	63	3.400	25	25	RMS	1219	182	237	0	13	8	5	18	44	43	1.9
P063	36+0.345	FERGUS CO	FERGUS	5	46	60	3.235	24	24	RMS	1295	168	278	0	13	9	2	21	45	43	1.8
P007	23+0.549	2.9 S FAS 473	RAVALLI	8	36	36	2.932	22	25	RMS	1122	145	273	0	14	6	2	22	44	43	1.6

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P044	2+0.760	2.8 E JCT FAP 3	PONDERA	6	54	54	10.425	24	24	RMS	479	68	530	0	2	7	1	28	38	43	6.5
P036	7+0.436	7.5 N FAP 6	SANDERS	8	34	47	6.403	20	24	BST	508	76	93	0	13	6	1	18	38	43	4.0
P006	64+0.701	8.6 E FAS 556	SANDERS	8	39	39	3.997	26	26	BST	1113	165	294	0	14	6	2	22	44	43	2.2
P010	109+0.571	1.8 S FAP 1	HILL	2	52	52	1.796	32	32	RMS	2037	264	471	0	12	10	5	22	49	44	.9
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	2	25	61	7.073	24	24	RMS	1129	180	805	0	9	7	2	27	45	44	3.9
P005	114+0.862	KALISPELL	FLATHEAD	1	57	60	5.799	36	36	PMS	4684	562	662	5	18	10	5	17	55	44	2.6
P001	44+0.296	8.5 E FAS 482	LINCOLN	1	36	65	5.006	20	24	RMS	1145	148	364	0	9	7	5	24	45	44	2.8
P042	73+0.246	JCT FAP RTE 31	VALLEY	3	34	58	2.174	22	26	RMS	1194	191	367	0	12	9	2	22	45	44	1.2
P007	0+0.000	IDAHO LINE	RAVALLI	8	40	40	.105	22	22	BST	869	112	329	0	13	5	0	25	43	44	.1
P007	16+0.756	4.2 N SULA	RAVALLI	8	37	39	3.539	24	24	BST	1034	134	235	0	14	7	2	21	44	44	2.0
P024	91+0.218	8.2 E FAS 279	LEWIS AND CLARK	7	48	63	5.818	25	25	RMS	1219	182	240	2	14	8	2	19	45	44	3.2
P063	24+0.837	JUDITH BASIN CO	JUDITH BASIN	6	47	62	.581	24	24	RMS	1301	169	360	0	12	10	1	23	46	44	.3
P068	0+0.000	JCT I 15	CASCADE	6	33	53	.174	24	28	RMS	698	212	368	0	12	8	0	21	41	44	.1
P024	138+0.485	SUN RIVER	CASCADE	6	36	71	1.321	25	31	RMS	2166	303	396	3	16	9	2	19	49	44	.7
P053	32+0.044	BROADVIEW	YELLOWSTONE	11	48	48	2.171	20	24	RMS	866	112	220	0	13	7	1	22	43	44	1.2
P023	5+0.440	3.3 S FAI RTE 94	CUSTER	12	36	36	9.137	22	25	RMS	1042	151	425	0	10	7	2	25	44	44	5.1
P045	0+0.535	BIG TIMBER LIMITS	SWEET GRASS	10	35	56	6.788	22	24	RMS	594	77	176	0	11	5	1	23	40	44	4.1
P037	0+0.000	JCT FAI RTE 90	BIG HORN	11	54	54	7.865	24	24	PMS	916	123	275	0	11	8	1	23	43	44	4.5
P053	6+0.308	2.0 N BILLINGS	YELLOWSTONE	11	48	48	9.590	20	24	RMS	999	129	185	0	15	8	1	20	44	44	5.4
P005	32+0.761	ST IGNATIUS	LAKE	1	69	69	.340	44	44	RMS	4075	594	336	5	17	10	20	3	55	45	.2
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1	72	72	.388	32	32	PMS	4155	606	336	6	16	10	20	3	55	45	.2
P005	41+0.154	5.4 S RONAN	LAKE	1	66	66	4.905	40	40	PMS	5328	777	648	5	14	10	16	12	57	45	2.1
P005	120+0.676	5.8 N KALISPELL	FLATHEAD	1	60	60	4.785	36	36	PMS	5108	612	723	4	16	10	9	17	56	45	2.1
P058	9+0.785	9.9 W BROWNING	GLACIER	2	29	35	2.247	20	24	PMS	708	138	556	0	8	8	1	26	43	45	1.3
P001	435+0.143	5.8 E FAP 66	BLAINE	2	35	71	4.686	24	31	PMS	951	123	417	0	14	4	1	26	45	45	2.6
P003	59+0.625	4.6 N BYNUM	TETON	6	32	53	8.589	20	24	RMS	404	97	246	0	8	6	1	24	39	45	5.2
P010	63+0.940	11.6 N LOMA	CHOUTEAU	6	34	55	8.465	22	24	RMS	1303	169	333	0	15	8	2	22	47	45	4.5
P003	25+0.541	1.5 N FAIRFIELD	TETON	6	21	32	2.698	20	22	BST	894	116	673	0	10	3	4	27	44	45	1.5
P044	21+0.954	7.6 E VALIER	PONDERA	6	48	48	5.911	20	20	RMS	813	115	206	0	14	6	1	22	43	45	3.4
P083	0+0.000	JCT FAP 24	MISSOULA	8	52	52	14.761	24	24	RMS	1165	205	438	0	13	7	3	23	46	45	8.0
P007	0+0.105	JCT FAP 46	RAVALLI	8	40	40	7.430	22	22	BST	870	113	329	0	13	5	1	25	44	45	4.2
P025	7+0.760	7.6 N CIRCLE	MCCONE	4	36	56	13.141	20	25	RMS	623	80	315	0	8	6	2	26	42	45	7.6
P057	26+0.568	4.7 E GEYSER	JUDITH BASIN	6	36	64	6.611	24	25	RMS	1514	180	418	0	10	6	8	24	48	45	3.4
P025	0+0.054	CIRCLE	MCCONE	4	36	56	7.601	20	24	RMS	732	95	315	0	9	8	1	25	43	45	4.3
P028	82+0.066	ROBERTS	CARBON	11	36	36	8.931	21	24	RMS	1202	240	486	0	11	8	4	23	46	45	4.8
P061	13+0.075	12.0 N ROUNDUP	MUSSELSHELL	11	35	66	8.809	22	24	RMS	890	115	406	0	10	5	3	26	44	45	4.9
P019	10+0.110	ANACONDA	DEER LODGE	9	51	59	6.813	24	28	PMS	2339	339	454	2	14	8	8	19	51	45	3.3
P058	3+0.397	3.5 W BROWNING	GLACIER	2	35	51	6.369	22	24	RMS	805	156	452	0	9	8	2	25	44	46	3.6
P033	64+0.921	2.0 E FA 5	LINCOLN	1	40	79	1.975	24	26	RMS	1058	137	319	0	13	8	1	24	46	46	1.1
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1	41	43	6.753	20	24	RMS	874	113	234	0	13	7	2	23	45	46	3.7
P044	14+0.299	VALIER	PONDERA	6	48	48	7.655	20	20	RMS	916	130	585	0	7	6	5	27	45	46	4.2
P010	55+0.129	2.8 N LOMA	CHOUTEAU	6	34	55	8.768	22	24	RMS	1305	169	573	0	10	8	4	26	48	46	4.6
P057	33+0.206	11.3 E GEYSER	JUDITH BASIN	6	37	37	3.438	24	30	RMS	1515	180	737	0	9	9	5	26	49	46	1.8
P021	0+0.825	3.0 S CONRAD	PONDERA	6	34	64	2.792	24	26	RMS	1268	164	632	0	12	8	2	26	48	46	1.5
P060	88+0.360	2.0 E GREAT FALLS	CASCADE	6	39	71	2.019	32	32	RMS	3801	494	290	4	17	10	20	4	55	46	.9
P019	48+0.325	MAXVILLE	GRANITE	8	31	52	9.137	20	24	RMS	492	71	683	0	8	3	2	28	41	46	5.4
P063	0+0.000	JCT. FAP RTE 14	WHEATLAND	10	49	54	3.758	24	24	PMS	1014	131	258	0	13	9	2	22	46	46	2.0
P019	24+0.300	3.4 E GRANITE CO	DEER LODGE	9	34	54	3.379	22	24	RMS	627	90	197	0	11	7	2	23	43	46	1.9
P001	153+0.269	JCT FAP 65	FLATHEAD	1	48	49	3.364	24	28	PMS	1174	164	162	6	18	7	2	15	48	47	1.7
P022	43+0.383	JCT FAP 30	SHERIDAN	3	33	40	9.226	20	24	RMS	1206	180	378	0	14	9	2	23	48	47	4.8
P022	42+0.348	PLENTYWOOD	SHERIDAN	3	33	40	1.033	20	24	RMS	1670	250	564	0	13	10	5	23	51	47	.5
P036	13+0.871	13.9 N FAP 6	SANDERS	8	41	41	2.385	20	26	BST	541	81	226	0	9	6	3	25	43	47	1.4
P006	57+0.808	1.7 E FAS 556	SANDERS	8	34	49	6.899	20	24	RMS	1077	160	364	0	10	5	9	23	47	47	3.7
P025	35+0.506	11.0S ROOSEVELT CO	MCCONE	4	37	37	9.233	20	25	RMS	678	88	185	0	12	6	3	23	44	47	5.2
P019	27+0.690	GRANITE CO LINE	GRANITE	8	34	40	3.134	20	24	RMS	543	78	224	0	12	6	0	25	43	47	1.8

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P003	75+0.208	OUPUYER	PONDERA	6 28 52	8.382	22	24	RMS	448	107	672	0	8	4	1	28	41	47	4.9
P003	54+0.948	BYNUM	TETON	6 32 53	4.648	20	24	RMS	603	145	364	0	11	6	2	24	43	47	2.6
P024	31+0.845	JCT FAP 83	MISSOULA	8 54 54	3.823	24	30	RMS	1578	260	499	0	10	10	8	22	50	47	1.9
P086	18+0.793	12.7 S PARK CO	GALLATIN	10 45 45	12.699	20	20	GRV	171	25	262	0	0	2	4	29	35	47	8.3
P023	44+0.152	6.4 N POWDER R CO	CUSTER	12 32 60	3.712	18	24	RMS	419	60	316	0	8	4	2	27	41	47	2.2
P028	70+0.311	RED LODGE	CARBON	11 21 54	11.712	22	24	RMS	1320	264	844	0	9	8	7	25	49	47	6.0
P001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1 49 51	4.352	22	28	PMS	1015	131	338	0	14	8	2	24	48	48	2.3
P065	0+0.000	JCT FAP 1 W GLAC	FLATHEAD	1 38 38	.305	40	40	RMS	1750	353	614	7	16	7	1	21	52	48	.1
P033	1+0.219	0.6 N LIBBY	LINCOLN	1 42 50	8.320	28	28	BST	1382	179	312	3	15	8	3	21	50	48	4.2
P007	20+0.475	7.7 N SULA	RAVALLI	8 37 39	3.081	24	24	BST	1038	134	220	0	15	7	5	21	48	48	1.6
P029	75+0.032	SILVER BOW CO LINE	SILVER BOW	9 34 62	2.823	24	30	RMS	729	94	302	0	14	7	0	25	46	48	1.5
P083	23+0.113	8.3 N SEELEY LAKE	MISSOULA	8 52 52	7.694	22	26	PMS	800	140	175	3	17	7	1	18	46	48	4.2
P008	11+0.262	AVON	POWELL	8 33 66	1.742	22	24	RMS	1262	164	620	0	9	8	7	26	50	48	.9
P062	12+0.175	8.3 S RICHLAND CO	RICHLAND	4 40 49	8.089	24	26	RMS	729	109	255	0	12	8	2	24	46	48	4.4
P062	20+0.286	4.6 N FAS 201	RICHLAND	4 40 49	4.651	24	26	RMS	813	121	255	0	11	8	4	23	46	48	2.5
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	6 34 55	6.870	22	24	RMS	1279	166	573	0	10	8	6	26	50	48	3.4
P060	74+0.514	JCT FAS RTE 331	CASCADE	6 52 55	6.955	24	32	PMS	2632	342	340	3	14	10	13	15	55	48	3.1
P080	4+0.000	1.6 S FT BENTON	CHOUTEAU	6 56 56	1.116	25	25	BST	527	79	257	0	12	4	2	25	43	48	.6
P053	34+0.273	GOLDEN VALLEY CO	GOLDEN VALLEY	11 48 57	6.295	22	28	RMS	866	112	438	0	10	8	3	26	47	48	3.3
P023	79+0.965	BROADUS	POWDER RIVER	12 40 40	3.148	24	24	RMS	1204	174	278	0	13	9	6	21	49	48	1.6
P011	0+0.000	YELL PARK BORY	PARK	10 75 75	1.016	48	48	PMS	1351	290	568	9	8	10	1	22	50	48	.5
P063	18+0.463	JUDITH GAP	WHEATLAND	10 49 54	.733	24	24	PMS	1179	153	258	3	14	10	1	21	49	48	.4
P045	8+0.031	7.4 N BIG TIMBER	SWEET GRASS	10 42 42	7.744	20	24	RMS	387	50	387	0	8	4	1	28	41	48	4.6
P082	0+0.000	JCT FAP 5	FLATHEAD	1 52 71	5.474	24	24	PMS	2775	402	514	7	19	8	4	18	56	49	2.4
P052	10+0.345	10.3 N FAP 5	LAKE	1 48 65	7.657	24	25	RMS	1553	229	468	0	15	8	6	23	52	49	3.7
P001	429+0.077	0.6 E FAP 66	BLAINE	2 36 62	5.241	28	30	RMS	1071	139	453	0	12	10	2	25	49	49	2.7
P042	59+0.181	2.9 N VALLEY CO	VALLEY	3 34 34	11.347	22	26	RMS	661	105	324	0	13	7	1	25	46	49	6.1
P003	1+0.866	1.4 W VAUGHN	CASCADE	6 36 48	6.230	24	31	RMS	3734	485	631	3	18	8	11	18	58	49	2.6
P006	51+0.570	THOMPSON FALLS	SANDERS	8 35 36	4.563	20	24	RMS	1556	231	387	0	10	6	15	21	52	49	2.2
P007	73+0.547	1.0 S FLORENCE	RAVALLI	8 74 76	.674	44	44	PMS	4230	549	296	9	25	10	13	2	59	49	.3
P029	19+0.905	5.3 N VIRGINIA CTY	MADISON	9 42 42	5.254	20	24	RMS	841	176	390	0	12	8	5	23	48	49	2.7
P010	86+0.041	3.4 S HILL CO	CHOUTEAU	6 33 41	3.371	20	24	BST	1144	148	607	0	9	7	8	26	50	49	1.7
P013	88+0.763	BROADWATER CO LINE	BROADWATER	7 32 61	4.247	20	24	RMS	532	69	180	0	12	7	1	24	44	49	2.4
P057	21+0.889	GEYSER	JUDITH BASIN	6 36 64	4.692	24	25	RMS	1514	180	646	0	10	7	9	26	52	49	2.3
P057	36+0.651	JCT FAP RTE 80	JUDITH BASIN	6 37 37	5.169	24	30	RMS	2254	268	470	0	10	9	15	21	55	49	2.3
P049	0+0.244	DILLON	BEAVERHEAD	9 46 62	2.421	24	26	RMS	1760	228	387	3	16	7	6	21	53	49	1.1
P023	83+0.090	JCT FAP RTE 54	POWDER RIVER	12 31 56	2.448	20	24	RMS	683	99	203	0	13	7	3	23	46	49	1.3
P027	29+0.146	JCT FAS RTE 322	FALLON	12 48 48	5.510	25	25	BST	621	80	217	0	12	9	1	24	46	49	3.0
P037	42+0.082	LAME DEER FAP 39	ROSEBUD	12 54 54	4.469	24	24	PMS	1838	248	301	2	14	9	10	18	53	49	2.1
P039	42+0.430	8.8 SO JCT I 94	ROSEBUD	12 51 67	2.020	24	24	RMS	604	90	652	0	10	5	2	28	45	49	1.1
P063	13+0.568	13.3 N HARLOWTON	WHEATLAND	10 49 54	4.288	24	24	PMS	900	117	297	0	12	10	2	24	48	49	2.2
P014	130+0.503	RYEGATE	GOLDEN VALLEY	11 37 37	2.478	20	24	RMS	864	112	608	0	10	6	5	27	48	49	1.3
P037	24+0.493	BUSBY	BIG HORN	11 54 54	2.712	24	24	PMS	1130	152	396	0	13	10	3	24	50	49	1.4
P001	629+0.422	3.2 E BROCKTON	ROOSEVELT	3 46 50	5.368	24	32	RMS	1063	138	302	0	16	9	2	23	50	50	2.7
P001	278+0.459	JCT FAI 15	TOOLE	2 60 60	.350	68	68	PMS	3104	434	3360	0	13	10	7	28	58	50	.1
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1 56 60	1.843	32	32	PMS	4114	600	544	4	15	10	18	13	60	50	.7
P013	47+0.144	9.3 N CAMERON	MADISON	9 36 58	1.492	22	25	RMS	1482	296	601	0	14	9	7	23	53	50	.7
P057	73+0.550	8.5 E FAP 63	FERGUS	5 47 54	3.350	24	31	PMS	1929	229	308	5	18	9	4	19	55	50	1.5
P029	80+0.192	JCT FAS 375	SILVER BOW	9 28 71	3.277	24	30	RMS	1105	143	331	3	15	8	1	24	51	50	1.6
P057	103+0.269	9.6 W FAP 61	FERGUS	5 40 55	9.667	24	32	RMS	1050	160	526	0	12	9	4	25	50	50	4.8
P063	19+0.218	FERGUS CO	FERGUS	5 47 73	3.002	24	24	PMS	1179	153	384	0	13	10	4	24	51	50	1.5
P083	30+0.815	15.9 N SEELEY LAKE	MISSOULA	8 59 59	11.071	24	24	PMS	678	119	221	2	14	6	3	22	47	50	5.9
P024	76+0.133	3.9 E LINCOLN	LEWIS AND CLARK	7 60 60	5.888	24	24	PMS	1410	211	258	5	17	10	2	18	52	50	2.8
P007	76+0.872	MISSOULA CO	MISSOULA	8 74 76	6.045	38	38	PMS	6987	908	296	10	28	10	15	0	63	50	2.2
P062	24+0.961	JCT FAS 201	RICHLAND	4 40 49	4.749	24	26	RMS	960	144	277	0	16	8	4	22	50	50	2.4

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P025	28+0.107	4.2 N FAS 254	MCCONE	4	40	40	7.404	20	24	RMS	550	71	357	0	10	7	2	27	46	50	4.0
P014	160+0.456	7.1 W FAP RTE 16	MUSSELSHELL	11	36	50	7.063	20	24	RMS	551	71	377	0	11	6	2	27	46	50	3.8
P072	14+0.502	6.9 S JCT FAP 4	CARBON	11	48	48	6.987	24	24	RMS	855	136	396	2	14	6	2	25	49	50	3.6
P053	23+0.140	COMANCHE	YELLOWSTONE	11	48	48	8.421	20	24	RMS	851	110	561	0	10	7	5	27	49	50	4.3
P023	33+0.176	17.2 N POWDER R CO	CUSTER	12	31	60	10.961	18	24	RMS	457	66	438	0	7	4	5	28	44	50	6.1
P001	6+0.982	3.2 E FAS 508	LINCOLN	1	49	51	6.959	22	28	PMS	1036	134	508	0	12	8	5	26	51	51	3.4
P001	56+0.167	20.4 E FAS 482	LINCOLN	1	38	50	8.685	20	26	RMS	865	112	278	0	13	6	7	24	50	51	4.3
P001	123+0.228	KALISPELL U L	FLATHEAD	1	67	67	1.404	44	44	PMS	5412	649	731	8	23	10	4	17	62	51	.5
P001	211+0.317	2.1 E EAST GLAC	GLACIER	2	39	63	1.867	26	30	RMS	1297	181	703	0	10	8	9	26	53	51	.9
P067	0+0.750	SHELBY LIMITS	TOOLE	2	28	52	1.005	20	24	RMS	835	108	380	3	13	7	1	26	50	51	.5
P001	197+0.816	GLACIER CO LINE	GLACIER	2	52	70	6.390	26	26	PMS	1121	156	223	4	15	10	3	20	52	51	3.1
P042	70+0.534	2.7 S FAP RTE 31	VALLEY	3	34	34	2.721	22	26	RMS	952	152	795	0	10	9	5	27	51	51	1.3
P029	14+0.828	VIRGINIA CITY	MADISON	9	45	45	5.116	20	24	RMS	879	184	315	4	17	5	3	21	50	51	2.6
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	9	49	49	5.991	20	26	RMS	1300	182	535	0	11	8	9	25	53	51	2.8
P014	6+0.412	4.0 E FAS 284	BROADWATER	7	37	66	7.187	24	25	RMS	495	74	409	0	10	7	2	27	46	51	3.9
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	7	31	58	6.155	22	26	RMS	659	85	296	0	12	7	3	26	48	51	3.2
P049	6+0.804	6.8 E FAI RTE 15	BEAVERHEAD	9	59	59	6.880	24	24	PMS	931	121	196	0	15	10	4	21	50	51	3.4
P025	20+0.909	20.7 N CIRCLE	MCCONE	4	35	40	7.203	20	24	RMS	522	67	238	0	11	7	2	26	46	51	3.9
P062	29+0.721	4.7 S JCT FAS 201	RICHLAND	4	38	49	3.628	24	26	RMS	922	138	387	0	14	8	3	25	50	51	1.8
P093	16+0.488	16.0 W FAP RTE 7	MISSOULA	8	64	78	4.609	30	30	PMS	1535	245	155	9	28	10	1	6	54	51	2.1
P036	3+0.657	3.7 N FAP 6	SANDERS	8	41	47	3.802	20	25	BST	478	71	167	0	14	6	2	24	46	51	2.1
P075	0+0.000	JCT FAP RTE 57	FERGUS	5	49	61	1.680	24	28	RMS	1305	155	249	3	18	8	3	21	53	51	.8
P057	206+0.821	5.3 W FA RTE 18	GARFIELD	5	36	57	5.344	22	26	RMS	358	54	396	0	8	7	1	28	44	51	3.0
P057	218+0.065	JCT FAS RTE 341	GARFIELD	5	36	49	8.693	24	25	BST	419	64	418	0	8	8	1	28	45	51	4.8
P013	61+0.592	3.7 S NORRIS	MADISON	9	34	34	3.713	20	24	RMS	788	122	240	3	15	8	1	22	49	51	1.9
P009	43+0.146	TETON CO	TETON	6	35	35	2.847	20	24	RMS	413	66	205	0	11	8	1	25	45	51	1.6
P057	7+0.061	JUDITH BASIN CO	JUDITH BASIN	6	61	61	3.343	32	32	PMS	1606	191	362	4	16	10	2	22	54	51	1.5
P002	6+0.885	0.7 E JCT FAI 94	CUSTER	12	50	50	6.326	20	24	RMS	683	88	228	0	13	9	2	24	48	51	3.3
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	11	37	37	3.424	20	24	RMS	331	43	201	0	11	4	1	27	43	51	2.0
P039	31+0.745	9.0 NO COLSTRIP	ROSEBUD	12	49	70	4.830	24	24	RMS	509	76	652	0	10	5	3	28	46	51	2.6
P078	27+0.412	2.3 N CARBON CO	STILLWATER	11	35	35	2.579	20	20	RMS	339	55	391	0	8	6	1	28	43	51	1.5
P072	10+0.384	BELFRY	CARBON	11	49	49	1.126	24	24	BST	731	116	673	2	14	5	1	27	49	51	.6
P010	97+0.042	7.6 N HILL CO	HILL	2	28	41	7.369	22	24	RMS	1342	174	416	0	12	7	11	24	54	52	3.4
P036	31+0.138	LAKE CO	LAKE	1	40	40	.511	20	25	BST	523	78	266	0	11	7	3	26	47	52	.3
P003	8+0.105	JCT FAP 24	CASCADE	6	36	61	7.139	24	31	RMS	964	125	469	0	12	8	6	26	52	52	3.4
P018	48+0.498	10.4 N GARFIELD CO	GARFIELD	5	31	35	4.902	20	24	BST	253	32	470	0	7	5	1	29	42	52	2.8
P057	123+0.199	PETROLEUM CO	PETROLEUM	5	31	58	7.767	20	24	RMS	383	58	561	0	9	4	4	28	45	52	4.3
P057	171+0.261	8.1 W SAND SPRINGS	GARFIELD	5	48	52	8.146	22	24	RMS	305	46	449	0	8	7	1	28	44	52	4.6
P029	59+0.893	JEFFERSON CO LINE	JEFFERSON	7	36	36	5.790	22	24	RMS	373	55	567	0	10	5	1	29	45	52	3.2
P036	0+0.000	JCT FAP RTE 6	SANDERS	8	44	47	3.661	20	28	BST	468	70	234	0	10	7	4	26	47	52	1.9
P013	37+0.869	CAMERON	MADISON	9	34	34	9.243	20	24	RMS	910	182	486	0	14	8	5	24	51	52	4.5
P013	49+0.247	ENNIS	MADISON	9	34	34	7.247	20	24	RMS	947	146	462	0	15	8	4	25	52	52	3.5
P029	77+0.863	2.3 E FAS 375	SILVER BOW	9	28	71	2.337	24	30	RMS	728	94	627	0	14	7	1	28	50	52	1.2
P029	57+0.250	JCT FAP 55	MADISON	9	36	63	1.155	22	24	RMS	272	40	222	0	12	4	0	27	43	52	.7
P014	146+0.071	JCT FAP RTE 53	GOLDEN VALLEY	11	37	37	5.631	20	24	RMS	320	41	201	0	12	4	1	27	44	52	3.2
P004	42+0.925	0.2 N FAP 28	CARBON	11	49	70	7.959	28	32	RMS	4211	547	536	4	17	10	16	15	62	52	3.0
P061	1+0.021	ROUNDUP	MUSSELSHELL	11	50	54	5.953	24	30	PMS	991	128	308	0	13	10	5	24	52	52	2.9
P039	36+0.575	13.8 NO COLSTRIP	ROSEBUD	12	53	67	5.855	24	24	RMS	524	78	612	0	10	8	1	28	47	52	3.1
P013	94+0.645	1.1 E GALLATIN CO	GALLATIN	10	38	38	1.106	24	28	RMS	827	107	432	3	13	8	1	26	51	52	.5
P050	47+0.941	JCT FAP RTE 64	GALLATIN	10	55	55	12.950	28	28	PMS	1335	209	283	5	19	9	2	19	54	52	6.0
P063	4+0.083	3.8 N HARLOWTON	WHEATLAND	10	49	54	9.470	24	24	PMS	848	110	408	0	12	10	3	26	51	52	4.6
P005	92+0.740	4.9 N ROLLINS	LAKE	1	64	64	.749	32	32	PMS	1704	230	220	4	14	10	15	14	57	53	.3
P036	31+0.649	FLATHEAD CO	FLATHEAD	1	40	51	4.443	20	26	RMS	587	88	459	0	10	6	6	27	49	53	2.3
P001	197+0.193	0.6 W GLACIER CO	FLATHEAD	1	52	70	.623	26	26	PMS	1257	175	336	6	17	10	0	22	55	53	.3
P001	254+0.122	0.6 W OF CUT BANK	GLACIER	2	55	55	.402	42	42	PMS	2489	298	817	4	19	10	1	25	59	53	.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	413+0.431	0.4 E ZURICH	BLAINE	2 49 56	.591	32	32	PMS	1715	222	629	5	16	10	1	25	57	53	.3
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	2 35 71	6.447	24	24	BST	816	106	469	0	11	6	7	27	51	53	3.2
P057	262+0.331	13.9 E FAP 42	MCCONE	4 47 47	5.189	24	24	BST	406	62	438	0	8	8	3	28	47	53	2.8
P001	383+0.815	HAVRE	HILL	2 46 54	7.204	24	30	PMS	2374	308	522	6	18	10	4	21	59	53	3.0
P022	7+0.586	7.1 E SCOBEY	DANIELS	5 35 36	10.261	20	24	BST	409	61	210	0	12	8	1	26	47	53	5.4
P029	58+0.396	SILVER BOW CO LINE	SILVER BOW	9 36 63	1.489	22	24	RMS	313	46	540	0	10	5	1	29	45	53	.8
P024	35+0.684	POWELL CO	POWELL	8 61 61	7.494	24	26	PMS	1461	241	277	6	18	10	5	17	56	53	3.3
P009	20+0.875	0.8 N FAP 24	LEWIS AND CLARK	7 32 65	8.469	20	24	RMS	317	50	406	0	8	7	2	28	45	53	4.7
P003	18+0.076	2.1 S TETON CO	CASCADE	6 21 32	2.110	22	22	BST	902	117	420	0	11	4	11	26	52	53	1.0
P037	7+0.879	7.9 E JCT FAI 90	BIG HORN	11 54 54	9.343	24	24	PMS	894	120	530	0	10	8	7	27	52	53	4.5
P072	11+0.754	0.5 N BELFRY	CARBON	11 49 49	2.812	20	24	RMS	755	120	431	0	12	4	9	26	51	53	1.4
P002	70+0.895	PLEVNA	FALLON	12 39 39	11.726	24	30	RMS	778	101	470	0	10	10	4	27	51	53	5.7
P014	182+0.021	11.9 E ROUNDUP	MUSSELSHELL	11 39 39	5.582	20	24	RMS	487	63	264	0	12	8	2	26	48	53	2.9
P014	137+0.000	6.5 E RYEGATE	GOLDEN VALLEY	11 37 37	9.104	20	24	RMS	824	107	582	0	9	8	8	27	52	53	4.4
P037	17+0.211	17.2 E JCT FAI 90	BIG HORN	11 54 54	7.296	24	24	PMS	920	124	249	0	12	8	9	23	52	53	3.5
P001	626+0.151	BROCKTON	ROOSEVELT	3 43 57	3.243	24	30	RMS	1063	138	414	0	16	10	3	25	54	54	1.5
P022	29+0.335	ARCHER	SHERIDAN	3 37 62	11.850	20	24	RMS	830	124	486	0	14	9	4	26	53	54	5.6
P001	372+0.142	8.6 E KREMLIN	HILL	2 60 60	7.002	32	32	PMS	1911	248	599	3	17	10	4	24	58	54	2.9
P058	0+0.000	JCT FAP RTE 1	GLACIER	2 35 51	3.369	22	24	RMS	1114	217	819	0	8	8	13	26	55	54	1.5
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	7 31 40	2.000	24	31	RMS	606	78	248	0	13	10	2	25	50	54	1.0
P024	65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	7 60 60	6.787	24	24	PMS	1404	231	297	5	19	10	4	18	56	54	3.0
P018	38+0.093	GARFIELD CO	GARFIELD	5 31 35	10.392	20	24	BST	228	29	448	0	7	7	1	29	44	54	5.8
P057	83+0.165	LEWISTOWN	FERGUS	5 42 42	5.079	24	30	PMS	1752	227	377	4	16	10	7	21	58	54	2.1
P057	213+0.087	JORDAN	GARFIELD	5 37 52	4.996	24	26	RMS	471	72	438	0	11	8	2	28	49	54	2.5
P063	26+0.629	1.2 N FERGUS CO	FERGUS	5 41 70	6.838	24	24	RMS	1301	169	278	6	17	10	2	21	56	54	3.0
P061	38+0.689	6.5 S FAP RTE 57	FERGUS	5 41 67	4.893	24	30	RMS	970	126	333	2	17	9	2	24	54	54	2.3
P057	192+0.200	3.6 E EDWARDS	GARFIELD	5 36 53	6.889	24	24	RMS	333	50	441	0	8	9	1	28	46	54	3.7
P010	3+0.534	GREAT FALLS	CASCADE	6 40 71	6.102	28	28	PMS	2429	315	480	5	23	9	3	20	60	54	2.4
P036	26+0.128	7.1 N FAP 77	SANDERS	8 40 40	4.999	20	25	BST	460	69	463	0	8	7	5	28	48	54	2.6
P007	59+0.036	VICTOR	RAVALLI	8 56 61	7.721	32	32	PMS	3705	481	666	8	24	10	2	19	63	54	2.9
P006	47+0.218	2.6 E BELKNAP	SANDERS	8 61 64	2.474	32	32	PMS	1406	205	268	6	18	10	3	19	56	54	1.1
P014	13+0.545	11.2 E FAS 284	BROADWATER	7 51 51	9.901	20	26	RMS	464	69	252	0	13	5	4	26	48	54	5.1
P046	65+0.263	0.4 E WISE RIVER	BEAVERHEAD	9 61 61	8.231	26	28	PMS	478	71	382	2	13	6	1	27	49	54	4.2
P013	65+0.316	JCT FAP 84	MADISON	9 34 34	9.543	20	24	RMS	454	70	290	0	14	7	1	26	48	54	5.0
P009	38+0.547	AUGUSTA FAS 434	LEWIS AND CLARK	7 35 35	4.582	20	24	RMS	469	75	338	0	13	7	2	27	49	54	2.3
P023	85+0.569	2.4 S JCT FAP 54	POWDER RIVER	12 53 53	10.018	24	28	RMS	628	91	266	0	11	10	5	25	51	54	4.9
P014	170+0.161	ROUNDUP	MUSSELSHELL	11 39 39	11.871	20	24	RMS	626	81	406	0	12	10	2	27	51	54	5.8
P037	53+0.681	11.3 E LAME DEER	ROSEBUD	12 54 54	8.693	24	24	PMS	1122	151	327	4	16	9	3	23	55	54	3.9
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	10 34 64	2.049	22	24	RMS	353	45	573	0	10	6	2	29	47	54	1.1
P059	40+0.703	2.8 MEAGHER CO	MEAGHER	10 36 47	4.600	24	24	RMS	303	45	515	0	8	6	2	29	45	54	2.5
P001	391+0.007	BLAINE CO	BLAINE	2 46 54	2.849	24	31	PMS	2314	300	522	5	18	10	7	21	61	55	1.1
P010	90+0.926	1.5 N HILL CO	HILL	2 30 73	6.098	22	26	PMS	1113	144	686	0	10	7	12	27	56	55	2.7
P001	209+0.252	EAST GLACIER	GLACIER	2 63 63	.874	32	32	PMS	1294	181	482	5	17	10	1	24	57	55	.4
P001	254+0.578	CUT BANK	GLACIER	2 55 55	.229	42	42	PMS	3032	363	817	5	19	10	5	23	62	55	.1
P001	424+0.712	HARLEM	BLAINE	2 68 68	3.805	40	40	PMS	2067	268	281	7	24	10	3	16	60	55	1.5
P005	64+0.489	3.5 N POLSON	LAKE	1 54 54	2.938	24	32	PMS	3099	418	365	4	16	10	20	13	63	55	1.1
P022	17+0.900	SHERIDAN CO	SHERIDAN	3 36 36	3.028	22	25	BST	320	48	280	0	11	8	1	27	47	55	1.6
P061	142+0.098	14.7 S MALTA	PHILLIPS	3 42 42	5.277	20	24	RMS	491	82	220	0	15	9	2	24	50	55	2.6
P032	6+0.294	2.5 N FAP RTE 1	ROOSEVELT	3 33 79	7.819	24	24	RMS	404	56	258	0	13	7	1	27	48	55	4.1
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	7 32 48	5.273	24	30	RMS	492	63	365	0	14	8	1	27	50	55	2.6
P081	32+0.645	9.8 NW JCT FAP 43	FERGUS	5 51 51	9.827	24	24	BST	400	62	218	0	13	8	1	26	48	55	5.1
P057	226+0.736	8.7 E FAS 341	GARFIELD	5 37 54	12.201	24	24	RMS	389	59	393	0	10	8	2	28	48	55	6.3
P007	74+0.820	FLORENCE	RAVALLI	8 74 76	2.051	38	38	PMS	6987	908	296	10	27	10	20	0	67	55	.7
P013	93+0.363	JCT FAP 8	BROADWATER	7 68 68	.330	40	40	RMS	764	99	85	7	23	10	0	13	53	55	.2
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	10 61 61	5.777	34	34	PMS	1532	353	552	4	14	10	10	20	58	55	2.4

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	8T	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	FNO	SUFFICIENCY RATINGS SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P014	68+0.503	8.7 W WHEATLAND CO	MEAGHER	10	36	63	4.875	22	24	RMS	291	37	364	0	9	7	2	28	46	55	2.6
P028	0+0.000	SILVERGATE	PARK	10	36	72	8.703	22	22	8ST	433	97	184	4	17	6	0	22	49	55	4.4
P059	4+0.559	4.1 N FAI 90	PARK	10	41	41	9.651	20	24	RMS	688	103	431	0	12	9	5	26	52	55	4.6
P013	56+0.524	MCALLISTER	MADISON	9	36	57	5.182	22	24	RMS	832	128	448	2	17	7	2	26	54	55	2.4
P057	148+0.699	9.6 W GARFIELD CO	PETROLEUM	5	51	51	7.983	24	24	8ST	399	61	299	0	12	8	1	27	48	55	4.2
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	7	34	52	.908	22	24	RMS	402	62	386	0	11	8	1	28	48	55	.5
P069	0+0.673	WHITEHALL	JEFFERSON	7	33	55	2.318	32	32	RMS	1064	159	629	2	14	10	3	26	55	55	1.0
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	7	32	65	9.092	20	24	RMS	317	50	387	0	10	7	2	28	47	55	4.8
P029	25+0.175	1.9 N FAS RTE 357	MADISON	9	40	40	7.929	20	24	RMS	929	195	435	0	13	8	10	23	54	55	3.6
P007	83+0.388	JCT FAP 93	MISSOULA	8	68	68	6.756	68	68	PMS	10174	1322	1920	9	25	10	5	20	69	55	2.1
P008	65+0.437	0.7 S WINSTON	BROADWATER	7	56	65	11.540	32	32	PMS	2292	297	648	5	17	10	6	23	61	55	4.5
P057	56+0.675	2.3 E MOCCASIN	JUDITH BASIN	6	55	55	1.137	24	32	RMS	1973	234	442	3	14	10	11	22	60	55	.5
P009	53+0.840	7.8 N FAS 408	TETON	6	36	36	6.133	22	25	RMS	343	54	226	0	12	8	1	26	47	55	3.3
P057	199+0.094	10.5 E EDWARDS	GARFIELD	5	36	53	7.662	24	24	RMS	346	52	441	0	9	9	1	28	47	55	4.1
P018	23+0.937	3.9 N ROSEBUD CO	ROSEBUD	12	31	35	10.946	20	24	8ST	242	31	448	0	8	7	1	29	45	55	6.0
P018	34+0.903	JCT FAS RTE 462	ROSEBUD	12	31	56	3.183	20	24	8ST	212	27	422	0	7	7	1	29	44	55	1.8
P004	53+0.841	3.0 N YELLOWST CO	YELLOWSTONE	11	64	64	.432	68	68	PMS	5324	692	1360	6	19	10	9	22	66	55	.1
P027	22+0.502	JCT FAS RTE 494	FALLON	12	48	48	6.612	25	25	8ST	413	53	237	0	12	9	1	27	49	55	3.4
P001	543+0.809	JCT FAP 31	VALLEY	3	62	62	2.430	36	36	PMS	1825	246	616	5	17	10	4	24	60	56	1.0
P001	591+0.423	WOLF POINT	ROOSEVELT	3	58	58	5.798	32	32	PMS	2186	262	648	6	17	10	4	24	61	56	2.3
P032	39+0.888	4.7 N DANIELS CO	DANIELS	3	33	45	4.598	20	24	RMS	314	43	203	0	15	5	1	27	48	56	2.4
P030	20+0.630	JCT FAS RTE 516	SHERIDAN	3	40	40	2.757	20	24	RMS	369	51	239	0	12	8	2	27	49	56	1.4
P030	0+0.000	JCT FAP RTE 22	SHERIDAN	3	38	40	10.149	20	24	RMS	442	61	220	0	14	7	3	26	50	56	5.1
P001	37+0.373	4.5 E LIBBY	LINCOLN	1	76	76	.509	44	44	PMS	2731	355	240	9	26	10	10	8	63	56	.2
P005	18+0.483	3.4 N LAKE CO	LAKE	1	55	60	5.861	32	32	PMS	3950	576	580	5	18	10	17	15	65	56	2.1
P001	408+0.325	4.2 E CHINOOK	BLAINE	2	40	56	5.091	28	30	PMS	1748	227	612	6	16	10	4	24	60	56	2.0
P001	251+0.988	2.7 W OF CUT BANK	GLACIER	2	72	72	2.128	50	50	PMS	1712	256	272	7	24	10	3	16	60	56	.9
P057	0+0.000	JCT FAP RTE 60	CASCADE	6	60	60	5.417	32	32	PMS	1618	192	1915	3	17	10	1	28	59	56	2.2
P049	13+0.697	MADISON CO LINE	MADISON	9	59	59	2.491	24	24	PMS	738	95	297	0	13	8	8	25	54	56	1.1
P055	2+0.411	SIL BOW-JEFFERSON	JEFFERSON	7	53	53	9.717	24	24	RMS	1328	219	258	6	17	8	10	17	58	56	4.1
P045	33+0.365	5.1 N WHEATLAND CO	WHEATLAND	10	35	39	4.535	20	24	RMS	340	44	634	0	10	7	2	29	48	56	2.4
P050	60+0.889	12.9 N FAP RTE 64	GALLATIN	10	67	67	9.312	28	28	PMS	1469	230	203	8	27	10	1	13	59	56	3.8
P013	82+0.240	1.4 N GALLATIN CO	GALLATIN	10	50	50	.830	22	24	RMS	398	61	333	0	13	8	1	27	49	56	.4
P014	77+0.214	WHEATLAND CO	WHEATLAND	10	34	64	10.825	22	24	RMS	398	51	524	0	9	7	4	29	49	56	5.5
P014	187+0.619	17.5 E ROUNDUP	MUSSELSHELL	11	39	39	4.478	20	24	RMS	464	60	431	0	11	8	3	28	50	56	2.2
P078	6+0.052	5.5 W REO LODGE	CARBON	11	53	53	7.264	24	24	RMS	287	47	278	0	13	6	1	27	47	56	3.8
P028	96+0.673	JOLIET	CARBON	11	74	74	4.685	44	44	PMS	1898	379	344	8	26	10	3	13	60	56	1.9
P023	72+0.957	3.4 N FAP 37	POWDER RIVER	12	28	41	3.379	24	24	8ST	526	76	221	2	13	8	3	25	51	56	1.7
P001	278+0.091	0.4 W FAI 15	TOOLE	2	60	60	.368	68	68	PMS	1384	207	3440	0	13	10	7	29	59	57	.2
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	2	57	62	7.266	32	32	PMS	789	102	569	0	12	10	6	27	55	57	3.3
P057	248+0.630	JCT FAP 42	MCCONE	4	40	54	8.008	24	24	RMS	285	43	393	0	10	9	1	28	48	57	4.2
P057	256+0.590	8.0 E FAP 42	MCCONE	4	40	54	5.802	24	24	RMS	352	53	418	0	10	9	2	28	49	57	3.0
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1	55	59	10.962	24	28	PMS	1205	156	616	3	14	10	5	26	58	57	4.6
P083	47+0.765	LAKE CO. LINE	LAKE	1	58	58	6.789	24	24	PMS	594	104	384	2	15	6	4	26	53	57	3.2
P057	76+0.912	2.3 W FAP 75	FERGUS	5	47	54	2.366	24	31	PMS	2169	258	456	7	20	9	4	22	62	57	.9
P029	67+0.995	7.0 E JEFF CO LINE	JEFFERSON	7	51	51	.888	34	34	RMS	614	79	243	0	12	10	6	25	53	57	.4
P012	0+0.000	IDAHO LINE	GALLATIN	10	61	61	2.272	34	34	PMS	1470	339	252	8	24	10	8	10	60	57	.9
P055	0+0.000	JCT FAP 29	MADISON	9	53	53	2.142	24	24	RMS	822	135	297	6	16	8	3	23	56	57	.9
P057	242+0.464	3.5 E FAS 462	GARFIELD	5	38	54	6.092	24	24	RMS	294	44	217	0	11	9	1	27	48	57	3.2
P057	79+0.285	JCT FAP RTE 75	FERGUS	5	47	54	1.761	24	31	RMS	1834	212	592	7	17	9	3	25	61	57	.7
P057	238+0.926	JCT FAS 462	GARFIELD	5	38	54	2.536	24	24	RMS	339	51	278	0	12	9	1	27	49	57	1.3
P014	63+0.148	18.1 E FAP 60	MEAGHER	10	37	65	5.333	21	24	RMS	289	37	357	0	9	8	3	28	48	57	2.8
P084	20+0.309	ANCENEY	GALLATIN	10	55	55	8.744	24	24	RMS	845	143	365	5	18	8	1	24	56	57	3.8
P059	45+0.327	0.3 N RINGLING	MEAGHER	10	36	47	4.192	24	24	RMS	302	45	744	0	9	8	2	29	48	57	2.2
P059	49+0.499	JCT FAS RTE 294	MEAGHER	10	36	63	8.034	22	24	RMS	311	46	627	0	9	8	3	29	49	57	4.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P069	31+0.026	6.0 S BOULDER	JEFFERSON	7	59	59	6.004	24	24	BST	753	112	312	4	16	7	3	25	55	57	2.7
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	8	52	64	3.629	24	28	RMS	743	108	249	5	15	9	3	23	55	57	1.6
P024	43+0.145	7.5 E POWELL CO	POWELL	8	61	61	12.512	24	26	PMS	1507	248	299	6	17	10	9	18	60	57	5.0
P009	46+0.001	JCT FAS 408	TETON	6	35	35	7.848	20	24	RMS	348	55	247	0	13	8	1	27	49	57	4.0
P085	0+0.000	JCT FAP 50 FAP 84	GALLATIN	10	53	53	6.708	24	24	RMS	2003	330	528	5	22	8	6	21	62	57	2.5
P078	0+0.472	REO LODGE	CARBON	11	52	52	5.580	24	24	RMS	641	105	556	4	15	7	1	27	54	57	2.6
P053	40+0.546	6.3 N GOLD VAL CO	GOLDEN VALLEY	11	56	56	4.841	30	30	BST	866	112	573	0	10	10	9	27	56	57	2.1
P023	55+0.758	COALWOOD	POWDER RIVER	12	49	55	8.797	24	24	RMS	281	40	393	0	10	9	1	28	48	57	4.6
P039	0+0.000	JCT 37 LAME DEER	ROSEBUD	12	64	64	4.230	24	24	PMS	637	95	564	3	17	7	0	27	54	57	1.9
P039	26+0.054	3.3 NO COLSTRIP	ROSEBUD	12	49	70	5.691	24	24	RMS	524	78	394	2	16	6	1	27	52	57	2.7
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1	65	65	.521	24	28	RMS	1182	165	378	6	19	10	1	23	59	58	.2
P083	54+0.540	6.8 N LAKE CO LINE	LAKE	1	55	55	10.638	24	24	PMS	549	96	258	2	15	7	6	24	54	58	4.9
P001	354+0.598	1.0 E GILDFORD	HILL	2	36	59	8.956	26	31	RMS	1008	131	489	5	16	10	1	26	58	58	3.8
P032	28+0.176	7.0 S DANIELS CO	ROOSEVELT	3	33	45	7.041	20	24	RMS	242	33	203	0	12	7	1	28	48	58	3.7
P017	3+0.200	3.5 N FAP RTE 42	VALLEY	3	38	63	5.422	20	24	RMS	402	60	390	0	13	7	3	28	51	58	2.7
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	3	57	61	9.308	32	32	PMS	1705	230	616	3	17	10	8	24	62	58	3.5
P030	10+0.100	10.1 N JCT RTE 22	SHERIDAN	3	40	40	10.490	20	24	RMS	348	48	220	0	13	8	2	27	50	58	5.2
P020	23+0.110	RICHLAND CO	RICHLAND	4	54	54	5.787	28	28	RMS	1505	195	301	0	14	10	17	20	61	58	2.3
P029	43+0.258	TWIN BRIDGES	MADISON	9	39	39	6.633	20	24	RMS	1060	159	450	0	13	5	15	25	58	58	2.8
P069	5+0.046	4.3 E WHITEHALL	JEFFERSON	7	68	68	1.060	30	30	PMS	871	130	554	0	16	8	7	26	57	58	.5
P057	10+0.428	JCT FAS RTE 427	JUDITH BASIN	6	64	64	7.500	32	32	PMS	1556	185	315	5	16	10	9	21	61	58	2.9
P003	28+0.226	4.2 N FAIRFIELD	TETON	6	40	40	12.297	24	30	RMS	750	97	600	0	13	7	8	28	56	58	5.4
P010	80+0.000	BIG SANDY	CHOUTEAU	6	33	63	4.793	24	26	RMS	1380	179	723	0	8	7	19	26	60	58	1.9
P010	9+0.609	6.1 N GR FALLS	CASCADE	6	51	57	6.489	30	30	PMS	1977	257	333	4	17	10	14	18	63	58	2.4
P006	37+0.680	WHITE PINE	SANDERS	8	48	54	8.533	24	28	PMS	789	115	500	0	14	9	6	27	56	58	3.8
P046	58+0.864	.8 E BEAVERHEAD CO	BEAVERHEAD	9	61	61	6.050	26	28	PMS	358	53	371	0	13	8	2	28	51	58	3.0
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	9	51	59	2.255	32	32	PMS	808	117	456	0	14	8	8	26	56	58	1.0
P002	84+0.000	BAKER	FALLON	12	68	68	5.059	40	40	PMS	1050	136	526	3	15	10	4	26	58	58	2.1
P002	4+0.822	MILES CITY	CUSTER	12	50	50	1.527	20	24	RMS	1558	202	551	3	13	10	10	25	61	58	.6
P004	42+0.765	JCT FAP 28	CARBON	11	68	68	.160	40	40	PMS	4685	609	399	7	24	10	20	7	68	58	.1
P027	12+0.063	FALLON CO	FALLON	12	50	50	10.442	22	24	PMS	292	37	220	0	11	10	1	27	49	58	5.3
P039	22+0.745	COLSTRIP	ROSEBUD	12	49	67	3.309	24	24	RMS	579	86	326	4	15	8	1	26	54	58	1.5
P053	15+0.901	ACTON	YELLOWSTONE	11	48	48	7.281	20	24	RMS	852	110	584	0	9	9	12	27	57	58	3.1
P048	0+2.507	HARDIN	BIG HORN	11	70	70	.192	40	40	PMS	4090	572	368	7	23	10	20	7	67	58	.1
P061	118+0.176	15.8 N FAP RTE 66	PHILLIPS	3	49	49	6.251	22	22	BST	263	44	245	0	13	7	2	27	49	59	3.2
P001	308+0.048	1.0 E LIBERTY CO	LIBERTY	2	47	60	7.280	26	26	RMS	763	99	442	3	15	10	2	27	57	59	3.1
P001	228+0.797	BLACKFOOT	GLACIER	2	57	57	1.050	24	32	RMS	1230	196	680	4	13	10	7	26	60	59	.4
P001	393+0.855	2.8 E BLAINE CO	BLAINE	2	38	59	9.717	24	30	RMS	2720	353	612	5	18	10	11	21	65	59	3.4
P001	0+0.000	IDAHO LINE	LINCOLN	1	54	55	2.622	24	30	PMS	956	124	323	4	16	9	6	24	59	59	1.1
P005	53+0.399	6.0 N RONAN	LAKE	1	58	58	3.432	32	32	PMS	5157	752	640	8	22	10	17	12	69	59	1.1
P007	7+0.530	7.4 N JCT FAP 46	RAVALLI	8	40	40	6.016	24	24	BST	865	112	289	0	13	6	15	24	58	59	2.5
P006	29+0.459	TROUT CREEK	SANDERS	8	48	54	8.234	24	28	PMS	879	128	531	2	12	9	9	26	58	59	3.5
P063	22+0.899	FERGUS CO	FERGUS	5	47	62	1.926	24	24	RMS	1240	161	429	0	13	10	13	24	60	59	.8
P061	33+0.803	7.2 N FERGUS CO	FERGUS	5	52	52	4.896	24	28	RMS	952	123	333	2	14	10	9	24	59	59	2.0
P014	33+0.493	JCT FAP 59	MEAGHER	10	33	66	8.182	21	24	RMS	769	115	660	0	10	8	12	27	57	59	3.5
P084	11+0.483	MADISON-GALLATIN	GALLATIN	10	55	55	8.808	24	24	RMS	511	86	243	4	15	9	1	25	54	59	4.1
P018	20+0.059	ROSEBUD CO	ROSEBUD	12	28	35	3.899	20	24	BST	232	30	627	0	8	8	3	29	48	59	2.0
P018	1+0.000	MILES CITY LIMITS	CUSTER	12	57	57	1.135	32	32	BST	1512	196	456	6	20	10	2	24	62	59	.4
P048	1+0.060	JCT FAI 90	BIG HORN	11	70	70	.284	40	40	RMS	928	129	151	7	23	10	1	17	58	59	.1
P037	64+0.304	POWDER RIVER CO	POWDER RIVER	12	57	57	5.314	24	28	PMS	595	80	371	0	13	10	5	27	55	59	2.4
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	11	39	39	8.309	20	24	RMS	525	68	431	0	11	9	6	28	54	59	3.8
P005	67+0.425	6.4 N POLSON	LAKE	1	54	70	3.855	30	30	PMS	2303	310	414	4	23	9	10	19	65	60	1.3
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1	57	59	1.514	26	26	PMS	1219	170	403	6	20	10	1	24	61	60	.6
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1	57	59	2.834	26	26	PMS	1229	172	489	5	20	10	1	25	61	60	1.1
P056	27+0.876	6.7 S FAP 1	LINCOLN	1	56	56	6.764	24	24	PMS	680	102	249	5	17	9	2	24	57	60	2.9

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P061	136+0.797	18.9 S FAS 363	PHILLIPS	3	42	42	5.282	20	24	RMS	343	57	421	0	12	8	4	28	52	60	2.5
P032	35+0.228	DANIELS CO	DANIELS	3	33	45	4.667	20	24	RMS	261	36	185	0	13	8	2	27	50	60	2.3
P020	13+0.048	11.3 N GLENDIVE	DAWSON	4	69	69	5.607	40	40	PMS	1434	186	184	6	22	10	9	15	62	60	2.1
P020	50+0.012	JCT FAP RTES 26 51	RICHLAND	4	73	73	1.750	83	83	PMS	7309	950	1700	7	24	10	9	22	72	60	.5
P001	404+0.087	CHINOOK	BLAINE	2	44	56	4.248	28	30	PMS	1941	252	612	5	17	10	8	24	64	60	1.5
P001	204+0.366	6.4 E GLACIER CO	GLACIER	2	63	63	4.884	32	32	PMS	1116	156	546	5	17	10	3	26	61	60	1.9
P001	278+0.809	0.3 E FAI 15	TOOLE	2	56	56	.440	60	60	PMS	3104	434	1680	0	12	9	20	26	67	60	.1
P063	35+0.473	0.9 S FERGUS CO	JUDITH BASIN	6	46	59	.876	24	24	RMS	1295	168	450	0	12	8	18	24	62	60	.3
P024	133+0.232	5.7 E SIMMS	CASCADE	6	64	64	5.275	32	32	PMS	2146	300	494	5	21	10	8	21	65	60	1.8
P008	49+0.577	EAST HELENA	LEWIS AND CLARK	7	78	78	3.266	44	44	PMS	3110	475	320	10	30	10	9	8	67	60	1.1
P014	23+0.519	MEAGHER CO	MEAGHER	10	55	55	9.978	24	27	PMS	424	63	264	4	14	9	1	26	54	60	4.6
P050	8+0.524	0.2 N FAP RTE 87	GALLATIN	10	62	72	1.955	32	32	PMS	899	141	182	8	22	10	1	18	59	60	.8
P006	23+0.327	TUSCOR	SANDERS	8	59	64	6.097	32	32	PMS	872	127	569	2	16	10	4	27	59	60	2.5
P041	0+0.000	JCT FAP 8	POWELL	8	61	61	6.348	28	28	PMS	417	70	660	0	10	10	6	28	54	60	2.9
P070	0+0.200	1.0 W SUPERIOR	MINERAL	8	31	52	1.035	22	24	RMS	77	10	544	0	5	5	2	30	42	60	.6
P083	41+0.890	5.8 S LAKE CO LINE	MISSOULA	8	59	59	5.856	24	24	PMS	632	111	429	2	15	7	7	26	57	60	2.5
P023	47+0.867	2.7 N POWDER R CO	CUSTER	12	52	52	2.703	22	28	PMS	313	45	196	0	11	10	4	27	52	60	1.3
P037	62+0.327	ASHLAND	ROSEBUD	12	57	57	1.966	24	28	PMS	963	130	536	4	16	10	4	26	60	60	.8
P078	45+0.855	0.5 S COLUMBUS	STILLWATER	11	57	57	.591	28	28	RMS	1643	271	425	8	24	10	1	20	63	60	.2
P027	7+0.242	6.9 N EKALAKA	CARTER	12	50	50	4.818	22	24	PMS	272	35	220	0	12	10	1	28	51	60	2.4
P014	205+0.177	MELSTONE	MUSSELSHELL	11	46	63	1.991	20	24	RMS	390	62	538	0	10	10	5	28	53	60	.9
P001	271+0.001	7.6 E TOOLE CO	TOOLE	2	53	66	7.061	32	32	RMS	1315	197	544	0	17	10	11	25	63	61	2.6
P058	25+0.516	6.0 S ST MARYS	GLACIER	2	58	64	6.011	44	44	PMS	978	190	455	6	19	10	2	24	61	61	2.3
P058	39+0.819	BABB	GLACIER	2	56	56	3.787	24	28	RMS	701	136	523	3	17	9	3	26	58	61	1.6
P003	101+0.021	9.2 S FAP RTE 1	GLACIER	2	51	51	2.132	26	28	RMS	697	167	454	4	16	10	4	24	58	61	.9
P061	124+0.473	22.0 N FAP RTE 66	PHILLIPS	3	47	47	5.924	25	25	BST	263	44	312	0	12	8	3	28	51	61	2.9
P032	23+0.431	11.8 S DANIELS CO	ROOSEVELT	3	33	79	4.760	24	24	RMS	253	35	258	0	14	8	1	28	51	61	2.3
P032	14+0.125	10.0 N JCT FAP 1	ROOSEVELT	3	33	79	9.277	24	24	RMS	279	39	237	0	16	7	1	28	52	61	4.5
P001	521+0.454	20.0 E VALLEY CO	VALLEY	3	50	55	5.116	24	27	PMS	1049	141	507	3	18	10	4	26	61	61	2.0
P001	526+0.523	14.1 W GLASGOW	VALLEY	3	50	55	11.109	24	27	PMS	1073	144	346	5	20	10	2	24	61	61	4.3
P001	542+0.429	GLASGOW	VALLEY	3	62	62	1.386	68	68	PMS	3435	463	3440	6	18	10	7	28	69	61	.4
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	3	52	52	4.409	24	30	RMS	1063	138	442	0	15	10	11	25	61	61	1.7
P001	36+0.664	4.0 E LIBBY	LINCOLN	1	76	76	.709	62	62	PMS	2875	373	272	8	27	10	14	9	68	61	.2
P005	156+0.922	LINCOLN CO	LINCOLN	1	55	60	2.697	26	26	PMS	901	117	359	0	15	9	11	25	60	61	1.1
P020	42+0.055	7.9 S FA RTE 51	RICHLAND	4	73	73	7.955	40	40	PMS	2350	305	281	9	27	10	6	14	66	61	2.7
P020	1+0.761	GLENDIVE	DAWSON	4	64	64	4.376	40	40	PMS	2281	296	222	7	21	10	18	10	66	61	1.5
P024	72+0.242	LINCOLN	LEWIS AND CLARK	7	60	60	3.867	24	24	PMS	1384	207	450	4	17	10	9	23	63	61	1.4
P086	3+0.822	2.8 N BOZEMAN	GALLATIN	10	61	61	5.760	30	30	PMS	969	193	738	5	19	10	1	26	61	61	2.2
P024	82+0.008	1.0 W JCT FAS 279	LEWIS AND CLARK	7	57	64	4.105	28	30	PMS	1220	183	333	6	16	10	8	22	62	61	1.6
P043	9+0.492	JCT FAP RTE 81	FERGUS	5	50	79	5.335	25	28	PMS	910	118	401	2	17	10	5	26	60	61	2.1
P080	0+0.000	JCT FAP 10	CHOUTEAU	6	53	53	1.596	24	24	RMS	625	94	217	6	16	10	2	24	58	61	.7
P081	29+0.558	12.9 NW JCT FAP 43	FERGUS	5	73	73	3.087	24	24	RMS	347	54	218	4	14	8	1	26	53	61	1.5
P043	1+0.366	0.7 N LEWISTOWN	FERGUS	5	77	77	1.652	44	44	PMS	2044	265	333	9	28	10	1	18	66	61	.6
P006	12+0.353	1.0 E BULL RIVER	SANDERS	8	58	58	1.214	32	32	BST	797	116	235	6	18	10	2	23	59	61	.5
P057	121+0.739	8.7 E FAP 61	FERGUS	5	31	58	1.467	20	24	RMS	425	65	392	0	7	5	15	28	55	61	.7
P029	0+0.244	ENNIS LIMITS	MADISON	9	50	50	5.436	24	24	RMS	577	121	420	5	17	7	2	26	57	61	2.3
P060	53+0.694	4.2 N MONARCH	CASCADE	6	40	40	6.667	26	26	BST	405	60	369	0	13	9	5	28	55	61	3.0
P028	101+0.121	0.6 S FAP 4	CARBON	11	68	68	.587	40	40	PMS	2027	405	662	5	18	10	12	21	66	61	.2
P054	0+0.000	WYOMING LINE	POWDER RIVER	12	59	66	9.121	24	24	BST	255	33	327	0	11	10	2	28	51	61	4.5
P078	13+0.316	12.8 W REO LODGE	CARBON	11	57	57	6.370	24	24	PMS	253	41	591	0	13	6	3	29	51	61	3.1
P017	0+0.000	JCT FAP RTE 42	VALLEY	3	69	69	3.500	24	24	BST	526	79	365	3	17	6	4	27	57	62	1.5
P022	20+0.923	3.0 E SHERIDAN CO	SHERIDAN	3	36	36	8.441	22	25	BST	351	52	464	0	12	9	5	28	54	62	3.9
P032	44+0.481	9.3 N DANIELS CO	DANIELS	3	33	45	3.712	20	24	RMS	700	98	372	0	13	8	12	26	59	62	1.5
P038	8+0.655	1.3 E COL FALLS	FLATHEAD	1	71	71	.242	44	44	RMS	4669	653	795	6	17	10	20	18	71	62	.1
P056	22+0.022	5.4 N LINCOLN CO	LINCOLN	1	60	60	5.854	24	24	PMS	462	69	327	4	16	7	2	27	56	62	2.6

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	3	58	58	4.565	32	32	PMS	1664	199	648	6	17	10	7	25	65	62	1.6
P001	454+0.446	OOOSON	PHILLIPS	3	49	78	3.241	26	26	RMS	1182	153	526	3	17	8	9	26	63	62	1.2
P001	644+1.008	CULBERTSON	ROOSEVELT	3	56	61	3.010	32	32	PMS	1213	163	680	6	16	10	5	26	63	62	1.1
P060	38+0.998	NEIHART	CASCADE	6	52	52	10.527	22	26	PMS	423	63	288	5	14	8	2	27	56	62	4.6
P063	33+0.456	JUDITH BASIN CO	JUDITH BASIN	6	41	70	2.021	24	24	RMS	1298	168	360	4	14	10	13	23	64	62	.7
P061	45+0.150	JCT FAP RTE 57	FERGUS	5	62	62	9.658	30	30	PMS	452	75	485	0	15	10	3	28	56	62	4.2
P029	34+0.189	SHERIDAN	MADISON	9	39	39	8.029	22	24	RMS	1169	245	812	0	10	8	20	25	63	62	3.0
P006	104+0.678	4.5 W DIXON	SANDERS	8	69	69	.388	32	32	PMS	982	146	268	7	22	10	1	22	62	62	.1
P063	25+0.433	FERGUS CO	FERGUS	5	47	57	1.200	24	24	RMS	1301	169	237	2	14	9	20	19	64	62	.4
P024	16+0.038	POTOMAC	MISSOULA	8	68	68	6.575	40	40	PMS	1947	321	385	7	17	10	15	17	66	62	2.2
P029	5+0.698	5.5 W ENNIS	MADISON	9	51	51	5.030	28	32	RMS	531	111	243	5	17	8	4	23	57	62	2.2
P035	0+0.000	ST REGIS	MINERAL	8	60	60	3.381	24	24	PMS	621	102	333	5	19	7	3	25	59	62	1.4
P050	76+0.436	5.4 S FAP 84 85	GALLATIN	10	64	64	5.455	32	32	PMS	2476	388	643	8	23	10	6	21	68	62	1.7
P011	49+0.902	JCT FAS 540	PARK	10	61	61	1.890	32	32	PMS	2778	597	748	8	24	10	8	18	68	62	.6
P077	0+0.000	JCT FAP RTE 36	SANDERS	8	41	41	1.746	20	26	BST	655	98	749	0	8	6	17	28	59	62	.7
P023	64+0.651	8.8 S COALWOOD	POWDER RIVER	12	29	41	8.397	24	24	BST	334	48	258	0	13	10	4	27	54	62	3.9
P014	224+0.418	5.1 W INGOMAR	ROSEBUD	12	48	63	5.122	25	25	RMS	284	45	258	0	14	10	2	27	53	62	2.4
P023	50+0.580	POWDER RIVER CO	POWDER RIVER	12	52	60	5.179	24	28	RMS	267	38	642	0	10	10	4	29	53	62	2.4
P027	0+0.355	EKALAKA	CARTER	12	50	50	6.902	22	24	PMS	321	41	377	0	13	10	3	28	54	62	3.2
P002	0+0.000	I94 W MILES CITY	CUSTER	12	62	62	.908	32	32	PMS	904	102	488	6	16	10	2	27	61	62	.4
P062	1+0.524	CULBERTSON	ROOSEVELT	3	61	61	.496	36	36	PMS	882	132	560	7	18	10	1	26	62	63	.2
P001	423+0.924	0.8 W HARLEM	BLAINE	2	68	68	.797	40	40	PMS	1750	227	281	8	23	10	8	18	67	63	.3
P058	35+0.813	4.3 N ST MARYS	GLACIER	2	56	64	4.001	32	32	PMS	1227	239	564	7	20	10	3	24	64	63	1.4
P001	29+0.863	2.0 W LIBBY	LINCOLN	1	71	76	2.036	68	68	PMS	4789	622	1800	9	26	10	2	25	72	63	.6
P061	54+0.837	9.7 N FAP RTE 57	FERGUS	5	61	61	11.832	30	30	PMS	385	64	510	0	12	10	6	28	56	63	5.2
P001	184+0.217	12.6 W GLACIER CO	FLATHEAD	1	67	77	12.259	32	32	PMS	1257	175	725	6	16	10	6	26	64	63	4.4
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAD	1	57	59	5.217	26	26	PMS	1205	168	403	6	19	8	7	24	64	63	1.9
P083	77+0.797	4.8 S FLATHEAD CO	LAKE	1	62	62	4.859	30	30	PMS	990	174	333	5	17	10	9	22	63	63	1.8
P020	18+0.596	4.2 S RICHLAND CO	DAWSON	4	54	54	4.170	28	28	RMS	1411	183	434	0	17	10	14	24	65	63	1.5
P007	74+0.249	0.4 S FLORENCE	RAVALLI	8	74	76	.571	64	64	PMS	4650	604	2040	8	24	10	4	26	72	63	.2
P045	28+0.272	WHEATLAND CO	WHEATLAND	10	46	55	5.074	24	26	RMS	253	32	573	0	9	10	5	29	53	63	2.4
P013	96+0.554	THREE FORKS	GALLATIN	10	50	55	.555	32	32	RMS	2025	263	808	2	12	8	20	25	67	63	.2
P059	37+1.030	MEAGHER CO	MEAGHER	10	42	52	2.756	24	24	RMS	303	45	774	0	8	8	9	29	54	63	1.3
P069	10+0.026	3.9 N FAS RTE 359	JEFFERSON	7	64	64	3.662	28	28	PMS	492	73	275	2	17	10	3	26	58	63	1.5
P009	60+0.000	4.0 S CHOTEAU	TETON	6	36	36	4.013	22	25	RMS	464	74	453	0	14	8	8	28	58	63	1.7
P048	0+0.000	JCT FA1 90	BIG HORN	11	71	71	.294	40	40	PMS	3047	396	464	9	28	10	6	17	70	63	.1
P014	192+0.108	JCT FAS 310	MUSSELSHELL	11	39	39	3.283	20	24	RMS	510	66	448	0	9	8	13	28	58	63	1.4
P028	47+0.309	2.3 N WYO BORY	CARBON	11	65	65	6.415	28	28	PMS	433	97	291	5	17	10	0	25	57	63	2.8
P057	267+0.491	JCT FAS RTE 253	MCCONE	4	41	56	10.951	24	25	RMS	524	80	459	0	8	10	14	27	59	64	4.5
P020	31+0.497	SAVAGE	RICHLAND	4	74	74	1.484	40	40	PMS	1725	224	266	10	28	10	2	17	67	64	.5
P005	145+0.620	OLNEY	FLATHEAD	1	55	60	11.263	26	26	PMS	857	111	359	0	14	9	15	25	63	64	4.2
P083	82+0.636	JCT FAS RTE 209	FLATHEAD	1	59	59	3.735	24	24	PMS	800	134	301	4	16	10	9	23	62	64	1.4
P061	26+0.604	FERGUS CO	FERGUS	5	63	63	1.120	30	30	PMS	805	104	333	7	19	10	1	25	62	64	.4
P061	43+0.570	1.6 S FAP RTE 57	FERGUS	5	62	62	1.564	32	32	PMS	1002	168	500	5	19	10	5	25	64	64	.6
P017	8+0.774	3.1 S NASHUA	VALLEY	3	38	63	1.783	20	24	RMS	368	55	265	4	17	8	1	27	57	64	.8
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	3	60	60	9.761	32	32	PMS	1779	213	680	5	17	10	11	25	68	64	3.1
P061	147+0.379	9.5 S MALTA	PHILLIPS	3	38	42	8.114	24	26	RMS	560	94	355	0	12	8	14	26	60	64	3.2
P031	0+0.000	JCT FAP 42	VALLEY	3	62	62	1.443	28	28	PMS	532	80	448	4	17	9	3	27	60	64	.6
P010	20+0.058	3.8 N CHOUTEAU CO	CHOUTEAU	6	63	63	9.726	32	32	PMS	1795	233	471	5	18	10	12	23	68	64	3.1
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	9	51	59	5.072	24	28	PMS	1236	179	501	0	13	10	17	25	65	64	1.8
P080	2+0.366	FORT BENTON	CHOUTEAU	6	62	62	1.631	30	30	RMS	605	91	372	5	18	10	1	26	60	64	.7
P069	2+0.991	2.3 E WHITEHALL	JEFFERSON	7	68	68	2.055	30	30	PMS	952	142	367	4	24	10	2	24	64	64	.7
P050	31+0.181	YELL PARK BDY	GALLATIN	10	60	60	8.921	28	28	PMS	1185	186	436	6	21	10	4	24	65	64	3.1
P008	54+0.482	JEFFERSON CO	JEFFERSON	7	69	69	1.515	40	40	PMS	2618	400	264	8	25	10	20	7	70	64	.5
P050	40+0.132	8.9 N PARK BOY	GALLATIN	10	60	60	7.823	28	28	PMS	1310	205	400	6	19	10	9	22	66	64	2.7

SUFFICIENCY RATINGS 8Y SECTIONS -- STATEWIOE

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN YEARS OIST	8T	IM	SECTION LENGTH	WIOTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	AOJ	OEFIC MILES
P006	0+0.000	IOAHO LINE	SANOERS	8	52	65	2.260	24	28	RMS	675	98	327	6	17	8	4	26	61	64	.9
P041	6+0.348	6.3 N FAP 8	POWELL	8	62	62	5.406	28	28	PMS	298	50	660	0	8	10	8	29	55	64	2.4
P008	3+0.919	3.8 E GARRISON	POWELL	8	57	64	7.362	32	32	PMS	1262	164	456	7	16	10	7	25	65	64	2.6
P006	106+0.153	2.0 W OIXON	SANOERS	8	44	44	1.991	24	24	8ST	984	146	538	0	10	8	20	26	64	64	.7
P016	4+0.649	8ILLINGS	YELLOWSTONE	11	77	77	7.049	40	40	PMS	1478	192	189	8	26	10	7	15	66	64	2.4
P048	1+0.344	0.8 N HAROIN	8IG HORN	11	41	63	5.459	21	24	RMS	490	68	453	3	16	8	4	28	59	64	2.2
P061	88+0.068	PHILLIPS CO	PHILLIPS	3	60	60	5.580	28	28	PMS	380	63	584	0	9	10	11	28	58	65	2.3
P062	2+0.037	0.5 S CUL8ERTSON	ROOSEVELT	3	78	78	1.845	40	40	PMS	820	123	135	9	28	10	1	16	64	65	.7
P001	363+0.532	APPR TO KREMLIN	HILL	2	36	70	8.591	28	32	RMS	1022	132	599	7	17	10	4	27	65	65	3.0
P005	180+0.908	JCT FAP 33	LINCOLN	1	50	50	6.546	24	24	RMS	507	65	307	0	13	9	11	27	60	65	2.6
P020	63+0.922	FAIRVIEW	RICHLANO	4	56	56	.349	24	32	RMS	1701	221	963	7	23	10	1	27	68	65	.1
P014	108+0.043	7.1 E FAP 63	WHEATLANO	10	53	53	8.427	24	28	RMS	930	120	558	4	15	10	9	27	65	65	2.9
P069	13+0.688	7.5 N FAS RTE 359	JEFFERSON	7	61	61	8.498	26	26	PMS	459	68	259	6	18	9	1	26	60	65	3.4
P069	28+0.186	8.8 S 80ULOER	JEFFERSON	7	57	57	2.840	24	24	8ST	447	67	266	5	18	7	3	26	59	65	1.2
P060	49+0.470	MONARCH	CASCAOE	6	52	52	4.234	22	26	PMS	514	77	288	6	17	8	3	26	60	65	1.7
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	11	56	56	2.482	24	28	RMS	434	56	586	0	13	10	7	29	59	65	1.0
P039	21+0.410	1.3 SO COLSTRIP	ROSE8UO	12	49	67	1.335	24	24	RMS	355	53	285	5	17	8	1	27	58	65	.6
P014	229+0.532	INGOMAR	ROSE8UO	12	55	63	12.892	20	20	RMS	264	41	290	0	14	9	4	28	55	65	5.8
P004	0+0.516	0.5 N WYO LINE	CAR8ON	11	56	63	12.924	32	32	PMS	946	122	569	0	17	10	11	27	65	65	4.5
P072	5+0.604	4.8 S 8ELFRY	CAR8ON	11	61	61	4.864	30	30	PMS	594	95	384	4	17	7	7	26	61	65	1.9
P057	330+0.554	0.3 W GLENOIVE	OAWSON	4	48	50	.222	24	34	PMS	2496	299	361	6	19	8	20	18	71	66	.1
P083	86+0.280	3.7 N FAS RTE 209	FLATHEAO	1	59	59	4.733	24	24	PMS	1094	183	478	5	16	10	12	24	67	66	1.6
P001	157+0.164	3.7 E WEST GLACIER	FLATHEAO	1	48	49	2.350	24	28	PMS	1188	166	194	6	17	7	20	17	67	66	.8
P001	501+0.410	VALLEY CO	VALLEY	3	55	55	6.588	24	28	RMS	1119	151	536	0	12	9	20	26	67	66	2.2
P001	508+0.040	6.6 E VALLEY CO	VALLEY	3	66	66	7.595	40	40	PMS	1095	147	680	5	19	10	6	27	67	66	2.5
P080	46+0.112	CHOUTEAU-FERGUS CO	FERGUS	5	62	62	3.745	24	24	PMS	155	23	276	2	14	5	3	29	53	66	1.8
P034	0+0.000	JCT FAP 22	SHERIOAN	3	51	60	7.029	24	24	PMS	531	74	336	7	17	9	2	27	62	66	2.7
P001	656+0.309	10.8 W N O LINE	ROOSEVELT	3	55	62	5.246	32	32	PMS	956	129	580	7	17	10	5	27	66	66	1.8
P001	499+1.054	SACO	PHILLIPS	3	55	55	1.515	24	28	RMS	1263	170	629	0	11	10	20	26	67	66	.5
P001	223+0.702	2.8 E 8ROWNING	GLACIER	2	60	60	.184	32	32	PMS	1969	376	336	7	20	10	20	13	70	66	.1
P001	315+0.301	6.5 W CHESTER	LI8ERTY	2	47	60	5.785	26	26	RMS	776	100	500	6	17	10	4	27	64	66	2.1
P046	56+0.960	SILVER 80W CO LINE	SILVER 80W	9	61	61	1.055	26	28	PMS	219	32	427	0	14	10	2	29	55	66	.5
P055	12+0.988	WHITEHALL	JEFFERSON	7	66	66	.090	32	32	PMS	1102	181	299	9	26	10	1	21	67	66	
P008	98+0.994	0.8 E JCT FAS 437	8ROAOWATER	7	52	52	8.944	24	28	RMS	1477	192	401	2	13	10	20	23	68	66	2.9
P088	0+0.000	W GARRISON INT I90	POWELL	8	79	79	.415	50	50	PMS	1998	259	380	10	30	10	0	20	70	66	.1
P050	8+0.373	JCT FAP RTE 87	GALLATIN	10	64	64	.151	52	52	PMS	955	149	296	8	23	10	3	22	66	66	.1
P013	93+0.693	GALLATIN CO LINE	GALLATIN	10	49	49	1.107	28	28	RMS	827	107	680	2	14	10	11	28	65	66	.4
P007	66+0.762	JCT FAS 269	RAVALLI	8	56	61	6.777	32	32	PMS	4230	549	621	8	24	10	15	17	74	66	1.8
P006	46+0.236	1.6 E 8ELKNAP	SANOERS	8	58	58	.985	32	32	8ST	968	141	453	5	16	10	10	25	66	66	.3
P006	14+0.720	3.4 E 8ULL RIVER	SANOERS	8	59	64	8.606	32	32	PMS	797	116	324	6	19	10	4	25	64	66	3.1
P036	18+0.961	JCT FAP 77	SANOERS	8	63	63	7.161	28	28	PMS	486	72	586	4	14	10	5	28	61	66	2.8
P041	16+0.875	14.6 N FAP 8	POWELL	8	70	70	2.966	30	30	PMS	371	62	292	4	16	10	2	27	59	66	1.2
P053	4+0.315	8ILLINGS	YELLOWSTONE	11	63	63	2.024	32	32	PMS	4467	580	817	8	24	10	13	19	74	66	.5
P014	259+0.489	7.2 E VANAOA	ROSE8UO	12	54	54	5.579	24	24	RMS	295	46	450	0	15	10	4	28	57	66	2.4
P037	69+0.625	6.3 E POWOER R CO	POWOER RIVER	12	67	67	9.659	28	28	PMS	413	55	536	3	13	10	6	28	60	66	3.9
P058	31+0.544	ST MARYS	GLACIER	2	64	64	4.279	32	32	PMS	1343	261	597	7	22	10	7	23	69	67	1.3
P001	546+0.252	2.4 E FAP 31	VALLEY	3	53	53	8.404	24	30	RMS	1498	202	631	0	14	10	20	25	69	67	2.6
P066	0+0.000	JCT FAP RTE 61	PHILLIPS	3	61	61	10.621	28	28	PMS	223	35	608	0	10	10	7	29	56	67	4.7
P001	642+0.523	1.7 W CUL8ERTSON	ROOSEVELT	3	56	61	1.712	32	32	PMS	1090	141	428	0	13	10	20	25	68	67	.5
P005	71+0.313	6.2 S FAP 36	LAKE	1	62	62	6.212	32	32	PMS	1856	250	396	5	21	10	14	21	71	67	1.8
P057	66+0.986	2.0 E FAP 63	FERGUS	5	47	54	6.538	24	31	PMS	1911	227	456	6	18	9	15	23	71	67	1.9
P057	137+0.626	1.1 E WINNETT	PETROLEUM	5	54	54	11.000	24	24	RMS	429	65	442	0	13	10	10	28	61	67	4.3
P056	0+0.000	JCT FAP RTE 6	SANOERS	8	57	57	8.170	24	24	PMS	349	52	327	4	18	8	2	28	60	67	3.3
P006	10+0.404	JCT FAP 56	SANDERS	8	52	52	.970	24	28	RMS	797	116	249	6	17	10	10	23	66	67	.3
P041	19+0.841	7.6 S FAS 271	POWELL	8	65	79	7.654	30	30	PMS	408	68	323	5	15	10	4	27	61	67	3.0

SUFFICIENCY RATINGS 8Y SECTIONS -- STATEWIOE

RT-#	MILEPOINT	SECTION OESCRIPTION	COUNTY	FIN YEARS OIST	8T	IM	SECTION LENGTH	WIOTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	AOJ	OEFIC MILES
P011	40+0.712	9.1 S FAS 540	PARK	10	65	65	9.177	32	32	PMS	1471	316	748	8	21	10	6	24	69	67	2.8
P084	6+0.425	6.4 E JCT FAP 13	MAOISON	9	52	52	5.052	24	24	RMS	416	70	394	5	18	10	1	27	61	67	2.0
P006	8+0.252	8.2 E IOAHO LINE	SANOERS	8	63	63	2.158	28	28	RMS	781	114	327	8	18	10	4	25	65	67	.8
P008	52+0.831	3.0 E EAST HELENA	LEWIS ANO CLARK	7	69	69	1.669	40	40	PMS	2792	427	320	8	25	10	20	10	73	67	.5
P006	11+0.402	8ULL RIVER	SANOERS	8	63	63	.956	28	28	RMS	797	116	301	7	20	10	5	24	66	67	.3
P046	51+0.396	OEER LOOGE CO LINE	OEER LOOGE	9	61	61	5.577	26	28	PMS	179	26	364	0	13	10	3	29	55	67	2.5
P023	95+0.564	6.0 N CARTER CO	POWOER RIVER	12	54	54	6.028	24	28	RMS	509	73	732	0	10	10	13	29	62	67	2.3
P014	212+0.433	5.3 E ROSE8UO CO	ROSE8UO	12	46	57	4.717	20	24	RMS	288	45	357	0	10	10	10	28	58	67	2.0
P018	13+0.047	7.0 S ROSE8UO CO	CUSTER	12	63	63	5.000	30	30	PMS	264	34	663	2	13	10	4	29	58	67	2.1
P014	217+0.153	10.0 E ROSE8UO CO	ROSE8UO	12	48	63	7.269	25	25	RMS	259	41	408	0	15	10	5	28	58	67	3.1
P028	90+0.985	80YO	CAR8ON	11	74	74	4.433	40	40	PMS	1413	282	309	9	28	10	6	16	69	67	1.4
P072	0+0.000	MONT-WYOMING LINE	CAR8ON	11	61	61	5.184	30	30	PMS	521	83	414	0	15	8	13	27	63	67	1.9
P004	33+0.798	0.6 N FROM8ERG	CAR8ON	11	68	68	8.918	40	40	PMS	2103	273	643	7	19	10	11	24	71	67	2.6
P061	70+0.499	3.9 N JCT FAP 43	FERGUS	5	59	63	12.938	28	28	PMS	431	72	792	0	9	10	14	29	62	68	4.9
P061	66+0.624	JCT FAP RTE 43	FERGUS	5	62	62	3.889	30	30	PMS	470	78	333	0	14	10	13	26	63	68	1.4
P061	27+0.705	1.1 N FERGUS CO	FERGUS	5	65	65	6.059	30	30	PMS	865	112	355	6	20	10	6	25	67	68	2.0
P036	36+0.100	4.4 N FLATHEAO CO	FLATHEAO	1	37	61	4.101	24	26	RMS	591	88	825	0	10	7	20	28	65	68	1.4
P056	16+0.540	SANOERS-LINCOLN CO	LINCOLN	1	63	63	5.482	28	28	PMS	328	49	212	6	17	8	2	27	60	68	2.2
P036	40+0.186	LAKE CO	LAKE	1	37	65	6.526	24	26	RMS	593	88	573	0	10	7	20	28	65	68	2.3
P001	472+0.410	MALTA	PHILLIPS	3	67	67	8.975	40	40	PMS	1787	232	288	7	21	10	15	18	71	68	2.6
P001	639+0.172	5.0 W CUL8ERTSON	ROOSEVELT	3	52	52	3.338	24	30	RMS	1024	133	414	0	13	10	20	25	68	68	1.1
P034	7+0.070	RAYMONO	SHERIOAN	3	51	60	8.604	24	24	PMS	336	47	336	7	17	8	1	28	61	68	3.4
P066	10+0.608	PHILLIPS-8LAINE CO	8LAINE	2	59	59	12.623	28	28	PMS	386	61	353	3	17	9	5	27	61	68	4.9
P024	127+0.466	SIMMS	CASCAOE	6	59	59	5.720	32	32	PMS	2097	293	565	8	24	10	8	22	72	68	1.6
P086	9+0.582	8.6 N 80ZEMAN	GALLATIN	10	73	73	6.746	31	31	PMS	513	102	469	4	21	10	2	27	64	68	2.4
P012	8+0.047	0.6 W WEST YELL	GALLATIN	10	30	78	.571	30	30	PMS	1726	398	705	8	27	3	11	22	71	68	.2
P049	0+0.000	OILLON	8EAVERHEAO	9	46	74	.102	40	40	RMS	2018	262	828	4	17	6	20	25	72	68	
P037	33+0.061	5.6 W ROSE8UO CO	8IG HORN	11	74	74	5.621	40	40	PMS	1130	152	170	9	25	10	8	17	69	68	1.7
P048	6+0.777	6.1 N HAROIN	8IG HORN	11	45	45	4.865	20	24	RMS	460	64	406	3	16	9	7	28	63	68	1.8
P014	252+0.337	VANAOA	ROSE8UO	12	54	54	7.162	24	24	RMS	250	39	258	2	15	10	3	28	58	68	3.0
P048	0+0.294	0.3 S FAI 90	8IG HORN	11	76	76	.897	44	44	PMS	3047	396	806	9	28	10	4	23	74	68	.2
P001	556+0.131	NASHUA	VALLEY	3	56	70	8.685	32	32	PMS	1146	154	696	6	21	10	6	27	70	69	2.6
P017	10+0.569	1.4 S NASHUA	VALLEY	3	57	57	1.424	24	28	RMS	405	61	415	6	17	10	2	28	63	69	.5
P022	81+0.351	5.5 S FROIO	ROOSEVELT	3	59	59	7.156	32	32	PMS	822	123	406	0	13	10	20	25	68	69	2.3
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4	57	64	6.173	24	32	8ST	106	16	724	0	8	10	5	30	53	69	2.9
P001	33+0.316	0.6 E LI88Y	LINCOLN	1	76	76	3.326	68	68	PMS	4774	620	2160	7	26	10	8	26	77	69	.8
P081	26+0.723	12.8 SE OENTON	FERGUS	5	73	73	2.835	24	24	RMS	333	51	400	4	17	10	2	28	61	69	1.1
P059	0+0.000	JCT FAI RTE 90	PARK	10	55	55	1.755	24	36	RMS	1078	161	580	7	17	10	9	26	69	69	.5
P084	0+0.000	JCT FAP 13	MAOISON	9	53	53	6.427	24	24	RMS	376	63	374	6	19	9	1	27	62	69	2.4
P047	5+0.988	JCT FORMER US 10	OEER LOOGE	9	31	42	.802	24	30	RMS	1451	203	398	5	16	8	20	22	71	69	.2
P013	27+0.156	10.8 S CAMERON	MAOISON	9	34	34	10.807	20	24	RMS	575	115	762	0	10	9	18	28	65	69	3.8
P006	13+0.530	2.2 E 8ULL RIVER	SANOERS	8	63	63	1.194	28	28	RMS	797	116	442	7	19	10	6	26	68	69	.4
P050	70+0.197	11.7 S FAP 84 85	GALLATIN	10	58	60	6.250	32	32	PMS	1998	313	643	8	25	10	7	23	73	69	1.7
P014	42+0.708	WHITE SULPHUR	MEAGHER	10	65	65	2.417	40	40	PMS	824	123	281	7	21	10	7	23	68	69	.8
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	6	51	57	3.833	30	30	PMS	1744	226	456	3	16	10	20	23	72	69	1.1
P004	33+0.199	FROM8ERG	CAR8ON	11	54	54	.599	24	32	RMS	1950	253	828	3	15	10	20	25	73	69	.2
P028	53+0.726	8.7 N WYO 80RY	CAR8ON	11	65	65	6.274	28	28	PMS	433	97	437	7	18	10	1	27	63	69	2.3
P048	0+1.916	HAROIN	8IG HORN	11	76	76	.555	48	48	PMS	2043	286	872	9	28	10	1	25	73	69	.1
P018	18+0.057	2.0 S ROSE8UO CO	CUSTER	12	28	35	2.023	20	24	8ST	237	30	655	0	9	8	13	29	59	69	.8
P023	108+0.475	HAMMONO	CARTER	12	55	73	11.000	28	28	PMS	478	69	486	0	13	10	13	28	64	69	4.0
P027	35+0.755	8AKER	FALLON	12	57	60	8.648	28	28	RMS	644	83	492	0	10	10	19	27	66	69	2.9
P001	177+0.633	19.1 W GLACIER CO	FLATHEAO	1	69	69	2.884	34	34	PMS	1257	175	514	9	24	10	3	25	71	70	.8
P083	65+0.165	17.7 N LAKE CO.	LAKE	1	58	63	12.634	24	24	RMS	592	104	196	8	30	6	1	22	67	70	4.2
P001	247+0.019	7.7 W OF CUT 8ANK	GLACIER	2	27	76	4.950	24	24	PMS	1208	181	574	8	28	7	3	25	71	70	1.4
P042	1+0.983	MCCONE CO	MCCONE	4	60	64	6.310	24	40	8ST	114	18	411	0	11	10	4	29	54	70	2.9

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P001	661+0.539	5.6 W N O LINE	ROOSEVELT	3	55	62	5.605	32	32	PMS	904	122	396	6	16	10	12	25	69	70	1.7
P009	12+0.412	12.4 N FAI 15	LEWIS AND CLARK	7	63	63	7.749	32	32	PMS	243	38	352	2	15	10	5	28	60	70	3.1
P008	87+0.738	TOSTON APPR RO	BROADWATER	7	50	51	11.260	24	26	RMS	1502	195	507	4	14	10	20	24	72	70	3.2
P050	7+0.330	7.2 N WEST YELL	GALLATIN	10	64	64	1.047	34	34	PMS	1481	325	629	6	14	10	20	22	72	70	.3
P056	8+0.170	8.1 N FAP RTE 6	SANDERS	8	63	63	8.370	28	28	PMS	281	42	318	6	17	8	2	28	61	70	3.3
P050	16+0.625	8.3 N FAP RTE 87	GALLATIN	10	63	63	14.593	32	32	PMS	1014	159	569	5	17	10	12	26	70	70	4.4
P060	28+0.700	CASCADE CO	CASCADE	6	59	63	7.208	26	26	PMS	272	40	214	6	17	10	1	27	61	70	2.8
P057	5+0.301	5.3 E FAP 60	CASCADE	6	61	61	1.769	32	32	PMS	1548	184	362	4	17	10	20	22	73	70	.5
P046	64+0.920	WISE RIVER	BEAVERHEAD	9	70	70	.398	44	44	PMS	474	71	522	8	18	10	1	28	65	70	.1
P014	55+0.917	10.8 E FAP 60	MEAGHER	10	56	58	7.271	28	28	PMS	286	37	289	3	16	10	4	28	61	70	2.8
P028	45+0.000	MONT WYO BORY	CARBON	11	65	65	2.331	28	28	PMS	433	97	658	6	17	10	3	28	64	70	.8
P011	10+0.864	10.7 N GARDINER	PARK	10	69	69	5.766	32	32	BST	838	180	546	8	24	10	2	25	69	70	1.8
P002	89+0.046	5.1 E BAKER	FALLON	12	68	68	6.442	40	40	PMS	571	74	552	2	15	10	11	28	66	70	2.2
P057	306+0.463	2 MI E LINDSAY	DAWSON	4	67	67	10.240	40	40	PMS	887	115	296	7	23	10	6	24	70	71	3.1
P001	213+0.173	3.9 E EAST GLAC	GLACIER	2	77	77	5.712	48	48	PMS	1297	181	258	8	30	10	6	19	73	71	1.5
P001	421+0.341	3.4 W HARLEM	BLAINE	2	39	62	2.572	26	31	RMS	1615	209	612	6	16	10	17	25	74	71	.7
P001	332+0.615	HILL CO	HILL	2	71	71	9.281	40	40	PMS	1080	140	244	9	27	10	4	21	71	71	2.7
P001	280+0.100	SHELBY	TOOLE	2	54	59	11.649	32	32	PMS	943	122	569	0	15	10	19	27	71	71	3.4
P061	83+0.411	4.6 S PHILLIPS CO	FERGUS	5	60	60	4.583	28	28	PMS	390	65	584	0	7	10	20	28	65	71	1.6
P001	515+0.618	14.2 E VALLEY CO	VALLEY	3	50	55	5.795	24	27	PMS	1049	141	567	4	17	10	14	26	71	71	1.7
P031	16+0.960	JCT AIRBASE ROAD	VALLEY	3	64	64	8.673	30	30	PMS	328	49	414	4	16	10	6	28	64	71	3.1
P004	0+0.000	WYOMING LINE	CARBON	11	49	49	.516	24	30	RMS	918	119	648	8	21	10	5	27	71	71	.1
P053	46+0.272	LAVINA	GOLDEN VALLEY	11	56	56	.418	30	30	BST	968	125	535	2	13	10	20	26	71	71	.1
P004	13+0.435	13.4 N WYO LINE	CARBON	11	59	59	5.773	32	32	PMS	996	129	599	0	14	10	20	27	71	71	1.7
P019	63+0.222	0.6 S DRUMMOND	GRANITE	8	66	66	.449	32	32	PMS	860	124	720	8	24	10	1	27	70	71	.1
P093	21+0.095	11.4 W FAP RTE 7	MISSOULA	8	64	78	11.465	30	30	PMS	2202	352	604	9	28	10	7	21	75	71	2.9
P003	15+0.375	7.3 N FAP 24	CASCADE	6	42	42	1.479	24	30	RMS	847	110	600	4	16	8	15	27	70	71	.4
P003	16+0.870	8.8 N FAP 24	CASCADE	6	62	62	1.232	35	35	BST	847	110	616	4	17	10	12	27	70	71	.4
P013	24+0.369	13.3 S CAMERON	MADISON	9	34	34	2.648	20	24	RMS	340	68	792	0	8	7	20	29	64	71	1.0
P008	57+0.136	1.1 E BROADWATER	BROADWATER	7	72	72	8.302	34	34	PMS	2154	280	504	7	23	10	13	22	75	71	2.1
P029	10+0.756	2.3 E VIRGINIA CTY	MADISON	9	56	56	2.337	28	28	PMS	531	111	324	4	16	10	12	25	67	71	.8
P080	50+0.880	FERGUS-J BASIN CO	JUDITH BASIN	6	53	53	8.418	24	24	RMS	294	44	469	6	17	9	2	29	63	71	3.1
P021	0+0.000	115 S CONRAD	PONDERA	6	73	73	.825	40	40	PMS	1017	132	662	7	26	10	1	27	71	71	.2
P063	22+0.221	JUDITH BASIN CO	JUDITH BASIN	6	47	73	.678	24	24	PMS	1179	153	450	3	14	10	20	25	72	71	.2
P080	59+0.331	6.7 N STANFORD	JUDITH BASIN	6	53	53	6.712	24	24	RMS	387	58	469	7	17	10	3	28	65	71	2.3
P018	2+0.123	1.1 N MILES CITY	CUSTER	12	64	64	10.937	32	32	PMS	355	46	580	4	14	10	7	29	64	71	3.9
P023	101+0.585	CARTER CO	CARTER	12	54	54	6.878	24	28	RMS	473	68	462	2	11	10	15	28	66	71	2.3
P001	466+0.722	12.1 E DODSON	PHILLIPS	3	53	53	4.948	24	30	RMS	1363	177	554	2	17	10	20	25	74	72	1.3
P033	54+0.527	0.7 N RES BR	LINCOLN	1	71	71	10.394	34	34	PMS	657	85	365	7	24	10	1	27	69	72	3.2
P061	110+0.333	8.1 N FAP RTE 66	PHILLIPS	3	57	59	7.800	24	29	PMS	263	44	353	0	13	10	12	28	63	72	2.9
P061	93+0.534	5.6 N PHILLIPS CO	PHILLIPS	3	60	60	8.793	28	28	PMS	379	63	732	0	7	10	20	29	66	72	3.0
P001	348+0.215	HINGHAM	HILL	2	60	60	6.381	32	32	PMS	1006	130	621	8	21	10	6	27	72	72	1.8
P010	104+0.366	6.9 S FAP 1	HILL	2	67	67	5.125	40	40	PMS	2022	262	526	7	19	10	17	23	76	72	1.2
P003	103+0.350	7.1 S FAP RTE 1	GLACIER	2	60	60	7.233	32	32	RMS	664	160	485	4	17	10	14	25	70	72	2.2
P001	256+0.020	CUT BANK	GLACIER	2	67	67	6.809	40	40	PMS	1410	211	580	5	20	10	14	25	74	72	1.8
P027	73+0.386	5.7 S WIBAUX	WIBAUX	4	65	65	5.731	28	28	PMS	846	109	480	8	21	10	5	27	71	72	1.7
P014	73+0.390	3.8 W WHEATLAND CO	MEAGHER	10	36	63	1.779	22	24	RMS	292	37	646	0	10	7	18	29	64	72	.6
P093	6+0.837	6.8 E IDAHO LINE	MISSOULA	8	64	79	9.654	30	30	PMS	967	154	270	10	30	10	1	21	72	72	2.7
P041	27+0.495	JCT FAS 271	POWELL	8	57	72	5.017	24	24	PMS	422	70	301	7	20	10	2	27	66	72	1.7
P046	41+0.858	DEER LODGE CO LINE	DEER LODGE	9	61	61	9.356	26	28	PMS	131	19	312	4	14	9	2	29	58	72	3.9
P008	108+0.854	1.0 S FAI 90	BROADWATER	7	68	68	.321	44	44	RMS	618	80	128	10	27	10	1	21	69	72	.1
P004	54+0.307	JCT FAI 90	YELLOWSTONE	11	64	64	.109	68	68	PMS	7750	1007	3400	6	19	10	20	26	81	72	
P087	10+0.026	3.3 E MADISON CO	GALLATIN	10	67	67	10.223	30	30	PMS	475	102	434	5	20	10	6	26	67	72	3.4
P087	6+0.719	MADISON-GALLATIN	GALLATIN	10	67	67	3.316	30	30	PMS	441	95	235	7	25	10	1	24	67	72	1.1
P060	25+0.339	3.3 S CASCADE CO	MEAGHER	10	59	63	3.335	26	26	PMS	233	34	402	5	17	10	1	29	62	72	1.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	ST	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P051	9+0.094	0.8 E DAWSON CO	DAWSON	4	59	59	9.669	28	28	PMS	249	34	371	0	13	10	12	29	64	73	3.5
P027	54+0.746	WIBAUX CO	WIBAUX	4	65	65	11.265	28	28	PMS	418	54	486	7	19	10	3	28	67	73	3.7
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1638	221	616	6	23	10	12	25	76	73	.4
P001	648+0.067	3.0 E CULBERTSON	ROOSEVELT	3	61	61	8.291	32	32	PMS	1000	135	680	3	13	10	20	27	73	73	2.2
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	3	63	63	11.140	32	32	PMS	924	138	662	6	18	10	12	27	73	73	3.0
P008	27+0.627	LEWIS & CLARK CO	LEWIS AND CLARK	7	77	77	2.263	56	56	PMS	1595	207	1248	8	27	10	3	28	76	73	.5
P050	0+0.554	WEST YELLOWSTONE	GALLATIN	10	68	68	7.129	40	40	PMS	1668	366	569	7	19	10	20	20	76	73	1.7
P060	9+0.718	9.5 N FAP 14	MEAGHER	10	59	63	7.386	26	26	PMS	336	50	333	6	18	10	4	28	66	73	2.5
P016	38+0.172	8.0 MI S KLEIN	MUSSELSHELL	11	65	65	8.038	32	32	PMS	1237	160	720	6	23	10	8	27	74	73	2.1
PD46	76+0.492	0.6 W DIVIDE	SILVER BOW	9	34	76	.490	32	32	PMS	478	71	683	5	15	10	10	28	68	73	.2
P057	17+0.931	7.5 E FAS 427	JUDITH BASIN	6	64	64	3.967	32	32	PMS	1544	183	471	7	18	10	16	24	75	73	1.0
P019	62+0.597	1.0 S DRUMMOND	GRANITE	8	66	66	.628	40	40	PMS	931	134	240	9	26	10	6	22	73	73	.2
P093	0+0.000	MONT-IDAHO LINE	MISSOULA	8	64	79	6.815	30	30	PMS	872	139	355	9	30	8	1	24	72	73	1.9
P023	76+0.303	JCT FAP RTE 37	POWDER RIVER	12	69	69	1.530	28	28	PMS	1262	182	276	8	26	10	10	20	74	73	.4
P022	63+0.803	MEDICINE LAKE	SHERIDAN	3	63	63	.265	32	32	PMS	882	132	963	7	23	10	5	28	73	74	.1
P061	102+0.308	JCT FAP RTE 66	PHILLIPS	3	57	59	8.062	24	29	PMS	293	49	531	0	14	10	13	29	66	74	2.7
P032	60+0.935	9.2 N SCOBEY	DANIELS	3	45	68	4.884	24	24	RMS	143	20	333	4	16	10	2	29	61	74	1.9
P057	64+0.958	JCT FAP RTE 63	FERGUS	5	71	71	2.016	32	32	PMS	1813	215	546	8	25	10	10	24	77	74	.5
P062	3+0.941	RICHLAND CO	RICHLAND	4	78	78	4.895	40	40	PMS	763	114	190	8	28	10	5	21	72	74	1.4
P043	29+0.037	FERGUS	FERGUS	5	63	63	6.226	28	30	PMS	360	46	600	5	18	10	6	29	68	74	2.0
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	2	50	63	1.203	24	30	RMS	1180	188	530	4	16	10	20	25	75	74	.3
P080	67+0.052	STANFORD	JUDITH BASIN	6	27	27	.122	24	26	BST	861	130	728	6	17	3	20	27	73	74	
PD59	20+0.487	5.1 N CLYDE PARK	PARK	10	73	73	4.228	32	32	PMS	608	91	643	7	23	10	3	28	71	74	1.2
P059	2+0.267	1.8 N FAI 90	PARK	10	41	41	2.293	20	24	RMS	925	138	453	3	17	9	20	25	74	74	.6
P087	20+0.240	2.1 W JCT FAP 50	GALLATIN	10	67	67	2.194	30	30	PMS	492	106	697	7	22	10	3	28	70	74	.7
P014	100+0.898	JCT FAP RTE 63	WHEATLAND	10	65	65	7.126	40	40	PMS	1062	138	599	7	20	10	10	27	74	74	1.9
P004	23+0.235	1.5 S FAP 72	CARBON	11	72	72	1.501	40	40	PMS	1530	198	266	7	25	10	15	19	76	74	.4
P048	11+0.644	11.0 N HARDIN	BIG HORN	11	54	54	6.665	24	24	RMS	285	39	494	4	17	10	6	29	66	74	2.3
P079	0+0.000	JCT FAI 94 HYSHAM	TREASURE	11	64	64	1.953	30	30	PMS	476	61	626	5	22	10	3	29	69	74	.6
P002	6+0.197	1 94 E MILES CITY	CUSTER	12	62	62	.688	32	32	PMS	747	97	235	6	18	10	14	24	72	74	.2
P058	44+0.488	4.7 N BASS	GLACIER	2	56	56	5.856	22	22	RMS	457	89	420	3	13	10	17	27	70	75	1.8
P001	291+0.748	6.8 E FAS 417	TOOLE	2	56	59	8.023	32	32	PMS	798	103	599	0	17	10	20	27	74	75	2.1
P010	89+0.606	0.2 N HILL CO	HILL	2	70	70	1.319	32	32	PMS	1076	139	585	7	23	10	9	26	75	75	.3
P001	263+0.107	0.3 E TOOLE CO	TOOLE	2	65	65	7.491	32	32	PMS	1171	175	720	7	21	10	12	26	76	75	1.8
P043	3+0.018	2.4 N LEWISTOWN	FERGUS	5	50	79	6.473	25	28	PMS	1549	201	424	9	30	10	5	23	77	75	1.5
P081	13+0.840	DENTON	FERGUS	5	73	73	12.883	24	24	PMS	307	47	353	6	23	10	1	28	68	75	4.1
P027	66+0.022	10.3 N FAS 413	WIBAUX	4	65	65	5.304	28	28	PMS	511	66	504	8	22	10	3	28	71	75	1.5
P027	71+0.318	7.9 S WIBAUX	WIBAUX	4	65	65	2.083	28	28	PMS	514	66	312	8	24	10	2	27	71	75	.6
P031	32+0.480	15.5 N AIRBASE RD	VALLEY	3	54	54	6.850	24	24	PMS	266	40	301	4	17	10	7	28	66	75	2.3
P001	554+0.658	0.5 W NASHUA	VALLEY	3	56	70	.526	32	32	PMS	1378	186	544	7	24	10	11	25	77	75	.1
P004	19+0.206	6.5 S BRIDGER	CARBON	11	72	72	4.035	40	40	PMS	1281	166	448	3	19	10	20	24	76	75	1.0
P014	88+0.034	11.2 W HARLOWTON	WHEATLAND	10	66	66	4.784	40	40	PMS	515	66	552	7	18	10	8	28	71	75	1.4
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	7	63	63	.726	32	32	PMS	321	51	324	7	18	10	5	28	68	75	.2
P014	0+0.886	TOWNSEND	BROADWATER	7	64	64	1.514	32	32	PMS	1165	174	569	9	22	10	10	25	76	75	.4
P011	19+0.339	0.4 S FAS 540	PARK	10	61	61	11.618	32	32	PMS	1175	252	748	8	25	10	8	25	76	75	2.8
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	11	56	56	2.851	24	28	RMS	386	50	301	0	12	9	20	28	69	75	.9
P003	84+0.363	JCT FAP 44	PONDERA	6	66	66	4.863	34	34	PMS	707	170	640	8	24	10	5	26	73	75	1.3
P002	34+0.095	2.6 E LOCATE	CUSTER	12	65	65	11.760	40	40	PMS	468	60	500	5	17	10	10	28	70	75	3.5
P051	18+0.776	10.5 E DAWSON CO	DAWSON	4	59	59	8.456	28	28	PMS	253	35	342	0	15	10	14	28	67	76	2.8
P057	316+0.709	12.0 E FAS 470	DAWSON	4	61	61	8.025	32	32	PMS	946	122	666	4	19	10	16	27	76	76	1.9
P080	49+0.826	JCT FAP RTE 81	FERGUS	5	53	53	1.024	24	24	RMS	200	30	494	6	17	9	5	29	66	76	.3
P066	23+0.241	12.6 N PHILLIPS CO	BLAINE	2	59	59	14.057	28	28	PMS	488	78	353	4	18	10	13	27	72	76	3.9
P003	95+0.089	5.9 N GLACIER CO	GLACIER	2	66	66	5.926	34	34	PMS	726	174	504	8	25	10	6	25	74	76	1.5
P055	2+0.123	MADISON-SILVER BOW	SILVER BOW	9	53	53	.288	24	24	RMS	822	135	348	6	17	8	20	24	75	76	.1
P014	124+0.946	2.4 E GOLD VAL CO	GOLDEN VALLEY	11	56	71	4.540	28	28	PMS	914	118	558	3	16	10	20	27	76	76	1.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P008	55+0.996	BROADWATER CO	BROADWATER	7	69	69	1.139	40	40	PMS	2154	280	320	8	25	10	20	17	80	76	.2
P011	30+0.977	JCT COUNTY ROAD	PARK	10	61	61	9.708	32	32	PMS	1358	291	748	8	24	10	12	24	78	76	2.1
P087	1+0.460	1.3 E FAP 13	MADISON	9	72	72	1.586	30	30	PMS	391	84	434	7	25	10	1	27	70	76	.5
P045	7+0.339	6.7 N BIG TIMBER	SWEET GRASS	10	69	69	.695	30	30	RMS	448	58	486	7	23	10	3	28	71	76	.2
P018	73+0.587	14.7 N COHAGEN	GARFIELD	5	58	65	9.391	28	28	PMS	295	38	427	6	20	10	5	29	70	77	2.8
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4	56	64	5.463	24	34	BST	102	16	482	0	15	10	6	30	61	77	2.1
P061	130+0.356	25.0 S FAS RTE 363	PHILLIPS	3	42	42	6.399	20	24	RMS	263	44	400	0	13	8	20	28	69	77	2.0
P025	46+1.002	JCT FAP 32	ROOSEVELT	3	78	78	5.381	40	40	PMS	1134	147	720	8	30	10	3	27	78	77	1.2
P001	489+0.049	9.9 W SACO	PHILLIPS	3	67	67	9.965	40	40	PMS	1221	164	616	5	17	10	20	26	78	77	2.2
P044	0+0.000	JCT FAP 3	PONDERA	6	54	54	2.760	24	24	RMS	408	57	534	3	14	7	20	28	72	77	.8
P080	5+0.120	2.7 S FORT BENTON	CHOUTEAU	6	56	78	9.572	24	24	PMS	397	59	331	9	28	7	1	27	72	77	2.7
P080	45+0.606	0.5 N FERGUS CO	CHOUTEAU	6	62	62	.497	24	24	PMS	164	24	805	0	10	5	20	30	65	77	.2
P001	457+0.675	3.1 E DODSON	PHILLIPS	3	63	78	9.025	30	30	PMS	1190	154	604	8	28	10	6	26	78	77	2.0
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	8	63	63	2.361	28	28	RMS	705	102	275	5	17	9	20	24	75	77	.6
P035	7+0.680	MINERAL-SANDERS CO	SANDERS	8	65	69	3.803	30	30	PMS	590	97	410	9	26	10	3	26	74	77	1.0
P069	22+0.186	14.8 S BOULDER	JEFFERSON	7	57	71	6.000	24	24	PMS	442	66	512	7	22	10	5	28	72	77	1.7
P088	0+0.415	JCT FAP 8	POWELL	8	79	79	1.007	50	50	PMS	1010	131	535	10	30	10	1	26	77	77	.2
P016	29+0.682	4.5 N MUSSELSH CO	MUSSELSHELL	11	66	66	8.466	32	32	PMS	1162	151	548	7	24	10	11	26	78	77	1.9
P014	242+0.413	AHLES	ROSEBUD	12	50	63	9.949	20	24	RMS	230	36	354	0	14	9	17	28	68	77	3.2
P057	57+0.839	3.4 E MOCCASIN	JUDITH BASIN	6	71	71	6.520	32	32	PMS	2223	264	585	8	25	10	16	23	82	78	1.2
P051	3+0.340	3.3 E FAP RTE 57	MCCONE	4	60	61	5.001	30	30	PMS	289	40	414	4	17	10	11	29	71	78	1.5
P033	14+0.002	13.3 N LIBBY	LINCOLN	1	74	74	3.652	34	34	PMS	287	37	266	8	24	10	1	28	71	78	1.1
P001	564+0.858	8.8 E NASHUA	VALLEY	3	61	61	6.923	32	32	PMS	1146	154	720	7	26	10	9	27	79	78	1.5
P001	481+0.373	9.0 E MALTA	PHILLIPS	3	67	67	7.671	40	40	PMS	1242	161	304	7	21	10	19	22	79	78	1.6
P031	39+0.360	11.0 S OPHEIM	VALLEY	3	52	71	11.080	24	24	RMS	287	43	332	8	24	10	1	28	71	78	3.2
P031	2+0.075	0.6 N FAP 1	VALLEY	3	65	65	14.871	32	32	PMS	874	131	616	5	18	10	17	27	77	78	3.4
P032	51+0.736	SCOBEY	DANIELS	3	58	68	9.191	24	26	PMS	297	41	456	8	22	10	2	29	71	78	2.7
P043	35+0.280	ROY	FERGUS	5	62	62	7.565	30	30	PMS	322	41	600	3	17	10	12	29	71	78	2.2
P022	0+0.523	SCOBEY	DANIELS	3	65	65	7.070	32	32	PMS	616	92	722	6	18	10	13	28	75	78	1.8
P069	6+0.106	JCT FAS RTE 359	JEFFERSON	7	70	70	3.920	32	32	PMS	512	76	406	2	15	10	20	27	74	78	1.0
P060	0+0.000	JCT FAP RTE 14	MEAGHER	10	55	69	9.550	28	28	PMS	438	65	436	8	23	10	4	28	73	78	2.6
P072	5+0.118	5.1 N WYO-MONT	CARBON	11	70	70	.486	30	30	PMS	521	83	402	6	21	10	10	27	74	78	.1
P078	25+0.103	CARBON-STILLWATER	STILLWATER	11	60	60	2.309	24	24	PMS	331	54	348	8	26	9	1	28	72	78	.6
P014	116+0.456	6.1 W GOLD VAL	WHEATLAND	10	67	67	6.108	40	40	PMS	887	115	281	8	24	10	11	24	77	78	1.4
P046	75+0.066	SILVER BOW CO LINE	SILVER BOW	9	68	68	1.422	34	34	PMS	478	71	529	8	25	10	3	28	74	78	.4
P037	95+0.715	EPSIE	POWDER RIVER	12	60	69	7.908	28	28	PMS	617	83	472	7	25	10	7	27	76	78	1.9
P014	207+0.150	ROSEBUD CO	ROSEBUD	12	46	57	5.287	20	24	RMS	322	51	368	6	24	10	3	28	71	78	1.5
P001	307+0.040	LIBERTY CO	LIBERTY	2	57	62	.983	32	32	PMS	762	99	629	4	16	10	20	28	78	79	.2
P043	25+0.294	10.5 N FAS 236	FERGUS	5	63	63	3.737	28	30	PMS	355	46	442	5	19	10	11	28	73	79	1.0
P081	0+0.000	JCT FAP RTE 80	FERGUS	5	59	59	12.943	24	24	PMS	223	34	386	7	22	10	2	29	70	79	3.9
P020	6+0.133	4.4 N GLENDIVE	DAWSON	4	67	67	6.856	40	40	PMS	1530	198	643	7	22	10	17	25	81	79	1.3
P080	39+0.544	1.5 S SQUARE BUTTE	CHOUTEAU	6	64	64	6.073	28	28	PMS	181	27	377	0	16	10	13	29	68	79	1.9
P010	29+0.728	13.5 N CHOUTEAU CO	CHOUTEAU	6	64	64	9.834	32	32	PMS	1952	253	585	7	21	10	20	24	82	79	1.8
P016	21+0.519	3.5 S MUSSEL CO	YELLOWSTONE	11	68	68	1.739	40	40	PMS	1114	144	403	7	21	10	17	25	80	79	.3
P049	16+0.192	2.5 E MADISON CO	MADISON	9	53	79	10.659	26	26	PMS	1123	145	478	7	28	10	10	25	80	79	2.1
P046	26+0.350	WISDOM	BEAVERHEAD	9	65	65	5.256	28	28	PMS	161	24	531	7	17	10	4	29	67	79	1.7
P046	36+0.881	4.9 W DEER LODGE CO	BEAVERHEAD	9	65	65	4.966	26	26	PMS	161	24	355	7	16	10	5	29	67	79	1.6
P014	2+0.399	JCT FAS RTE 284	BROADWATER	7	64	64	4.000	32	32	PMS	509	76	487	8	21	10	9	28	76	79	1.0
P036	16+0.265	0.1 SW FAS 382	SANDERS	8	63	63	2.732	28	28	PMS	763	114	558	5	16	10	20	27	78	79	.6
P014	45+0.138	JCT FAP RTE 60	MEAGHER	10	65	65	3.943	40	40	PMS	348	45	385	6	18	10	11	28	73	79	1.1
P050	10+0.485	2.4 N FAP RTE 87	GALLATIN	10	63	63	6.020	32	32	PMS	866	135	453	6	16	10	20	26	78	79	1.3
P035	3+0.381	3.3 N ST REGIS	MINERAL	8	72	72	4.299	30	30	PMS	562	92	453	8	25	10	6	27	76	79	1.0
P008	0+0.000	JCT FAI 90	POWELL	8	78	78	3.789	40	40	PMS	1544	200	252	10	30	10	13	18	81	79	.7
P019	38+0.582	.4 N PHILIPSBURG	GRANITE	8	60	60	9.701	32	32	PMS	466	67	428	5	16	10	16	28	75	79	2.4
P086	31+0.492	GALLATIN-PARK CO	PARK	10	63	63	6.738	28	28	PMS	174	26	534	4	16	10	9	29	68	79	2.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BY	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P014	270+0.888	FORSYTH SPUR	ROSEBUD	12	77	77	.332	28	28	PMS	1797	233	349	8	24	10	20	20	82	79	.1
P057	287+0.710	7.0 E FAP 51	MCCONE	4	64	64	2.137	32	32	PMS	706	91	403	6	21	10	14	27	78	80	.5
P020	28+0.894	5.8 N RICHLAND CO	RICHLAND	4	75	75	2.598	40	40	PMS	1656	215	296	9	27	10	17	19	82	80	.5
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4	63	64	11.418	24	42	BST	104	16	482	0	12	10	13	30	65	80	4.0
P033	53+0.851	RESERV BR APPR	LINCOLN	1	71	71	.676	34	34	PMS	294	38	138	9	27	10	1	26	73	80	.2
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	1254	175	482	6	20	10	20	25	81	80	1.2
P001	32+0.748	LIBBY	LINCOLN	1	71	76	.561	68	68	PMS	6120	734	1800	8	24	10	20	24	86	80	.1
P011	1+0.365	1.3 N GARDINER	PARK	10	71	71	4.308	34	34	PMS	824	177	511	7	25	10	12	25	79	80	.9
P035	12+0.947	8.4 SW FAP 6	SANDERS	8	65	69	3.151	30	30	PMS	572	94	550	10	28	10	2	27	77	80	.7
P006	102+0.193	6.6 E PERMA	SANDERS	8	69	69	.754	32	32	PMS	979	145	694	6	22	10	15	27	80	80	.2
P028	60+0.000	8.7 S RED LODGE	CARBON	11	69	69	4.227	34	34	PMS	489	110	447	8	23	10	9	26	76	80	1.0
P014	122+0.568	GOLDEN VALLEY CO	GOLDEN VALLEY	11	67	67	2.375	40	40	PMS	890	115	296	7	23	10	16	24	80	80	.5
P037	84+0.754	2.1 E FOR BORY	POWDER RIVER	12	58	69	10.979	28	28	PMS	506	68	536	5	18	10	16	28	77	80	2.5
P033	9+0.560	8.9 N LIBBY	LINCOLN	1	67	67	4.431	34	34	PMS	406	52	640	8	27	10	3	29	77	81	1.0
P057	112+0.981	JCT FAP RTE 61	FERGUS	5	40	55	8.722	24	32	RMS	397	60	520	8	30	9	1	28	76	81	2.1
P060	60+0.343	10.7 N MONARCH	CASCADE	6	69	69	1.923	48	48	PMS	405	60	520	9	27	10	2	28	76	81	.5
P042	58+0.581	JCT FAP RTE 17	VALLEY	3	36	66	.600	30	36	RMS	531	84	748	8	26	10	6	28	78	81	.1
P001	446+0.310	PHILLIPS CO	PHILLIPS	3	73	73	7.398	40	40	PMS	948	123	599	5	19	10	20	27	81	81	1.4
P057	289+0.828	DAWSON CO	DAWSON	4	64	64	7.066	32	32	PMS	714	92	448	6	21	10	16	27	80	81	1.4
P001	262+0.815	TOOLE CO	TOOLE	2	67	67	.272	40	40	PMS	1074	161	680	5	20	10	20	26	81	81	.1
P066	37+0.321	12.7 S JCT FAP 1	BLAINE	2	59	59	12.714	28	28	PMS	522	83	377	4	17	10	20	27	78	81	2.8
P087	3+0.037	6.7 E FAP 13	MADISON	9	63	63	3.728	30	30	PMS	416	89	408	7	26	10	7	27	77	81	.9
P046	73+0.646	8.3 E WISE RIVER	BEAVERHEAD	9	68	68	1.323	34	34	PMS	478	71	515	7	23	10	9	28	77	81	.3
P070	1+0.506	SUPERIOR	MINERAL	8	31	52	.062	22	24	RMS	133	17	716	0	14	5	20	30	69	81	
P045	15+0.771	15.2 N BIG TIMBER	SWEET GRASS	10	48	78	7.041	24	24	PMS	255	33	349	7	26	10	1	29	73	81	1.9
P035	11+0.483	3.8 NE MINERAL CO	SANDERS	8	63	69	1.464	30	30	PMS	580	95	432	10	28	10	3	27	78	81	.3
P019	30+0.851	7.7 S PHILIPSBURG	GRANITE	8	57	76	7.703	32	32	PMS	641	92	504	8	26	10	8	27	79	81	1.6
P008	78+0.114	TOWNSEND	BROADWATER	7	39	78	9.674	30	32	PMS	1993	259	720	8	27	10	14	25	84	81	1.5
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	10	46	78	4.429	24	24	PMS	222	28	312	7	24	10	2	29	72	81	1.2
P064	0+0.000	JCT FAP RTE 50	GALLATIN	10	72	77	3.000	30	30	PMS	656	91	400	10	30	10	2	27	79	81	.6
P060	17+0.022	11.6 S CASCADE CO	MEAGHER	10	59	63	8.316	26	26	PMS	246	36	333	6	19	10	10	28	73	81	2.2
P014	265+0.114	12.6 E VANADA	ROSEBUD	12	57	75	5.387	32	32	PMS	604	96	546	10	27	10	5	27	79	81	1.1
P054	9+0.128	BIDDLE	POWDER RIVER	12	68	68	8.767	30	32	PMS	296	38	529	7	22	10	6	29	74	81	2.3
P057	330+0.191	GLENDIVE SPUR	DAWSON	4	60	60	.363	72	88	PMS	3236	388	1920	7	22	10	20	27	86	82	.1
P022	73+0.852	2.0 S ROOSEVELT CO	ROOSEVELT	3	71	71	1.992	32	32	PMS	922	138	619	8	24	10	13	27	82	82	.4
P061	21+0.885	PETROLEUM CO	PETROLEUM	5	63	63	4.713	30	30	PMS	767	99	485	6	18	10	20	27	81	82	.9
P010	84+0.818	4.8 N BIG SANDY	CHOUTEAU	6	70	70	1.223	32	32	PMS	1246	161	585	6	21	10	20	26	83	82	.2
P011	16+0.633	3.1 S FAS 540	PARK	10	61	61	2.712	32	32	PMS	865	185	748	8	24	10	14	26	82	82	.5
P014	92+0.813	6.5 W HARLOWTON	WHEATLAND	10	68	68	6.513	40	40	PMS	600	78	552	7	19	10	16	28	80	82	1.3
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	10	64	69	.217	32	32	PMS	2011	261	457	8	26	10	20	21	85	82	
P019	0+0.000	JCT FAI RTE 90	DEER LODGE	9	64	64	2.889	76	76	PMS	2074	269	2208	8	25	10	14	28	85	82	.4
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	9	60	63	9.393	28	28	PMS	161	24	353	7	20	10	5	29	71	82	2.7
P014	270+0.819	FORSYTH	ROSEBUD	12	77	77	.068	40	40	PMS	1589	252	230	10	30	10	20	14	84	82	
P039	13+0.279	9.5 SO COLSTRIP	ROSEBUD	12	58	78	.664	26	26	PMS	338	50	350	9	28	10	1	28	76	82	.2
P037	82+0.471	CUSTER FOR BORY	POWDER RIVER	12	67	67	2.271	28	28	PMS	373	50	371	4	15	10	20	28	77	82	.5
P008	30+0.041	2.2E LEW & CL CO	LEWIS AND CLARK	7	78	78	4.151	56	56	PMS	1639	213	2080	10	30	10	6	28	84	82	.7
P011	5+0.566	5.0 N GARDINER	PARK	10	69	69	5.149	34	34	PMS	790	169	596	8	24	10	13	26	81	82	1.0
P078	19+0.686	ROSCOE	CARBON	11	60	60	4.234	24	24	PMS	253	41	440	7	26	9	3	29	74	82	1.1
P043	14+0.838	JCT FAS RTE 236	FERGUS	5	63	63	10.463	28	30	PMS	347	45	414	3	17	10	20	28	78	83	2.3
P033	42+0.817	11.0 S RES BR APPR	LINCOLN	1	74	74	11.169	34	34	PMS	231	30	243	9	27	10	1	28	75	83	2.8
P033	17+0.654	LIBBY DAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	274	35	243	9	28	10	2	28	77	83	2.8
P001	611+0.926	POPLAR	ROOSEVELT	3	70	79	13.687	40	40	PMS	1566	203	320	10	30	10	15	20	85	83	2.1
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4	36	66	4.061	28	28	RMS	141	22	501	6	22	10	5	29	72	83	1.1
P031	25+0.657	8.6 N AIRBASE ROAD	VALLEY	3	55	55	6.846	24	24	PMS	281	42	353	4	16	9	20	28	77	83	1.6
P014	100+0.394	HARLOWTON	WHEATLAND	10	65	65	.504	40	40	PMS	1584	205	872	8	21	10	20	26	85	83	.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P009	0+0.000	JCT FAI 15	LEWIS AND CLARK	7	67	67	2.209	30	30	PMS	207	33	604	8	24	10	4	29	75	83	.6
P019	2+0.896	OPPORTUNITY	DEER LODGE	9	61	61	2.670	76	76	PMS	3280	426	2208	8	24	10	18	27	87	83	.3
P041	11+0.754	11.7 N FAP 8	POWELL	8	77	77	5.121	28	28	PMS	260	43	377	8	26	10	4	28	76	83	1.2
P008	25+0.582	I.9 W L & C CO	POWELL	8	73	73	1.668	56	56	PMS	1580	205	2080	8	27	10	11	29	85	83	.3
P061	7+0.094	6.0 N ROUNDUP	MUSSELSHELL	11	77	77	6.000	40	40	PMS	914	118	200	9	28	10	15	21	83	83	1.0
P057	280+0.776	JCT FAP RTE 51	MCCONE	4	66	66	6.934	32	32	PMS	719	93	621	6	22	10	17	28	83	84	1.2
P057	279+0.774	CIRCLE	MCCONE	4	66	66	1.035	32	32	PMS	1306	199	640	7	23	10	20	25	85	84	.2
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	252	32	266	9	28	10	2	28	77	84	2.9
P043	0+0.633	LEWISTOWN LIMITS	FERGUS	5	77	77	.748	48	48	PMS	2279	296	1495	8	27	10	15	27	87	84	.1
P042	0+0.000	JCT FAP RTE 57	GARFIELD	5	60	64	1.990	24	40	BST	119	19	662	0	11	10	20	30	71	84	.6
P001	341+0.907	0.3 E FAS RTE 432	HILL	2	60	60	5.813	32	32	PMS	1123	145	666	7	21	10	20	27	85	84	.9
P003	89+0.220	GLACIER CO	GLACIER	2	68	68	5.858	34	34	PMS	769	185	529	9	26	10	13	25	83	84	1.0
P001	428+0.518	JCT FAP 66	BLAINE	2	68	68	.553	40	40	PMS	1248	162	244	9	26	10	20	20	85	84	.1
P058	43+0.622	3.8 N BABB	GLACIER	2	61	61	.866	28	28	RMS	538	104	485	6	19	10	20	27	82	84	.2
P006	90+0.589	4.6 W PERMA	SANDERS	8	69	69	3.542	32	32	PMS	662	98	431	7	18	10	20	27	82	84	.6
P019	5+0.559	JCT FAP RTE 47	DEER LODGE	9	61	61	1.543	76	76	PMS	5110	664	2208	9	25	10	20	25	89	84	.2
P046	0+0.000	JCT FAP RTE 7	RAVALLI	8	60	63	.105	28	28	PMS	152	22	406	9	25	10	0	29	73	84	
P002	51+0.731	FALLON CO	FALLON	12	67	67	6.054	40	40	PMS	396	51	385	6	16	10	20	28	80	84	1.2
P037	79+0.284	15.0 E POWDER R CO	POWDER RIVER	12	67	67	3.193	28	28	PMS	339	45	387	5	16	10	20	28	79	84	.7
P008	107+0.894	JCT FAI 90	BROADWATER	7	52	52	.961	24	28	RMS	618	80	503	7	18	10	19	28	82	84	.2
P037	38+0.689	ROSEBUD CO	ROSEBUD	12	75	75	.873	40	40	PMS	1133	152	189	10	27	10	20	18	85	84	.1
P010	89+0.417	HILL CO	HILL	2	30	70	.189	30	30	RMS	1070	139	567	7	22	10	20	26	85	85	
P062	8+0.836	5.0 S RICHLAND CO	RICHLAND	4	70	70	3.328	34	34	PMS	749	112	360	7	22	10	20	25	84	85	.5
P051	0+0.000	JCT FAP RTE 57	MCCONE	4	60	61	3.326	30	30	PMS	357	49	600	6	19	10	17	29	81	85	.6
P057	330+0.776	0.5 W GLENDIVE	DAWSON	4	69	69	.405	24	24	PMS	1704	204	678	8	24	10	20	25	87	85	.1
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4	57	64	8.785	24	32	BST	102	16	482	0	12	10	20	30	72	85	2.5
P001	169+0.063	19.8 E WEST GLAC	FLATHEAD	1	75	75	2.107	32	32	PMS	1239	173	539	7	24	10	20	25	86	85	.3
P001	555+0.899	NASHUA	VALLEY	3	56	70	.095	32	32	PMS	1372	185	528	8	23	10	20	25	86	85	
P001	571+0.774	FRAZER	VALLEY	3	58	76	9.318	24	32	PMS	1339	180	720	6	24	10	20	26	86	85	1.3
P080	14+0.671	12.2 S FT BENTON	CHOUTEAU	6	62	62	9.506	30	30	PMS	393	59	367	6	17	10	20	28	81	85	1.8
P060	62+0.121	9.2 S FAP RTE 57	CASCADE	6	69	69	9.198	40	40	PMS	435	65	448	9	27	10	8	28	82	85	1.7
P010	40+0.641	JCT FAP 80	CHOUTEAU	6	74	74	10.901	32	32	PMS	1322	171	546	8	26	10	17	25	86	85	1.5
P039	4+0.230	NO CHEYENNE INO R	ROSEBUD	12	64	78	9.049	26	26	PMS	338	50	554	8	28	10	5	29	80	85	1.8
P002	45+0.879	5.9 W FALLON CO	CUSTER	12	67	67	5.873	40	40	PMS	461	59	362	6	18	10	20	28	82	85	1.1
P037	41+0.208	0.8 W LAME DEER	ROSEBUD	12	75	75	.872	48	48	PMS	1162	156	272	10	28	10	17	21	86	85	.1
P013	0+0.000	IDAHO LINE	MADISON	9	62	76	8.564	34	34	BST	174	34	478	7	26	10	4	29	76	85	2.1
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	11	74	74	.302	34	34	PMS	307	42	399	10	30	10	2	28	80	85	.1
P046	58+0.032	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.832	30	33	PMS	234	35	535	4	15	10	20	29	78	85	.2
P037	27+0.205	2.7 E BUSBY	BIG HORN	11	76	76	5.843	40	40	PMS	1130	152	320	7	27	10	19	23	86	85	.8
P080	29+0.129	GERALDINE	CHOUTEAU	6	64	64	5.317	28	28	PMS	240	36	600	5	21	10	15	29	80	86	1.1
P042	56+0.288	VALLEY CO	VALLEY	3	36	66	2.293	30	36	RMS	188	30	774	8	26	10	5	29	78	86	.5
P057	161+0.577	3.1 E GARFIELD CO	GARFIELD	5	68	68	9.598	36	36	PMS	292	44	476	4	18	10	20	29	81	86	1.8
P031	1+0.443	JCT FAP 1	VALLEY	3	62	62	.642	32	32	PMS	785	118	672	7	21	10	20	27	85	86	.1
P031	50+0.833	DPHELM	VALLEY	3	57	66	10.022	28	28	PMS	74	11	448	7	19	8	6	30	70	86	3.0
P002	57+0.772	JCT. FAS RTE. 320	FALLON	12	58	72	12.362	32	32	PMS	392	50	520	6	21	10	16	29	82	86	2.2
P006	95+0.631	PERMA	SANDERS	8	57	76	3.633	30	30	PMS	948	141	432	7	26	8	20	25	86	86	.5
P013	93+0.067	0.3 W FAP 8	BROADWATER	7	68	68	.296	40	40	RMS	575	74	103	9	26	10	20	19	84	86	
P068	1+0.259	CASCADE	CASCADE	6	63	63	.235	30	30	PMS	979	146	317	9	25	10	20	23	87	87	
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4	62	71	12.052	30	30	PMS	102	16	434	3	19	10	13	29	74	87	3.1
P051	49+0.250	LAMBERT	RICHLAND	4	56	77	10.645	24	28	PMS	423	59	436	8	28	10	10	28	84	87	1.7
P008	46+0.471	HELENA	LEWIS AND CLARK	7	78	78	2.077	88	88	PMS	9116	1093	2112	10	30	10	20	22	92	87	.2
P080	24+0.255	3.9 N GERALDINE	CHOUTEAU	6	64	64	3.984	30	30	PMS	422	63	522	6	20	10	20	28	84	87	.6
P021	4+0.995	CONRAD	PONDERA	6	73	73	.178	40	40	PMS	1428	185	326	9	28	10	20	21	88	87	
P057	180+0.288	SAND SPRINGS	GARFIELD	5	73	73	11.848	32	32	PMS	320	48	448	6	21	10	18	28	83	87	2.0
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	3	79	79	3.704	32	32	PMS	323	45	565	10	30	10	3	29	82	87	.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	10	70	70	5.994	32	32	PMS	354	46	569	7	17	10	20	29	83	87	1.0
P027	44+0.455	8.6 N BAKER	FALLON	12	58	78	10.261	28	28	PMS	368	47	368	9	27	10	9	28	83	87	1.7
P078	47+0.250	COLUMBUS	STILLWATER	11	72	72	.433	44	44	PMS	1243	161	795	7	24	10	20	27	88	87	.1
P048	18+0.321	4.4 S YELLOWSTONE	BIG HORN	11	63	63	4.388	28	28	PMS	225	31	353	9	27	10	6	29	81	87	.8
P047	6+0.790	WARM SPRINGS	DEER LODGE	9	78	78	.063	48	48	PMS	386	115	103	10	30	10	20	13	83	87	
P004	24+0.737	JCT FAP 72	CARBON	11	72	72	.940	40	40	PMS	2701	351	828	9	27	10	20	24	90	87	.1
P057	64+0.442	FERGUS CO	FERGUS	5	71	71	.516	32	32	PMS	2137	254	546	9	28	10	20	23	90	88	.1
P057	241+0.447	2.5 E FAS 462	GARFIELD	5	68	68	1.022	36	36	RMS	324	49	405	7	19	10	20	28	84	88	.2
P001	414+0.015	1.0 E ZURICH	BLAINE	2	56	73	7.314	32	32	PMS	1671	217	666	8	27	10	20	25	90	88	.7
P080	34+0.440	5.3 S GERALDINE	CHOUTEAU	6	65	65	5.097	28	28	PMS	212	32	586	4	19	10	20	29	82	88	.9
P046	4+0.107	2.9 E IDAHO LINE	BEAVERHEAD	9	60	63	3.674	28	28	PMS	155	23	442	5	15	10	20	29	79	88	.8
P046	16+0.966	9.2 W WISDOM	BEAVERHEAD	9	62	62	9.226	30	30	PMS	178	26	554	5	17	10	20	29	81	88	1.8
P002	13+0.171	7.0 E JCT FAI 94	CUSTER	12	70	70	7.734	34	34	PMS	550	71	448	7	21	10	20	28	86	88	1.1
P023	14+0.655	12.4 S FAI RTE 94	CUSTER	12	62	76	13.187	28	28	PMS	526	76	522	8	27	10	13	28	86	88	1.8
P003	83+0.648	8.4 N DUPUYER	PONDERA	6	66	66	.713	34	34	PMS	387	93	544	9	26	10	14	27	86	89	.1
P051	27+0.527	RICHEY	DAWSON	4	58	77	5.039	24	32	PMS	214	29	592	8	30	10	6	29	83	89	.9
P057	296+0.860	7.1 E DAWSON CO	DAWSON	4	76	76	9.622	32	32	PMS	769	99	666	7	27	10	17	28	89	89	1.1
P039	13+0.943	8.8 SO COLSTRIP	ROSEBUD	12	58	77	7.467	26	26	PMS	338	50	525	9	30	10	7	29	85	89	1.1
P059	24+0.884	JCT FAP RTE 86	PARK	10	73	73	4.765	32	32	PMS	273	40	666	7	22	10	16	29	84	89	.8
P040	0+0.000	JCT FAI 94	PRAIRIE	4	72	72	.116	40	40	PMS	1065	138	326	9	27	10	20	24	90	90	
P018	63+0.374	4.4 N COHAGEN	GARFIELD	5	67	67	10.222	30	30	PMS	243	31	663	7	19	10	20	29	85	90	1.5
P022	75+0.881	FROID	ROOSEVELT	3	71	71	5.469	32	32	PMS	799	119	592	9	24	10	20	27	90	90	.5
P009	1+0.951	1.9 N FAI 15	LEWIS AND CLARK	7	59	59	10.453	32	32	PMS	211	33	324	6	20	10	20	28	84	90	1.7
P037	39+0.577	0.8 E ROSEBUD CO	ROSEBUD	12	75	75	1.113	48	48	PMS	1133	152	272	9	30	10	20	22	91	90	.1
P013	16+0.388	7.7 N FAP 87	MADISON	9	69	69	4.975	40	40	PMS	340	68	568	8	21	10	20	28	87	90	.6
P046	31+0.616	5.3 E WISDOM	BEAVERHEAD	9	65	65	5.283	26	26	PMS	161	24	552	8	16	10	20	29	83	90	.9
P046	1+0.166	IDAHO LINE	BEAVERHEAD	9	60	63	2.945	28	28	PMS	153	22	315	5	18	10	20	29	82	90	.5
P018	53+0.390	5.4 S COHAGEN	GARFIELD	5	77	77	5.433	30	30	PMS	269	34	549	9	28	10	11	29	87	91	.7
P051	59+0.918	10.6 E LAMBERT	RICHLAND	4	55	77	11.192	24	28	PMS	636	89	395	8	30	10	15	27	90	91	1.1
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	11	63	63	3.682	28	28	PMS	242	33	332	8	25	10	15	29	87	91	.5
P011	1+0.019	GARDINER NO	PARK	10	75	75	.346	34	34	PMS	860	184	688	8	27	10	20	26	91	91	
P051	8+0.342	DAWSON CO	DAWSON	4	60	61	.775	30	30	PMS	248	34	702	7	22	10	20	29	88	92	.1
P001	322+0.620	CHESTER	LIBERTY	2	77	77	3.787	40	40	PMS	1054	137	281	10	30	10	19	23	92	92	.3
P008	27+0.319	0.3 W L & C CO	POWELL	8	77	77	.308	56	56	PMS	1580	205	1248	8	27	10	20	28	93	92	
P008	23+0.219	2.3 E ELLISTON	POWELL	8	73	73	2.363	56	56	PMS	1580	205	2080	8	26	10	20	29	93	92	.2
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	12	76	76	5.516	30	30	PMS	416	54	512	9	27	10	16	28	90	92	.6
P054	17+0.695	8.8 N BIDDLE	POWDER RIVER	12	74	75	5.910	30	30	PMS	347	45	530	8	27	10	15	29	89	92	.7
P087	0+0.000	JCT FAP 13	MADISON	9	63	63	1.393	30	30	PMS	334	72	441	7	24	10	20	28	89	92	.2
P001	326+0.338	3.8 E CHESTER	LIBERTY	2	76	76	6.154	40	40	PMS	1057	137	281	10	30	10	20	23	93	93	.4
P069	38+0.095	BOULDER	JEFFERSON	7	73	73	.303	40	40	PMS	1738	260	627	10	30	10	20	24	94	93	
P022	64+0.346	MEDICINE LAKE	SHERIDAN	3	76	76	7.509	32	32	PMS	844	126	653	9	28	10	19	27	93	93	.5
P022	71+0.833	ROOSEVELT CO	ROOSEVELT	3	76	76	2.019	32	32	PMS	825	123	722	8	28	10	20	27	93	93	.1
P013	21+0.332	9.3 S FAS 357	MADISON	9	71	71	2.992	40	40	PMS	340	68	511	8	25	10	20	28	91	93	.3
P013	8+0.630	JCT FAP 87	MADISON	9	66	66	7.813	40	40	PMS	340	68	596	8	25	10	20	28	91	93	.7
P013	74+0.873	0.5 S HARRISON	MADISON	9	76	76	5.908	32	32	PMS	440	68	722	8	27	10	17	29	91	93	.5
P046	51+0.307	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.089	26	28	PMS	101	15	442	7	18	10	20	29	84	93	
P051	38+0.441	5.8 E RICHLAND CO	RICHLAND	4	57	77	10.781	24	28	PMS	225	31	524	8	30	10	14	29	91	94	1.0
P010	39+0.561	0.4 N FT BENTON	CHOUTEAU	6	74	74	1.138	32	32	PMS	1019	132	468	10	28	10	20	26	94	94	.1
P001	321+0.077	0.6 W CHESTER	LIBERTY	2	77	77	.701	40	40	PMS	810	105	244	10	30	10	20	24	94	94	
P023	27+0.820	22.7 N POWDER R CO	CUSTER	12	77	77	5.365	34	34	PMS	460	66	585	9	26	10	20	28	93	94	.4
P044	27+0.865	0.5 W JCT 115	PONDERA	6	72	72	.523	34	34	PMS	381	82	576	9	28	10	20	28	95	95	
P023	119+0.471	20.4 N WYO LINE	CARTER	12	55	78	10.845	26	26	PMS	479	69	513	8	28	10	20	28	94	95	.7
P013	80+0.773	GALLATIN CO LINE	GALLATIN	10	76	76	1.444	32	32	PMS	390	60	568	8	28	10	20	28	94	95	.1
P035	16+0.098	5.3 SW FAP 6	SANDERS	8	68	69	5.348	30	30	PMS	546	90	367	10	28	10	20	26	94	95	.3
P002	20+0.912	10.6 W LOCATE	CUSTER	12	75	75	6.532	34	34	PMS	493	64	380	9	28	10	20	27	94	95	.4

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BY	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P023	130+0.301	9.6 N WYO LINE	CARTER	12	65	78	9.551	34	34	PMS	525	78	585	9	30	10	17	28	94	95	.6
P045	22+0.797	5.4 S WHEATLAND CO	SWEET GRASS	10	69	69	1.029	30	30	RMS	229	29	291	9	25	10	20	29	93	95	.1
P078	24+0.317	STILLWATER-CARBON	CARBON	11	60	60	.786	24	24	PMS	327	53	522	9	27	10	20	28	94	95	
P078	23+0.920	CARBON-STILLWATER	STILLWATER	11	60	60	.397	24	24	PMS	290	47	394	9	26	10	20	28	93	95	
P051	32+0.582	RICHLAND CO	RICHLAND	4	58	77	5.840	24	32	PMS	207	28	425	7	28	10	20	29	94	96	.4
P057	130+1.042	7.8 E PETROLEUM CO	PETROLEUM	5	79	79	4.886	30	30	PMS	309	47	529	10	30	10	16	29	95	96	.2
P057	158+0.363	GARFIELD CO	GARFIELD	5	73	73	3.214	30	30	PMS	284	43	648	8	27	10	20	29	94	96	.2
P059	29+0.649	8.3 S MEAGHER CO	PARK	10	73	73	8.379	32	32	PMS	291	43	643	9	27	10	19	29	94	96	.5
P039	44+0.450	6.8 SO JCT I 94	ROSEBUD	12	79	79	6.767	36	36	PMS	719	107	357	10	30	10	20	26	96	96	.3
P037	40+0.709	1.3 W LAME DEER	ROSEBUD	12	75	75	.522	56	56	PMS	1133	152	1632	10	28	10	20	29	97	96	
P018	58+0.960	COHAGEN	GARFIELD	5	76	76	4.360	30	30	PMS	255	33	678	9	28	10	20	29	96	97	.2
P057	156+0.720	1.6 W GARFIELD CO	PETROLEUM	5	73	73	1.632	30	30	PMS	311	47	648	9	28	10	20	29	96	97	.1
P014	48+0.995	3.9 E FAP 60	MEAGHER	10	76	76	6.934	36	36	PMS	301	39	180	9	30	10	20	27	96	97	.3
P002	27+0.464	4.1 W LOCATE	CUSTER	12	73	73	6.279	34	34	PMS	492	63	400	9	30	10	20	28	97	97	.2
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	11	63	63	3.103	28	28	PMS	285	39	579	10	27	10	20	29	96	97	.1
P057	136+0.158	WINNETT	PETROLEUM	5	79	79	1.502	30	30	PMS	433	66	604	10	30	10	20	28	98	98	
P032	3+0.720	JCT FAP RTE 1	ROOSEVELT	3	79	79	2.548	32	32	PMS	466	65	565	10	30	10	20	28	98	98	.1
P046	77+0.114	DIVIDE EAST	SILVER BOW	9	76	76	.784	34	34	PMS	384	57	381	10	30	10	20	28	98	98	
P001	537+0.618	3.3 W GLASGOW	VALLEY	3			3.326	UNDER CONSTRUCTION													
P001	541+0.059	GLASGOW	VALLEY	3			.345	UNDER CONSTRUCTION													
P064	7+0.180	MADISON CO LINE	MADISON	9			1.812	UNDER CONSTRUCTION													
P059	15+0.395	CLYDE PARK	PARK	10			5.138	UNDER CONSTRUCTION													
P059	14+0.318	0.6 S CLYDE PARK	PARK	10			.624	UNDER CONSTRUCTION													
P007	48+0.000	HAMILTON	RAVALLI	8			1.348	UNDER CONSTRUCTION													
P064	3+0.000	3.0 W FAP RTE 50	GALLATIN	10			4.259	UNDER CONSTRUCTION													
P028	64+0.237	4.5 S RED LODGE	CARBON	11			4.158	UNDER CONSTRUCTION													
P028	68+0.615	RED LODGE	CARBON	11			.062	UNDER CONSTRUCTION													
		SYSTEM TOTAL					5266.473						402082.4								